


## Lampiran 7 Hasil Output

### UJI NORMALITAS

#### 1. Kebiasaan Sarapan

##### A. Histogram



##### B. Uji Kolomogrov Smirnov

###### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Frekuensi sarapan	.197	80	.000	.862	80	.000

a. Lilliefors Significance Correction

Nilai p-kurang dari alpha 0,05 maka  $H_0$  ditolak disimpulkan distribusi data tidak normal.


Descriptives

		Statistic	Std. Error
Frekuensi sarapan	Mean	2.44	.122
	95% Confidence Interval for Mean		
	Lower Bound	2.20	
	Upper Bound	2.68	
	5% Trimmed Mean	2.43	
	Median	2.50	
	Variance	1.186	
	Std. Deviation	1.089	
	Minimum	1	
	Maximum	4	
	Range	3	
	Interquartile Range	2	
	Skewness	.013	.269
	Kurtosis	-1.290	.532

$0,013/0,269 = 0,048$

## 2. Aktifitas Fisik

### a. Histogram



### b. Uji Kolomogrov Smirnov

Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Rata-rata Aktivitas Fisik	.272	80	.000	.734	80	.000

#### a. Lilliefors Significance Correction

Nilai p-kurang dari alpha 0,05 maka  $H_0$  ditolak disimpulkan distribusi data tidak normal.

C. Uji Swebness


**Descriptives**

		Statistic	Std. Error
Rata-rata Aktivitas Fisik	Mean	1.3902	.01473
	95% Confidence Interval for Mean	Lower Bound 1.3609	
		Upper Bound 1.4196	
	5% Trimmed Mean	1.3790	
	Median	1.3350	
	Variance	.017	
	Std. Deviation	.13175	
	Minimum	1.24	
	Maximum	1.76	
	Range	.52	
	Interquartile Range	.10	
	Skewness	1.645	.269
	Kurtosis	1.496	.532

$$1.645/269 = 6.11$$

### 3. Status Gizi

#### a. Histogram



#### b. Uji Kolomogrov Smirnov

Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	Df	Sig.
Status Gizi	.065	80	.200*	.974	80	.106

a. Lilliefors Significance Correction

\*. This is a lower bound of the true significance.

Nilai p-lebih dari atau sama dengan alpha 0,05 maka Ho gagal ditolak disimpulkan distribusi data normal.

c. Uji Swekness


**Descriptives**

	Statistic	Std. Error
Status Gizi Mean	-.9869	.20733
95% Confidence Interval for Mean	Lower Bound Upper Bound	-1.3996 -.5742
5% Trimmed Mean	-.9732	
Median	-1.0350	
Variance	3.439	
Std. Deviation	1.85442	
Minimum	-5.66	
Maximum	2.35	
Range	8.01	
Interquartile Range	2.97	
Skewness	.097	.269
Kurtosis	-.568	.532

$$0,97/0,269 = - 0,172$$

#### 4. Prestasi Belajar

##### a. Histogram



##### b. Uji Kolomogrov Smirnov

Tests of Normality						
	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	Df	Sig.
Rat	.056	80	.200*	.985	80	.497

a. Lilliefors Significance Correction

\*. This is a lower bound of the true significance.

Nilai p-lebih dari atau sama dengan alpha 0,05 maka Ho gagal ditolak disimpulkan distribusi data normal.

D. Uji Swebkness

**Descriptives**

		Statistic	Std. Error
Rata-rata raport	Mean	80.0307	.49828
	95% Confidence Interval for Lower Bound	79.0389	
	Mean Upper Bound	81.0225	
	5% Trimmed Mean	79.9987	
	Median	80.0000	
	Variance	19.863	
	Std. Deviation	4.45677	
	Minimum	69.82	
	Maximum	591.50	
	Range	21.68	
	Interquartile Range	6.17	
	Skewness	.246	.269
	Kurtosis	-.348	.532

$$0,246/0,269 = 0,914$$

<b>Nama Variabel</b>	<b>Histogram</b>	<b>KS</b>	<b>SKewness</b>	<b>Kesimpulan</b>
Kebiasaan Sarapan	Tidak Normal	Tidak Normal	Normal	Tidak Normal
Aktivitas Fisik	Tidak Normal	Tidak Normal	Tidak Normal	Tidak Normal
Status Gizi	Normal	Normal	Normal	Normal
Prestasi Belajar	Normal	Normal	Normal	Normal