

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
KategoriPengetahuan * kategoriUA	126	100,0%	0	0,0%	126	100,0%

KategoriPengetahuan * kategoriUA Crosstabulation

		kategoriUA		
		Kurang Baik	Baik	
KategoriPengetahuan	Kurang Baik	Count	35	28
		Expected Count	33,5	29,5
		% within KategoriPengetahuan	55,6%	44,4%
	Baik	Count	32	31
		Expected Count	33,5	29,5
		% within KategoriPengetahuan	50,8%	49,2%
Total	Count	67	59	
	Expected Count	67,0	59,0	
	% within KategoriPengetahuan	53,2%	46,8%	

KategoriPengetahuan * kategoriUA Crosstabulation

			Total
KategoriPengetahuan	Kurang Baik	Count	63
		Expected Count	63,0
		% within KategoriPengetahuan	100,0%
	Baik	Count	63
		Expected Count	63,0
		% within KategoriPengetahuan	100,0%
Total	Count	126	
	Expected Count	126,0	
	% within KategoriPengetahuan	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,287 ^a	1	,592		
Continuity Correction ^b	,127	1	,721		
Likelihood Ratio	,287	1	,592		
Fisher's Exact Test				,721	,361
Linear-by-Linear Association	,285	1	,594		
N of Valid Cases	126				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 29,50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for KategoriPengetahuan (Kurang Baik / Baik)	1,211	,601	2,440
For cohort kategoriUA = Kurang Baik	1,094	,788	1,519
For cohort kategoriUA = Baik	,903	,622	1,312
N of Valid Cases	126		

CROSSTABS

```

/TABLES=KategoriPPK3 BY kategoriUA
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ RISK
/CELLS=COUNT EXPECTED ROW
/COUNT ROUND CELL.
    
```

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
KategoriPPK3 * kategoriUA	126	100,0%	0	0,0%	126	100,0%

KategoriPPK3 * kategoriUA Crosstabulation

		kategoriUA		Total		
		Kurang Baik	Baik			
KategoriPPK3	Kurang Baik	Count	39	30	69	
		Expected Count	36,7	32,3	69,0	
		% within KategoriPPK3	56,5%	43,5%	100,0%	
	Baik	Count	28	29	57	
			Expected Count	30,3	26,7	57,0
			% within KategoriPPK3	49,1%	50,9%	100,0%
Total	Count	67	59	126		
		Expected Count	67,0	59,0	126,0	
		% within KategoriPPK3	53,2%	46,8%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,686 ^a	1	,407		
Continuity Correction ^b	,421	1	,516		
Likelihood Ratio	,687	1	,407		
Fisher's Exact Test				,474	,258
Linear-by-Linear Association	,681	1	,409		
N of Valid Cases	126				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 26,69.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for KategoriPPK3 (Kurang Baik / Baik)	1,346	,666	2,723
For cohort kategoriUA = Kurang Baik	1,151	,823	1,609
For cohort kategoriUA = Baik	,855	,590	1,238
N of Valid Cases	126		

```

CROSSTABS
  /TABLES=kategorikelelahan BY kategoriUA
  /FORMAT=AVALUE TABLES
  /STATISTICS=CHISQ RISK
  /CELLS=COUNT EXPECTED ROW
  /COUNT ROUND CELL.

```

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kategorikelelahan * kategoriUA	126	100,0%	0	0,0%	126	100,0%

kategorikelelahan * kategoriUA Crosstabulation

		kategoriUA		Total	
		Kurang Baik	Baik		
kategorikelelahan	Tidak Lelah	Count	21	19	40
		Expected Count	21,3	18,7	40,0
		% within kategorikelelahan	52,5%	47,5%	100,0%
kategorikelelahan	Lelah	Count	46	40	86
		Expected Count	45,7	40,3	86,0
		% within kategorikelelahan	53,5%	46,5%	100,0%
Total		Count	67	59	126
		Expected Count	67,0	59,0	126,0
		% within kategorikelelahan	53,2%	46,8%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,011 ^a	1	,918		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,011	1	,918		
Fisher's Exact Test				1,000	,535
Linear-by-Linear Association	,011	1	,918		
N of Valid Cases	126				

- a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 18,73.
 b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategorikelelahan (Tidak Lelah / Lelah)	,961	,453	2,038
For cohort kategoriUA = Kurang Baik	,982	,689	1,399
For cohort kategoriUA = Baik	1,021	,687	1,519
N of Valid Cases	126		

CROSSTABS

```

/TABLES=KategoriPKP BY kategoriUA
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ RISK
/CELLS=COUNT EXPECTED ROW
/COUNT ROUND CELL.
  
```

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
KategoriPKP * kategoriUA	126	100,0%	0	0,0%	126	100,0%

KategoriPKP * kategoriUA Crosstabulation

		kategoriUA		Total	
		Kurang Baik	Baik		
KategoriPKP	Tidak Baik	Count	44	33	77
		Expected Count	40,9	36,1	77,0
		% within KategoriPKP	57,1%	42,9%	100,0%
KategoriPKP	Baik	Count	23	26	49
		Expected Count	26,1	22,9	49,0
		% within KategoriPKP	46,9%	53,1%	100,0%
Total		Count	67	59	126
		Expected Count	67,0	59,0	126,0
		% within KategoriPKP	53,2%	46,8%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,252 ^a	1	,263		
Continuity Correction ^b	,876	1	,349		
Likelihood Ratio	1,252	1	,263		
Fisher's Exact Test				,278	,175
Linear-by-Linear Association	1,242	1	,265		
N of Valid Cases	126				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 22,94.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for KategoriPKP (Tidak Baik / Baik)	1,507	,734	3,097
For cohort kategoriUA = Kurang Baik	1,217	,854	1,736
For cohort kategoriUA = Baik	,808	,559	1,168
N of Valid Cases	126		