

Uji Normalitas

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Sikap	93	100.0%	0	0.0%	93	100.0%
Pengetahuan	93	100.0%	0	0.0%	93	100.0%

Descriptives

		Statistic	Std. Error
sikap_skor	Mean	28.67	.123
	95% Confidence Interval for Mean	Lower Bound	28.42
		Upper Bound	28.91
	5% Trimmed Mean	28.67	
	Median	29.00	
	Variance	1.399	
	Std. Deviation	1.183	
	Minimum	26	
	Maximum	31	
	Range	5	
	Interquartile Range	1	
	Skewness	-.046	.250
	Kurtosis	-.283	.495
	total_skor_pengetahuan	Mean	4.16
95% Confidence Interval for Mean		Lower Bound	3.81
		Upper Bound	4.52
5% Trimmed Mean		3.96	
Median		4.00	
Variance		2.963	
Std. Deviation		1.721	
Minimum		3	
Maximum		9	
Range		6	
Interquartile Range		1	
Skewness		2.097	.250
Kurtosis		3.206	.495

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	Df	Sig.
sikap_skor	.181	93	.000	.934	93	.000
total_skor_pengetahuan	.419	93	.000	.592	93	.000

a. Lilliefors Significance Correction

Frequency Table

Umur

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	20	9	9.7	9.7	9.7
	21	15	16.1	16.1	25.8
	22	14	15.1	15.1	40.9
	23	8	8.6	8.6	49.5
	24	6	6.5	6.5	55.9
	25	9	9.7	9.7	65.6
	26	6	6.5	6.5	72.0
	27	8	8.6	8.6	80.6
	28	4	4.3	4.3	84.9
	29	3	3.2	3.2	88.2
	30	3	3.2	3.2	91.4
	31	4	4.3	4.3	95.7
	32	2	2.2	2.2	97.8
	33	2	2.2	2.2	100.0
	Total	93	100.0	100.0	

Kategorik_Pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Rendah	62	66.7	66.7	66.7
	Tinggi	31	33.3	33.3	100.0
	Total	93	100.0	100.0	

Pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	SD	15	16.1	16.1	16.1
	SMP	47	50.5	50.5	66.7
	SMA	29	31.2	31.2	97.8
	Perguruan Tinggi	2	2.2	2.2	100.0
	Total	93	100.0	100.0	

Kategorik_Sikap

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	40	43.0	43.0	43.0
	Baik	53	57.0	57.0	100.0
	Total	93	100.0	100.0	

Ketersediaan Transportasi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak tersedia	39	41.9	41.9	41.9
	Tersedia	54	58.1	58.1	100.0
	Total	93	100.0	100.0	

Pemanfaatan Pelayanan Kesehatan Antenatal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Teratur < 4 Kali	74	79.6	79.6	79.6
	Teratur \geq 4 Kali	19	20.4	20.4	100.0
	Total	93	100.0	100.0	

Penghasilan Keluarga

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Rendah < 3.000.000	42	45.2	45.2	45.2
	Tinggi \geq 3.000.000	51	54.8	54.8	100.0
	Total	93	100.0	100.0	

Jarak Tempuh

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Jauh > 1 km	52	55.9	55.9	55.9
	Dekat \leq 1 km	41	44.1	44.1	100.0
	Total	93	100.0	100.0	

Waktu Tempuh

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Lama > 15 menit	51	54.8	54.8	54.8
	Cepat ≤ 15 menit	42	45.2	45.2	100.0
	Total	93	100.0	100.0	

Kondisi Ibu

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada penyakit/Ya	26	28.0	28.0	28.0
	Tidak ada penyakit/Tidak	67	72.0	72.0	100.0
	Total	93	100.0	100.0	

Crosstabs

Ketersediaan Transportasi * Pemanfaatan Pelayanan Kesehatan Antenatal

		Pemanfaatan Pelayanan Kesehatan Antenatal			Total
		Tidak Teratur < 4 Kali	Teratur ≥ 4 Kali		
Ketersediaan Transportasi	Tidak tersedia	Count	30	9	39
		Expected Count	31.0	8.0	39.0
		% within Ketersediaan Transportasi	76.9%	23.1%	100.0%
	Tersedia	Count	44	10	54
		Expected Count	43.0	11.0	54.0
		% within Ketersediaan Transportasi	81.5%	18.5%	100.0%
Total		Count	74	19	93
		Expected Count	74.0	19.0	93.0
		% within Ketersediaan Transportasi	79.6%	20.4%	100.0%

Chi-Square Tests					
	Value	Df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.289 ^a	1	0.591		
Continuity Correction ^b	0.077	1	0.781		
Likelihood Ratio	0.287	1	0.592		
Fisher's Exact Test				0.612	0.388
Linear-by-Linear Association	0.286	1	0.593		
N of Valid Cases	93				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 7.97.

b. Computed only for a 2x2 table

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Ketersediaan Transportasi (Tidak tersedia / Tersedia)	0.758	0.275	2.086
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Tidak Teratur < 4 Kali	0.944	0.762	1.169
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Teratur ≥ 4 Kali	1.246	0.559	2.776
N of Valid Cases	93		

Kategorik_Sikap * Pemanfaatan Pelayanan Kesehatan Antenatal

		Pemanfaatan Pelayanan Kesehatan Antenatal			
		Tidak Teratur <			
		4 Kali	Teratur ≥ 4 Kali	Total	
Kategorik_Sikap	kurang	Count	31	9	40
		Expected Count	31.8	8.2	40.0
		% within Kategorik_Sikap	77.5%	22.5%	100.0%
Baik		Count	43	10	53
		Expected Count	42.2	10.8	53.0
		% within Kategorik_Sikap	81.1%	18.9%	100.0%
Total		Count	74	19	93
		Expected Count	74.0	19.0	93.0
		% within Kategorik_Sikap	79.6%	20.4%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.185 ^a	1	.667		
Continuity Correction ^b	.029	1	.865		
Likelihood Ratio	.184	1	.668		
Fisher's Exact Test				.796	.430
Linear-by-Linear Association	.183	1	.669		
N of Valid Cases	93				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.17.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategorik_Sikap (kurang / Baik)	.801	.291	2.204
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Tidak Teratur < 4 Kali	.955	.773	1.180
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Teratur ≥ 4 Kali	1.193	.535	2.658
N of Valid Cases	93		

Kategorik_Pendidikan * Pemanfaatan Pelayanan Kesehatan Antenatal

Crosstab

		Pemanfaatan Pelayanan Kesehatan Antenatal		
		Tidak Teratur < 4 Kali	Teratur ≥ 4 Kali	
Kategorik_Pendidikan	Rendah	Count	45	17
		Expected Count	49.3	12.7
	% within	72.6%	27.4%	
	Kategorik_Pendidikan			
tinggi		Count	29	2
		Expected Count	24.7	6.3
	% within	93.5%	6.5%	
	Kategorik_Pendidikan			
Total		Count	74	19
		Expected Count	74.0	19.0
	% within	79.6%	20.4%	
	Kategorik_Pendidikan			

Crosstab

		Total	
Pendidikan	Rendah	Count	62
		Expected Count	62.0
		% within Kategorik_Pendidikan	100.0%
Tinggi	Tinggi	Count	31
		Expected Count	31.0
		% within Kategorik_Pendidikan	100.0%
Total		Count	93
		Expected Count	93.0
		% within Kategorik_Pendidikan	100.0%

Chi-Square Tests

	Value	Df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.589 ^a	1	.018		
Continuity Correction ^b	4.374	1	.036		
Likelihood Ratio	6.506	1	.011		
Fisher's Exact Test				.027	.014
Linear-by-Linear Association	5.529	1	.019		
N of Valid Cases	93				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 6.33.

b. Computed only for a 2x2 table

Risk Estimate

	95% Confidence Interval		
	Value	Lower	Upper
Odds Ratio for Kategori_Pendidikan (Rendah / tinggi)	.183	.039	.850
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Tidak Teratur < 4 Kali	.776	.649	.928
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Teratur ≥ 4 Kali	4.250	1.048	17.240
N of Valid Cases	93		

Penghasilan Keluarga * Pemanfaatan Pelayanan Kesehatan Antenatal

Crosstab

		Pemanfaatan Pelayanan Kesehatan Antenatal Tidak Teratur < 4 Kali	
Penghasilan Keluarga	Rendah < 3.000.000	Count	30
		Expected Count	33.4
		% within Penghasilan Keluarga	71.4%
Tinggi ≥ 3.000.000		Count	44
		Expected Count	40.6
		% within Penghasilan Keluarga	86.3%
Total		Count	74
		Expected Count	74.0
		% within Penghasilan Keluarga	79.6%

Crosstab

Pemanfaatan Pelayanan
Kesehatan Antenatal

		Teratur \geq 4 Kali	Total	
Penghasilan Keluarga	Rendah < 3.000.000	Count	12	42
		Expected Count	8.6	42.0
		% within Penghasilan Keluarga	28.6%	100.0%
	Tinggi \geq 3.000.000	Count	7	51
		Expected Count	10.4	51.0
		% within Penghasilan Keluarga	13.7%	100.0%
Total	Count	19	93	
	Expected Count	19.0	93.0	
	% within Penghasilan Keluarga	20.4%	100.0%	

Chi-Square Tests

	Value	Df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.123 ^a	1	.077		
Continuity Correction ^b	2.276	1	.131		
Likelihood Ratio	3.124	1	.077		
Fisher's Exact Test				.120	.066
Linear-by-Linear Association	3.089	1	.079		
N of Valid Cases	93				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.58.

b. Computed only for a 2x2 table

Risk Estimate

	95% Confidence Interval		
	Value	Lower	Upper
Odds Ratio for Penghasilan Keluarga (Rendah < 3.000.000 / Tinggi > 3.000.000)	.398	.140	1.127
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Tidak Teratur < 4 Kali	.828	.664	1.032
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Teratur ≥ 4 Kali	2.082	.901	4.812
N of Valid Cases	93		

Jarak Tempuh * Pemanfaatan Pelayanan Kesehatan Antenatal

Crosstab

		Pemanfaatan Pelayanan Kesehatan Antenatal			
		Tidak Teratur < 4 Kali	Teratur ≥ 4 Kali	Total	
Jarak Tempuh	Jauh > 1 km	Count	40	12	52
		Expected Count	41.4	10.6	52.0
		% within Jarak Tempuh	76.9%	23.1%	100.0%
Dekat ≤ 1 km	Dekat ≤ 1 km	Count	34	7	41
		Expected Count	32.6	8.4	41.0
		% within Jarak Tempuh	82.9%	17.1%	100.0%
Total	Total	Count	74	19	93
		Expected Count	74.0	19.0	93.0
		% within Jarak Tempuh	79.6%	20.4%	100.0%

Chi-Square Tests

	Value	Df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.508 ^a	1	.476		
Continuity Correction ^b	.206	1	.650		
Likelihood Ratio	.514	1	.473		
Fisher's Exact Test				.606	.327
Linear-by-Linear Association	.503	1	.478		
N of Valid Cases	93				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.38.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jarak Tempuh (Jauh > 1 km / Dekat ≤ 1 km)	.686	.243	1.938
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Tidak Teratur < 4 Kali	.928	.757	1.137
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Teratur ≥ 4 Kali	1.352	.585	3.123
N of Valid Cases	93		

Waktu Tempuh * Pemanfaatan Pelayanan Kesehatan Antenatal

Crosstab

		Pemanfaatan Pelayanan Kesehatan Antenatal		
		Tidak Teratur < 4 Kali	Teratur ≥ 4 Kali	
Waktu Tempuh	Lama > 15 menit	Count	43	8
		Expected Count	40.6	10.4
		% within Waktu Tempuh	84.3%	15.7%
	Cepat ≤ 15 menit	Count	31	11
		Expected Count	33.4	8.6
		% within Waktu Tempuh	73.8%	26.2%
	Total	Count	74	19
		Expected Count	74.0	19.0
		% within Waktu Tempuh	79.6%	20.4%

Crosstab

		Total	
Waktu Tempuh	Lama > 15 menit	Count	51
		Expected Count	51.0
		% within Waktu Tempuh	100.0%
	Cepat ≤ 15 menit	Count	42
		Expected Count	42.0
		% within Waktu Tempuh	100.0%
Total		Count	93
		Expected Count	93.0
		% within Waktu Tempuh	100.0%

Chi-Square Tests

	Value	Df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.563 ^a	1	.211		
Continuity Correction ^b	.984	1	.321		
Likelihood Ratio	1.558	1	.212		
Fisher's Exact Test				.302	.161
Linear-by-Linear Association	1.546	1	.214		
N of Valid Cases	93				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.58.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Waktu Tempuh (Lama > 15 menit / Cepat ≤ 15 menit)	1.907	.687	5.295
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Tidak Teratur < 4 Kali	1.142	.921	1.417
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Teratur ≥ 4 Kali	.599	.265	1.352
N of Valid Cases	93		

Kondisi Ibu * Pemanfaatan Pelayanan Kesehatan Antenatal

Crosstab

		Pemanfaatan Pelayanan Kesehatan Antenatal		
		Tidak Teratur <		
		4 Kali	Teratur ≥ 4 Kali	
Kondisi Ibu	Ada penyakit/Ya	Count	17	9
		Expected Count	20.7	5.3
		% within Kondisi Ibu	65.4%	34.6%
Tidak ada penyakit/Tidak	Tidak ada penyakit/Tidak	Count	57	10
		Expected Count	53.3	13.7
		% within Kondisi Ibu	85.1%	14.9%
Total	Total	Count	74	19
		Expected Count	74.0	19.0
		% within Kondisi Ibu	79.6%	20.4%

Crosstab

				Total
Kondisi Ibu	Ada penyakit/Ya	Count		26
		Expected Count		26.0
		% within Kondisi Ibu		100.0%
Tidak ada penyakit/Tidak	Tidak ada penyakit/Tidak	Count		67
		Expected Count		67.0
		% within Kondisi Ibu		100.0%
Total	Total	Count		93
		Expected Count		93.0
		% within Kondisi Ibu		100.0%

Chi-Square Tests

	Value	Df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.467 ^a	1	.035		
Continuity Correction ^b	3.338	1	.068		
Likelihood Ratio	4.162	1	.041		
Fisher's Exact Test				.046	.037
Linear-by-Linear Association	4.419	1	.036		
N of Valid Cases	93				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 5.31.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kondisi Ibu (Ada penyakit/Ya / Tidak ada penyakit/Tidak)	.331	.116	.948
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Tidak Teratur < 4 Kali	.769	.571	1.034
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Teratur ≥ 4 Kali	2.319	1.065	5.051
N of Valid Cases	93		

Pengetahuan Frequency Table

bagaimana cara mengetahui adanya kehamilan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	6	6.5	6.5	6.5
	benar	87	93.5	93.5	100.0
	Total	93	100.0	100.0	

kapan pemeriksaan pertama kali pada kehamilan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	49	52.7	52.7	52.7
	benar	44	47.3	47.3	100.0
	Total	93	100.0	100.0	

Orang yang sebaiknya ibu datangi untuk memeriksakan kehamilan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	51	54.8	54.8	54.8
	benar	42	45.2	45.2	100.0
	Total	93	100.0	100.0	

Berapa kali minimal memeriksakan kehamilan disarana kesehatan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	56	60.2	60.2	60.2
	benar	37	39.8	39.8	100.0
	Total	93	100.0	100.0	

Bila terjadi penurunan berat badan pada waktu hamil, apakah ibu sehat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	48	51.6	51.6	51.6
	benar	45	48.4	48.4	100.0
Total		93	100.0	100.0	

Berapa kali minimal (paling sedikit) ibu mendapatkan imunisasi TT (tetanus toxoid) selama hamil

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	59	63.4	63.4	63.4
	benar	34	36.6	36.6	100.0
Total		93	100.0	100.0	

Apakah manfaat imunisasi TT bagi ibu hamil

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Salah	63	67.7	67.7	67.7
	Benar	30	32.3	32.3	100.0
Total		93	100.0	100.0	

Obat yang paling baik diminum setiap hari oleh ibu hamil

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Salah	61	65.6	65.6	65.6
	Benar	32	34.4	34.4	100.0
Total		93	100.0	100.0	

Apa manfaat pemeriksa kehamilan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Salah	57	61.3	61.3	61.3
	Benar	36	38.7	38.7	100.0
Total		93	100.0	100.0	

Pemanfaatan Pelayanan Antenatal Frequency Table

Pemanfaatan Pelayanan Antenatal Pertanyaan 0-3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	54	58.1	58.1	58.1
	2	39	41.9	41.9	100.0
Total		93	100.0	100.0	

Pemanfaatan Pelayanan Antenatal Pertanyaan 4-6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	88	94.6	94.6	94.6
	2	5	5.4	5.4	100.0
Total		93	100.0	100.0	

Pemanfaatan Pelayanan Antenatal Pertanyaan 7-9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	74	79.6	79.6	79.6
	2	19	20.4	20.4	100.0
Total		93	100.0	100.0	

**Sikap
Frequency Table**

perlu periksa hamil

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	S	93	100.0	100.0	100.0

memeriksa kehamilan secara teratur

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TS	1	1.1	1.1	1.1
	S	92	98.9	98.9	100.0
	Total	93	100.0	100.0	

pemeriksaan kehamilan tidak harus dirumah sakit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	16	17.2	17.2	17.2
	TS	59	63.4	63.4	80.6
	S	18	19.4	19.4	100.0
	Total	93	100.0	100.0	

mengetahui penambah berat badan saya selama hamil

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TS	2	2.2	2.2	2.2
	S	89	95.7	95.7	97.8
	SS	2	2.2	2.2	100.0
	Total	93	100.0	100.0	

mendapat tablet zat besi dari tempat pelayanan yang saya datangi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TS	1	1.1	1.1	1.1
	S	66	71.0	71.0	72.0
	SS	26	28.0	28.0	100.0
	Total	93	100.0	100.0	

setiap berkunjung ke pelayanan perut saya harus dipegang untuk mengetahui letak bayi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TS	2	2.2	2.2	2.2
	S	78	83.9	83.9	86.0
	SS	13	14.0	14.0	100.0
	Total	93	100.0	100.0	

melakukan kunjungan ulang pada berikutnya

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TS	3	3.2	3.2	3.2
	S	79	84.9	84.9	88.2
	SS	11	11.8	11.8	100.0
	Total	93	100.0	100.0	

memeriksa kehamilan saya harus mendapatkan keterangan tentang makanan bergizi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TS	3	3.2	3.2	3.2
	S	54	58.1	58.1	61.3
	SS	36	38.7	38.7	100.0
	Total	93	100.0	100.0	

kehamilan mempunyai manfaat bagi kesehatan anak

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	S	61	65.6	65.6	65.6
	SS	32	34.4	34.4	100.0
	Total	93	100.0	100.0	

pemeriksaan kehamilan dilakukan jika ada masalah saja dengan kehamilan saya

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	48	51.6	51.6	51.6
	TS	45	48.4	48.4	100.0
	Total	93	100.0	100.0	