

## Frequencies

### Kategorik\_Pengetahuan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	82	88.2	88.2	88.2
	Baik	11	11.8	11.8	100.0
	Total	93	100.0	100.0	

## Crosstabs

### Kategorik\_Pengetahuan \* Pemanfaatan Pelayanan Kesehatan Antenatal Crosstabulation

		Pemanfaatan Pelayanan Kesehatan Antenatal		
		Tidak Teratur < 4 Kali	Teratur ≥ 4 Kali	
Kategorik_Pengetahuan	Kurang	Count	64	18
		Expected Count	65.2	16.8
		% within	78.0%	22.0%
Kategorik_Pengetahuan	Baik	Count	10	1
		Expected Count	8.8	2.2
		% within	90.9%	9.1%
Total	Kategorik_Pengetahuan	Count	74	19
		Expected Count	74.0	19.0
		% within	79.6%	20.4%

**Kategori\_k\_Pengetahuan \* Pemanfaatan Pelayanan Kesehatan Antenatal  
Crosstabulation**

		Total	
Kategori_k_Pengetahuan	Kurang	Count	82
		Expected Count	82.0
		% within Kategori_k_Pengetahuan	100.0%
	Baik	Count	11
		Expected Count	11.0
		% within Kategori_k_Pengetahuan	100.0%
Total	Count	93	
	Expected Count	93.0	
	% within Kategori_k_Pengetahuan	100.0%	

**Chi-Square Tests**

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.987 <sup>a</sup>	1	.321		
Continuity Correction <sup>b</sup>	.354	1	.552		
Likelihood Ratio	1.160	1	.282		
Fisher's Exact Test				.450	.292
Linear-by-Linear Association	.976	1	.323		
N of Valid Cases	93				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.25.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategorik_Pengetahuan (Kurang / Baik)	.356	.043	2.965
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Tidak Teratur < 4 Kali	.859	.689	1.069
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Teratur ≥ 4 Kali	2.415	.357	16.352
N of Valid Cases	93		

### Frequencies

		kategorik_umur			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	> 30	8	8.6	8.6	8.6
	20 – 30	85	91.4	91.4	100.0
Total		93	100.0	100.0	

## Crosstabs

### kategorik\_umur \* Pemanfaatan Pelayanan Kesehatan Antenatal

		Pemanfaatan Pelayanan Kesehatan Antenatal		Total
		Tidak Teratur < 4 Kali	Teratur ≥ 4 Kali	
kategorik_umur > 30	Count	7	1	8
	Expected Count	6.4	1.6	8.0
	% within kategorik_umur	87.5%	12.5%	100.0%
20 - 30	Count	67	18	85
	Expected Count	67.6	17.4	85.0
	% within kategorik_umur	78.8%	21.2%	100.0%
Total	Count	74	19	93
	Expected Count	74.0	19.0	93.0
	% within kategorik_umur	79.6%	20.4%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.339 <sup>a</sup>	1	.561		
Continuity Correction <sup>b</sup>	.015	1	.902		
Likelihood Ratio	.376	1	.540		
Fisher's Exact Test				1.000	.484
Linear-by-Linear Association	.335	1	.563		
N of Valid Cases	93				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.63.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategorik_umur (> 30 / 20 - 30)	1.881	.217	16.290
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Tidak Teratur < 4 Kali	1.110	.836	1.475
For cohort Pemanfaatan Pelayanan Kesehatan Antenatal = Teratur $\geq$ 4 Kali	.590	.090	3.863
N of Valid Cases	93		