

### Karakteristik Responden

Jenis\_kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	L	14	42.4	42.4	42.4
	P	19	57.6	57.6	100.0
	Total	33	100.0	100.0	

Usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	22.00	5	15.2	15.2	15.2
	23.00	2	6.1	6.1	21.2
	24.00	1	3.0	3.0	24.2
	25.00	3	9.1	9.1	33.3
	27.00	2	6.1	6.1	39.4
	28.00	4	12.1	12.1	51.5
	29.00	1	3.0	3.0	54.5
	30.00	1	3.0	3.0	57.6
	34.00	1	3.0	3.0	60.6
	35.00	2	6.1	6.1	66.7
	36.00	1	3.0	3.0	69.7
	37.00	2	6.1	6.1	75.8
	39.00	2	6.1	6.1	81.8
	40.00	1	3.0	3.0	84.8
	41.00	3	9.1	9.1	93.9
	42.00	1	3.0	3.0	97.0
	45.00	1	3.0	3.0	100.0
	Total	33	100.0	100.0	

Lama kerja di IGD

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	< 5 tahun	14	42.4	42.4	42.4
	> 5 tahun	19	57.6	57.6	100.0
	Total	33	100.0	100.0	

TB

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	150.00	1	3.0	3.0	3.0
	151.00	1	3.0	3.0	6.1
	155.00	3	9.1	9.1	15.2
	156.00	2	6.1	6.1	21.2
	157.00	4	12.1	12.1	33.3
	158.00	3	9.1	9.1	42.4
	159.00	2	6.1	6.1	48.5
	160.00	3	9.1	9.1	57.6
	162.00	1	3.0	3.0	60.6
	166.00	1	3.0	3.0	63.6
	167.00	1	3.0	3.0	66.7
	168.00	2	6.1	6.1	72.7
	170.00	1	3.0	3.0	75.8
	172.00	2	6.1	6.1	81.8
	175.00	2	6.1	6.1	87.9
	176.00	1	3.0	3.0	90.9
	177.00	1	3.0	3.0	93.9
	180.00	2	6.1	6.1	100.0
	Total	33	100.0	100.0	

**IMT**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Normal	22	66.7	66.7	66.7
	Over weight	10	30.3	30.3	97.0
	Under weight	1	3.0	3.0	100.0
	Total	33	100.0	100.0	

**Kebiasaan\_olahraga**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Jarang	13	39.4	39.4	39.4
	Kadang	5	15.2	15.2	54.5
	Sering	1	3.0	3.0	57.6
	Tidak ada	14	42.4	42.4	100.0
	Total	33	100.0	100.0	

**Tingkat\_risiko**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sangat tinggi	33	100.0	100.0	100.0

**Total\_skor**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	11.00	1	3.0	3.0	3.0
	12.00	3	9.1	9.1	12.1
	13.00	15	45.5	45.5	57.6
	14.00	5	15.2	15.2	72.7
	15.00	9	27.3	27.3	100.0
	Total	33	100.0	100.0	

**Nyeri\_sekarang**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak nyeri	11	33.3	33.3	33.3
	Nyeri Ringan	22	66.7	66.7	100.0
	Total	33	100.0	100.0	

**Hal lebih baik**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	istirahat	25	75.8	75.8	75.8
	minum obat	8	24.2	24.2	100.0
	Total	33	100.0	100.0	

**Hal memperparahSifat\_nyeri**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	berjalan	29	87.9	87.9	87.9
	naik ke atas	4	12.1	12.1	100.0
	Total	33	100.0	100.0	

**Sifat\_nyeri**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	di remas	8	24.2	24.2	24.2
	di tusuk	12	36.4	36.4	60.6
	kesemutan, menyengat	3	9.1	9.1	69.7
	Tidak ada	10	30.3	30.3	100.0
	Total	33	100.0	100.0	

**Correlations**

		Nyeri_sekarang	Total_skor
Nyeri_sekarang	Pearson Correlation	1	-.179
	Sig. (2-tailed)		.318
	N	33	33
Total_skor	Pearson Correlation	-.179	1
	Sig. (2-tailed)	.318	
	N	33	33

**One-Sample Kolmogorov-Smirnov Test**

		Nyeri_sekarang	Total_skor
N		33	33
Normal Parameters <sup>a,b</sup>	Mean	1.6667	13.5455
	Std. Deviation	.47871	1.09233
Most Extreme Differences	Absolute	.424	.267
	Positive	.251	.267
	Negative	-.424	-.188
Test Statistic		.424	.267
Asymp. Sig. (2-tailed)		.000 <sup>c</sup>	.000 <sup>c</sup>

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.



