

## Lampiran 3

## UJI NORMALITAS STATUS IMD DENGAN PENGETAHUAN

## One-Sample Kolmogorov-Smirnov Test

		Unstandardize d Residual
N		71
Normal Parameters <sup>a, b</sup>	Mean	.0000000
	Std. Deviation	.37724184
Most Extreme Differences	Absolute	.114
	Positive	.114
	Negative	-.096
Kolmogorov-Smirnov Z		.960
Asymp. Sig. (2-tailed)		.315

a. Test distribution is Normal.

b. Calculated from data.

## UJI NORMALITAS STATUS IMD DENGAN SIKAP

## One-Sample Kolmogorov-Smirnov Test

		Unstandardize d Residual
N		71
Normal Parameters <sup>a, b</sup>	Mean	.0000000
	Std. Deviation	.30497356
Most Extreme Differences	Absolute	.108
	Positive	.108
	Negative	-.058
Kolmogorov-Smirnov Z		.909
Asymp. Sig. (2-tailed)		.380

a. Test distribution is Normal.

b. Calculated from data.

**UMUR IBU****UMUR**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	17-25	20	28.2	28.2	28.2
	26-35	36	50.7	50.7	78.9
	36-45	15	21.1	21.1	100.0
	Total	71	100.0	100.0	

**PENDIDIKAN IBU****PENDIDIKAN IBU**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	1.4	1.4	1.4
	2	28	39.4	39.4	40.8
	3	18	25.4	25.4	66.2
	4	21	29.6	29.6	95.8
	5	3	4.2	4.2	100.0
	Total	71	100.0	100.0	

**ANC MINIMAL 4 KALI****ANC MIN 4**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	YA	27	38.0	38.0	38.0
	TIDAK	44	62.0	62.0	100.0
	Total	71	100.0	100.0	

**MENDAPATKAN INFORMASI TENTANG IMD DALAM ANC****TENTANG IMD**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	YA	40	56.3	56.3	56.3
	TIDAK	31	43.7	43.7	100.0
	Total	71	100.0	100.0	

**JENIS KELAMIN****JENIS KELAMIN BAYI**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	LAKI-LAKI	37	52.1	52.1	52.1
	PEREMPUAN	34	47.9	47.9	100.0
	Total	71	100.0	100.0	

**STATUS IMD****STATUS IMD**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	YA	35	49.3	49.3	49.3
	TIDAK	36	50.7	50.7	100.0
	Total	71	100.0	100.0	

**PENGETAHUAN****Statistics****SKOR PENGETAHUAN**

N	Valid	71
	Missing	0
Mean		10.04
Median		10.00
Std. Deviation		3.449
Minimum		3
Maximum		15

**Descriptive Statistics**

	N	Minimum	Maximum	Mean	Std. Deviation
SKOR PENGETAHUAN	71	3	15	10.04	3.449
Valid N (listwise)	71				

**TINGKAT PENGETAHUAN****KAT PENGETAHUAN**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TIDAK BAIK	41	57.7	57.7	57.7
BAIK	30	42.3	42.3	100.0
Total	71	100.0	100.0	

## HUBUNGAN KAT PENGETAHUAN DENGAN INISIASI MENYUSU DINI

### KAT PENGETAHUAN \* STATUS IMD Crosstabulation

Count

		STATUS IMD		Total
		TIDAK	YA	
KAT PENGETAHUAN	TIDAK BAIK	32	9	41
	BAIK	4	26	30
Total		36	35	71

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	29.027 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	26.496	1	.000		
Likelihood Ratio	31.697	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	28.619	1	.000		
N of Valid Cases	71				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14,79.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for KAT PENGETAHUAN (TIDAK BAIK / BAIK)	.043	.012	.157
For cohort STATUS IMD = YA	.253	.140	.459
For cohort STATUS IMD = TIDAK	5.854	2.317	14.786
N of Valid Cases	71		

**SIKAP****Statistics****SKOR SIKAP**

N	Valid	71
	Missing	0
Mean		40.99
Median		42.00
Std. Deviation		5.830
Minimum		29
Maximum		51

**TINGKAT SIKAP****KAT SIKAP**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid NEGATIF	33	46.5	46.5	46.5
POSITIF	38	53.5	53.5	100.0
Total	71	100.0	100.0	

## HUBUNGAN STATUS IMD DENGAN SIKAP

### KAT SIKAP \* STATUS IMD Crosstabulation

Count

		STATUS IMD		Total
		TIDAK	YA	
KAT SIKAP	NEGATIF	32	1	33
	POSITIF	4	34	38
Total		36	35	71

### Chi-Square Tests

	Value	Df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	52.802 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	49.400	1	.000		
Likelihood Ratio	63.877	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	52.058	1	.000		
N of Valid Cases	71				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16,27.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for KAT SIKAP (NEGATIF / POSITIF)	.004	.000	.035
For cohort STATUS IMD = YA	.034	.005	.234
For cohort STATUS IMD = TIDAK	9.212	3.639	23.323
N of Valid Cases	71		

ANC

**INFORMASI IMD DALAM ANC\* STATUS IMD**  
**Crosstabulation**

Count

	STATUS IMD		Total
	TIDAK	YA	
INFORMASI TIDAK IMD DALAM YA ANC	21	10	31
Total	36	35	71

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	6.390 <sup>a</sup>	1	.011		
Continuity Correction <sup>b</sup>	5.238	1	.022		
Likelihood Ratio	6.502	1	.011		
Fisher's Exact Test				.017	.011
Linear-by-Linear Association	6.300	1	.012		
N of Valid Cases	71				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15,28.

b. Computed only for a 2x2 table



**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for TENTANG IMD (YA / TIDAK)	3.500	1.303	9.404
For cohort STATUS IMD = YA	1.938	1.103	3.405
For cohort STATUS IMD = TIDAK	.554	.347	.884
N of Valid Cases	71		