

FREQUENCIES

```
VARIABLES=JK Ruang_Rwt Umur Lama_Rwt
/STATISTICS=STDDEV VARIANCE MEAN MEDIAN MODE SUM
/ORDER= ANALYSIS .
```

Frequencies

[DataSet4] D:\DIAH\ESA UNGGUL\HASIL SKRIPSI\master 6.sav

Statistics

| | | Jenis Kelamin | Ruang Rawat | Umur | Lama Rawat |
|----------------|---------|---------------|-------------|---------|------------|
| N | Valid | 70 | 70 | 70 | 70 |
| | Missing | 0 | 0 | 0 | 0 |
| Mean | | 1,40 | | 48,94 | 2,80 |
| Median | | 1,00 | | 51,50 | 3,00 |
| Mode | | 1 | | 44(a) | 2 |
| Std. Deviation | | ,493 | | 13,756 | ,791 |
| Variance | | ,243 | | 189,214 | ,626 |
| Sum | | 98 | | 3426 | 196 |

a Multiple modes exist. The smallest value is shown

Frequency Table

Jenis Kelamin

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----------|-----------|---------|---------------|--------------------|
| Valid | Laki-laki | 42 | 60,0 | 60,0 | 60,0 |
| | Perempuan | 28 | 40,0 | 40,0 | 100,0 |
| Total | | 70 | 100,0 | 100,0 | |

Ruang Rawat

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | Bedah | 29 | 41,4 | 41,4 | 41,4 |
| | Dalam | 25 | 35,7 | 35,7 | 77,1 |
| | Pulmo | 16 | 22,9 | 22,9 | 100,0 |
| | Total | 70 | 100,0 | 100,0 | |

Umur

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid 21 | 1 | 1,4 | 1,4 | 1,4 |
| 22 | 1 | 1,4 | 1,4 | 2,9 |
| 23 | 1 | 1,4 | 1,4 | 4,3 |
| 24 | 1 | 1,4 | 1,4 | 5,7 |
| 25 | 2 | 2,9 | 2,9 | 8,6 |
| 30 | 1 | 1,4 | 1,4 | 10,0 |
| 31 | 1 | 1,4 | 1,4 | 11,4 |
| 32 | 1 | 1,4 | 1,4 | 12,9 |
| 33 | 2 | 2,9 | 2,9 | 15,7 |
| 34 | 1 | 1,4 | 1,4 | 17,1 |
| 35 | 2 | 2,9 | 2,9 | 20,0 |
| 36 | 2 | 2,9 | 2,9 | 22,9 |
| 37 | 1 | 1,4 | 1,4 | 24,3 |
| 40 | 2 | 2,9 | 2,9 | 27,1 |
| 41 | 2 | 2,9 | 2,9 | 30,0 |
| 42 | 1 | 1,4 | 1,4 | 31,4 |
| 43 | 3 | 4,3 | 4,3 | 35,7 |
| 44 | 5 | 7,1 | 7,1 | 42,9 |
| 46 | 2 | 2,9 | 2,9 | 45,7 |
| 50 | 2 | 2,9 | 2,9 | 48,6 |
| 51 | 1 | 1,4 | 1,4 | 50,0 |
| 52 | 1 | 1,4 | 1,4 | 51,4 |
| 53 | 1 | 1,4 | 1,4 | 52,9 |
| 54 | 3 | 4,3 | 4,3 | 57,1 |
| 55 | 5 | 7,1 | 7,1 | 64,3 |
| 56 | 3 | 4,3 | 4,3 | 68,6 |
| 57 | 1 | 1,4 | 1,4 | 70,0 |
| 58 | 4 | 5,7 | 5,7 | 75,7 |
| 59 | 2 | 2,9 | 2,9 | 78,6 |
| 60 | 1 | 1,4 | 1,4 | 80,0 |
| 65 | 4 | 5,7 | 5,7 | 85,7 |
| 66 | 3 | 4,3 | 4,3 | 90,0 |
| 67 | 4 | 5,7 | 5,7 | 95,7 |
| 68 | 1 | 1,4 | 1,4 | 97,1 |
| 70 | 1 | 1,4 | 1,4 | 98,6 |
| 77 | 1 | 1,4 | 1,4 | 100,0 |
| Total | 70 | 100,0 | 100,0 | |

Lama Rawat

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 2 | 29 | 41,4 | 41,4 | 41,4 |
| 3 | 27 | 38,6 | 38,6 | 80,0 |
| 4 | 13 | 18,6 | 18,6 | 98,6 |
| 5 | 1 | 1,4 | 1,4 | 100,0 |
| Total | 70 | 100,0 | 100,0 | |

FREQUENCIES

```
VARIABLES=TOT_KM_PAGI TOT_KM_SIANG TOT_KM_MALAM
/STATISTICS=STDDEV VARIANCE MEAN MEDIAN MODE SUM
/ORDER= ANALYSIS .
```

Frequencies

[DataSet4] D:\DIAH\ESA UNGGUL\HASIL SKRIPSI\master 6.sav

Statistics

| | Total Kualitas Menu Pagi | Total Kualitas Menu Siang | Total Kualitas Menu Malam |
|----------------|--------------------------|---------------------------|---------------------------|
| N | Valid 70 | 70 | 70 |
| | Missing 0 | 0 | 0 |
| Mean | ,5571 | ,4714 | ,4429 |
| Median | 1,0000 | ,0000 | ,0000 |
| Mode | 1,00 | ,00 | ,00 |
| Std. Deviation | ,50031 | ,50279 | ,50031 |
| Variance | ,250 | ,253 | ,250 |
| Sum | 39,00 | 33,00 | 31,00 |

Frequency Table

Total Kualitas Menu Pagi

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------------|-----------|---------|---------------|--------------------|
| Valid Baik | 31 | 44,3 | 44,3 | 44,3 |
| Kurang Baik | 39 | 55,7 | 55,7 | 100,0 |
| Total | 70 | 100,0 | 100,0 | |

Total Kualitas Menu Siang

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------------|-----------|---------|---------------|--------------------|
| Valid Baik | 37 | 52,9 | 52,9 | 52,9 |
| Kurang Baik | 33 | 47,1 | 47,1 | 100,0 |
| Total | 70 | 100,0 | 100,0 | |

Total Kualitas Menu Malam

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------|-----------|---------|---------------|--------------------|
| Valid | Baik | 39 | 55,7 | 55,7 | 55,7 |
| | Kurang Baik | 31 | 44,3 | 44,3 | 100,0 |
| | Total | 70 | 100,0 | 100,0 | |

FREQUENCIES

VARIABLES=TOT_CITARASA_PG TOT_CITARASA_SG TOT_CITARASA_ML
 /STATISTICS=STDDEV VARIANCE MEAN MEDIAN MODE SUM
 /ORDER= ANALYSIS .

Frequencies

[DataSet4] D:\DIAH\ESA UNGGUL\HASIL SKRIPSI\master 6.sav

Statistics

| | | Total Nilai Cita Rasa Makan Pagi | Total Nilai Cita Rasa Makan Siang | Total Nilai Cita Rasa Makan Malam |
|----------------|---------|----------------------------------|-----------------------------------|-----------------------------------|
| N | Valid | 70 | 70 | 70 |
| | Missing | 0 | 0 | 0 |
| Mean | | ,2429 | ,2429 | ,5286 |
| Median | | ,0000 | ,0000 | 1,0000 |
| Mode | | ,00 | ,00 | 1,00 |
| Std. Deviation | | ,43191 | ,43191 | ,50279 |
| Variance | | ,187 | ,187 | ,253 |
| Sum | | 17,00 | 17,00 | 37,00 |

Frequency Table

Total Nilai Cita Rasa Makan Pagi

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------|-----------|---------|---------------|--------------------|
| Valid | Baik | 53 | 75,7 | 75,7 | 75,7 |
| | Kurang Baik | 17 | 24,3 | 24,3 | 100,0 |
| | Total | 70 | 100,0 | 100,0 | |

Total Nilai Cita Rasa Makan Siang

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------|-----------|---------|---------------|--------------------|
| Valid | Baik | 53 | 75,7 | 75,7 | 75,7 |
| | Kurang Baik | 17 | 24,3 | 24,3 | 100,0 |
| | Total | 70 | 100,0 | 100,0 | |

Total Nilai Cita Rasa Makan Malam

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------|-----------|---------|---------------|--------------------|
| Valid | Baik | 33 | 47,1 | 47,1 | 47,1 |
| | Kurang Baik | 37 | 52,9 | 52,9 | 100,0 |
| | Total | 70 | 100,0 | 100,0 | |

FREQUENCIES

VARIABLES=KTPT_WKMKN_PG KTPT_WKMKN_SG KTPT_WKMKN_ML
 /STATISTICS=STDDEV VARIANCE MEAN MEDIAN MODE SUM
 /ORDER= ANALYSIS .

Frequencies

[DataSet4] D:\DIAH\ESA UNGGUL\HASIL SKRIPSI\master 6.sav

Statistics

| | | Ketepatan Waktu Makan Pagi | Ketepatan Waktu Makan Siang | Ketepatan Waktu Makan Malam |
|----------------|---------|----------------------------|-----------------------------|-----------------------------|
| N | Valid | 70 | 70 | 70 |
| | Missing | 0 | 0 | 0 |
| Mean | | ,37 | ,49 | ,19 |
| Median | | ,00 | ,00 | ,00 |
| Mode | | 0 | 0 | 0 |
| Std. Deviation | | ,487 | ,503 | ,392 |
| Variance | | ,237 | ,253 | ,153 |
| Sum | | 26 | 34 | 13 |

Frequency Table

Ketepatan Waktu Makan Pagi

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------|-----------|---------|---------------|--------------------|
| Valid | Tepat | 44 | 62,9 | 62,9 | 62,9 |
| | Tidak Tepat | 26 | 37,1 | 37,1 | 100,0 |
| | Total | 70 | 100,0 | 100,0 | |

Ketepatan Waktu Makan Siang

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------|-----------|---------|---------------|--------------------|
| Valid | Tepat | 36 | 51,4 | 51,4 | 51,4 |
| | Tidak Tepat | 34 | 48,6 | 48,6 | 100,0 |
| | Total | 70 | 100,0 | 100,0 | |

Ketepatan Waktu Makan Malam

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------------|-----------|---------|---------------|--------------------|
| Valid Tepat | 57 | 81,4 | 81,4 | 81,4 |
| Tidak Tepat | 13 | 18,6 | 18,6 | 100,0 |
| Total | 70 | 100,0 | 100,0 | |

FREQUENCIES

```
VARIABLES=PERSEN_TOTAL_SISA_PG PERSEN_TOTAL_SISA_SG
PERSEN_TOTAL_ML
/STATISTICS=STDDEV VARIANCE MEAN MEDIAN MODE SUM
/ORDER= ANALYSIS .
```

Frequencies

[DataSet4] D:\DIAH\ESA UNGGUL\HASIL SKRIPSI\master 6.sav

Statistics

| | | Persen Total Sisa Makan Pagi | Persen Total Sisa Makan Siang | Persen Total Sisa Makan Malam |
|----------------|---------|------------------------------|-------------------------------|-------------------------------|
| N | Valid | 70 | 70 | 70 |
| | Missing | 0 | 0 | 0 |
| Mean | | ,5429 | ,5143 | ,5143 |
| Median | | 1,0000 | 1,0000 | 1,0000 |
| Mode | | 1,00 | 1,00 | 1,00 |
| Std. Deviation | | ,50176 | ,50340 | ,50340 |
| Variance | | ,252 | ,253 | ,253 |
| Sum | | 38,00 | 36,00 | 36,00 |

Frequency Table

Persen Total Sisa Makan Pagi

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------|-----------|---------|---------------|--------------------|
| Valid Sedikit | 32 | 45,7 | 45,7 | 45,7 |
| Banyak | 38 | 54,3 | 54,3 | 100,0 |
| Total | 70 | 100,0 | 100,0 | |

Persen Total Sisa Makan Siang

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------|-----------|---------|---------------|--------------------|
| Valid Sedikit | 34 | 48,6 | 48,6 | 48,6 |
| Banyak | 36 | 51,4 | 51,4 | 100,0 |
| Total | 70 | 100,0 | 100,0 | |

Persen Total Sisa Makan Malam

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | Sedikit | 34 | 48,6 | 48,6 | 48,6 |
| | Banyak | 36 | 51,4 | 51,4 | 100,0 |
| | Total | 70 | 100,0 | 100,0 | |

DATASET ACTIVATE DataSet6.

FREQUENCIES

VARIABLES=PERSEN_SS_PG_MP PERSEN_SS_PG_LH PERSEN_SS_PG_LN

PERSEN_SS_PG_SY

PERSEN_SS_SG_MP PERSEN_SS_SG_LH PERSEN_SS_SG_LN PERSEN_SS_SG_SY

PERSEN_SS_SG_BH PERSEN_SS_ML_MP PERSEN_SS_ML_LH PERSEN_SS_ML_LNN

PERSEN_SS_ML_SY PERSEN_SS_ML_BH

/STATISTICS=STDDEV VARIANCE MEAN MEDIAN MODE SUM

/ORDER= ANALYSIS .

Frequencies

Statistics

| | Persen Sisa Makan Pagi Makanan Pokok | Persen Sisa Makan Pagi Makanan Lauk Hewani | Persen Sisa Makan Pagi Makanan Lauk Nabati | Persen Sisa Makan Pagi Makanan Sayur | Persen Sisa Makan Siang Makanan Pokok | Persen Sisa Makan Siang Makanan Lauk Hewani | Persen Sisa Makan Siang Makanan Lauk Nabati | Persen Sisa Makan Siang Makanan Sayur | Persen Sisa Makan Siang Makanan Buah | Persen Sisa Makan Malam Makanan Pokok | Persen Sisa Makan Malam Makanan Lauk Hewani | Persen Sisa Makan Malam Makanan Lauk Nabati | Persen Sisa Makan Malam Makanan Sayur | Persen Sisa Makan Malam Makanan an Buah |
|----------------|--------------------------------------|--|--|--------------------------------------|---------------------------------------|---|---|---------------------------------------|--------------------------------------|---------------------------------------|---|---|---------------------------------------|---|
| N Valid | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| Missing | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Mean | 33,1587 | 22,2500 | 30,7563 | 33,5571 | 32,9683 | 24,0179 | 28,3193 | 30,7714 | ,0000 | 32,3968 | 23,8607 | 28,6652 | 31,1000 | ,0000 |
| Median | 31,6667 | 21,1250 | 28,2353 | 38,5000 | 32,2222 | 19,6250 | 24,7059 | 28,5000 | ,0000 | 31,6667 | 21,6250 | 24,6875 | 29,5000 | ,0000 |
| Mode | 10,00(a) | 10,00(a) | 17,06 | 12,00 | 17,78(a) | 12,25 | 20,59 | 28,00 | ,00 | 18,89 | 13,25 | 16,25 | 47,00 | ,00 |
| Std. Deviation | 20,69177 | 12,27013 | 15,47799 | 18,33397 | 16,90249 | 20,23621 | 12,49213 | 13,92961 | ,00000 | 16,91404 | 12,65503 | 15,59616 | 16,16056 | ,00000 |
| Variance | 428,149 | 150,556 | 239,568 | 336,134 | 285,694 | 409,504 | 156,053 | 194,034 | ,000 | 286,085 | 160,150 | 243,240 | 261,164 | ,000 |
| Sum | 2321,11 | 1557,50 | 2152,94 | 2349,00 | 2307,78 | 1681,25 | 1982,35 | 2154,00 | ,00 | 2267,78 | 1670,25 | 2006,56 | 2177,00 | ,00 |

a. Multiple modes exist. The smallest value is shown

CROSSTABS

```

/TABLES=TOT_KM_PAGI BY PERSEN_TOTAL_SISA_PG
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ RISK
/CELLS= COUNT EXPECTED ROW
/COUNT ROUND CELL .
    
```


Crosstabs

[DataSet4] D:\DIAH\ESA UNGGUL\HASIL SKRIPSI\master 6.sav

Case Processing Summary

| | Cases | | | | | |
|---|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Total Kualitas Menu Pagi * Persen Total Sisa Makan Pagi | 70 | 100,0% | 0 | ,0% | 70 | 100,0% |

Total Kualitas Menu Pagi * Persen Total Sisa Makan Pagi Crosstabulation

| | | | Persen Total Sisa Makan Pagi | | Total |
|--------------------------|-----------------------------------|-----------------------------------|------------------------------|---------|--------|
| | | | Banyak | Sedikit | |
| Total Kualitas Menu Pagi | Kurang Baik | Count | 27 | 12 | 39 |
| | | Expected Count | 21,2 | 17,8 | 39,0 |
| | | % within Total Kualitas Menu Pagi | 69,2% | 30,8% | 100,0% |
| | Baik | Count | 11 | 20 | 31 |
| | | Expected Count | 16,8 | 14,2 | 31,0 |
| | | % within Total Kualitas Menu Pagi | 35,5% | 64,5% | 100,0% |
| Total | Count | 38 | 32 | 70 | |
| | Expected Count | 38,0 | 32,0 | 70,0 | |
| | % within Total Kualitas Menu Pagi | 54,3% | 45,7% | 100,0% | |
| | | | | | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|----------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 7,926(b) | 1 | ,005 | | |
| Continuity Correction(a) | 6,625 | 1 | ,010 | | |
| Likelihood Ratio | 8,057 | 1 | ,005 | | |
| Fisher's Exact Test | | | | ,008 | ,005 |
| Linear-by-Linear Association | 7,813 | 1 | ,005 | | |
| N of Valid Cases | 70 | | | | |

a Computed only for a 2x2 table

b 0 cells (,0%) have expected count less than 5. The minimum expected count is 14,17.

Crosstabs

[DataSet4] D:\DIAH\ESA UNGGUL\HASIL SKRIPSI\master 6.sav

Case Processing Summary

| | Cases | | | | | |
|---|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Total Kualitas Menu Siang * Persen Total Sisa Makan Siang | 70 | 100,0% | 0 | ,0% | 70 | 100,0% |

Total Kualitas Menu Siang * Persen Total Sisa Makan Siang Crosstabulation

| | | | Persen Total Sisa Makan Siang | | Total |
|---------------------------|------------------------------------|------------------------------------|-------------------------------|---------|--------|
| | | | Banyak | Sedikit | |
| Total Kualitas Menu Siang | Kurang Baik | Count | 23 | 10 | 33 |
| | | Expected Count | 17,0 | 16,0 | 33,0 |
| | | % within Total Kualitas Menu Siang | 69,7% | 30,3% | 100,0% |
| | Baik | Count | 13 | 24 | 37 |
| | | Expected Count | 19,0 | 18,0 | 37,0 |
| | | % within Total Kualitas Menu Siang | 35,1% | 64,9% | 100,0% |
| Total | Count | 36 | 34 | 70 | |
| | Expected Count | 36,0 | 34,0 | 70,0 | |
| | % within Total Kualitas Menu Siang | 51,4% | 48,6% | 100,0% | |

Chi-Square Tests

| | Value | Df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|----------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 8,341(b) | 1 | ,004 | | |
| Continuity Correction(a) | 7,015 | 1 | ,008 | | |
| Likelihood Ratio | 8,526 | 1 | ,004 | | |
| Fisher's Exact Test | | | | ,005 | ,004 |
| Linear-by-Linear Association | 8,222 | 1 | ,004 | | |
| N of Valid Cases | 70 | | | | |

a Computed only for a 2x2 table

b 0 cells (,0%) have expected count less than 5. The minimum expected count is 16,03.

Crosstabs

[DataSet4] D:\DIAH\ESA UNGGUL\HASIL SKRIPSI\master 6.sav

Case Processing Summary

| | Cases | | | | | |
|---|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Total Kualitas Menu Malam * Persen Total Sisa Makan Malam | 70 | 100,0% | 0 | ,0% | 70 | 100,0% |

Total Kualitas Menu Malam * Persen Total Sisa Makan Malam Crosstabulation

| | | | Persen Total Sisa Makan Malam | | Total |
|---------------------------|-------------|------------------------------------|-------------------------------|---------|--------|
| | | | Banyak | Sedikit | |
| Total Kualitas Menu Malam | Kurang Baik | Count | 21 | 10 | 31 |
| | | Expected Count | 15,9 | 15,1 | 31,0 |
| | | % within Total Kualitas Menu Malam | 67,7% | 32,3% | 100,0% |
| | Baik | Count | 15 | 24 | 39 |
| | | Expected Count | 20,1 | 18,9 | 39,0 |
| | | % within Total Kualitas Menu Malam | 38,5% | 61,5% | 100,0% |
| Total | | Count | 36 | 34 | 70 |
| | | Expected Count | 36,0 | 34,0 | 70,0 |
| | | % within Total Kualitas Menu Malam | 51,4% | 48,6% | 100,0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|----------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 5,928(b) | 1 | ,015 | | |
| Continuity Correction(a) | 4,814 | 1 | ,028 | | |
| Likelihood Ratio | 6,028 | 1 | ,014 | | |
| Fisher's Exact Test | | | | ,018 | ,014 |
| Linear-by-Linear Association | 5,843 | 1 | ,016 | | |
| N of Valid Cases | 70 | | | | |

a Computed only for a 2x2 table

b 0 cells (,0%) have expected count less than 5. The minimum expected count is 15,06.

Crosstabs

[DataSet4] D:\DIAH\ESA UNGGUL\HASIL SKRIPSI\master 6.sav

Case Processing Summary

| | Valid | | Cases Missing | | Total | |
|--|---|---------|---------------|---------|-------|---------|
| | N | Percent | N | Percent | N | Percent |
| | Total Nilai Cita Rasa Makan Pagi * Persen Total Sisa Makan Pagi | 70 | 100,0% | 0 | ,0% | 70 |

Total Nilai Cita Rasa Makan Pagi * Persen Total Sisa Makan Pagi Crosstabulation

| | | | Persen Total Sisa Makan Pagi | | Total |
|----------------------------------|---|---|------------------------------|---------|--------|
| | | | Banyak | Sedikit | |
| Total Nilai Cita Rasa Makan Pagi | Kurang Baik | Count | 14 | 3 | 17 |
| | | Expected Count | 9,2 | 7,8 | 17,0 |
| | | % within Total Nilai Cita Rasa Makan Pagi | 82,4% | 17,6% | 100,0% |
| | Baik | Count | 24 | 29 | 53 |
| | | Expected Count | 28,8 | 24,2 | 53,0 |
| | | % within Total Nilai Cita Rasa Makan Pagi | 45,3% | 54,7% | 100,0% |
| Total | Count | 38 | 32 | 70 | |
| | Expected Count | 38,0 | 32,0 | 70,0 | |
| | % within Total Nilai Cita Rasa Makan Pagi | 54,3% | 45,7% | 100,0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|----------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 7,127(b) | 1 | ,008 | | |
| Continuity Correction(a) | 5,712 | 1 | ,017 | | |
| Likelihood Ratio | 7,681 | 1 | ,006 | | |
| Fisher's Exact Test | | | | ,011 | ,007 |
| Linear-by-Linear Association | 7,026 | 1 | ,008 | | |
| N of Valid Cases | 70 | | | | |

a Computed only for a 2x2 table

b 0 cells (,0%) have expected count less than 5. The minimum expected count is 7,77.

Crosstabs

[DataSet4] D:\DIAH\ESA UNGGUL\HASIL SKRIPSI\master 6.sav

Case Processing Summary

| | Cases | | | | | |
|---|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Total Nilai Cita Rasa Makan Siang * Persen Total Sisa Makan Siang | 70 | 100,0% | 0 | ,0% | 70 | 100,0% |

Total Nilai Cita Rasa Makan Siang * Persen Total Sisa Makan Siang Crosstabulation

| | | | Persen Total Sisa Makan Siang | | Total |
|-----------------------------------|--|--|-------------------------------|---------|--------|
| | | | Banyak | Sedikit | |
| Total Nilai Cita Rasa Makan Siang | Kurang Baik | Count | 14 | 3 | 17 |
| | | Expected Count | 8,7 | 8,3 | 17,0 |
| | | % within Total Nilai Cita Rasa Makan Siang | 82,4% | 17,6% | 100,0% |
| | Baik | Count | 22 | 31 | 53 |
| | | Expected Count | 27,3 | 25,7 | 53,0 |
| | | % within Total Nilai Cita Rasa Makan Siang | 41,5% | 58,5% | 100,0% |
| Total | Count | 36 | 34 | 70 | |
| | Expected Count | 36,0 | 34,0 | 70,0 | |
| | % within Total Nilai Cita Rasa Makan Siang | 51,4% | 48,6% | 100,0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|----------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 8,596(b) | 1 | ,003 | | |
| Continuity Correction(a) | 7,039 | 1 | ,008 | | |
| Likelihood Ratio | 9,202 | 1 | ,002 | | |
| Fisher's Exact Test | | | | ,005 | ,003 |
| Linear-by-Linear Association | 8,473 | 1 | ,004 | | |
| N of Valid Cases | 70 | | | | |

a Computed only for a 2x2 table

b 0 cells (,0%) have expected count less than 5. The minimum expected count is 8,26.

Crosstabs

[DataSet4] D:\DIAH\ESA UNGGUL\HASIL SKRIPSI\master 6.sav

Case Processing Summary

| | Cases | | | | | |
|---|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Total Nilai Cita Rasa Makan Malam * Persen Total Sisa Makan Malam | 70 | 100,0% | 0 | ,0% | 70 | 100,0% |

Total Nilai Cita Rasa Makan Malam * Persen Total Sisa Makan Malam Crosstabulation

| | | | Persen Total Sisa Makan Malam | | Total |
|-----------------------------------|-------------|--|-------------------------------|---------|--------|
| | | | Banyak | Sedikit | |
| Total Nilai Cita Rasa Makan Malam | Kurang Baik | Count | 25 | 12 | 37 |
| | | Expected Count | 19,0 | 18,0 | 37,0 |
| | | % within Total Nilai Cita Rasa Makan Malam | 67,6% | 32,4% | 100,0% |
| Total | Baik | Count | 11 | 22 | 33 |
| | | Expected Count | 17,0 | 16,0 | 33,0 |
| | | % within Total Nilai Cita Rasa Makan Malam | 33,3% | 66,7% | 100,0% |
| Total | | Count | 36 | 34 | 70 |
| | | Expected Count | 36,0 | 34,0 | 70,0 |
| | | % within Total Nilai Cita Rasa Makan Malam | 51,4% | 48,6% | 100,0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|----------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 8,184(b) | 1 | ,004 | | |
| Continuity Correction(a) | 6,871 | 1 | ,009 | | |
| Likelihood Ratio | 8,347 | 1 | ,004 | | |
| Fisher's Exact Test | | | | ,008 | ,004 |
| Linear-by-Linear Association | 8,067 | 1 | ,005 | | |
| N of Valid Cases | 70 | | | | |

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 16,03.

Crosstabs

[DataSet4] D:\DIAH\ESA UNGGUL\HASIL SKRIPSI\master 6.sav

Case Processing Summary

| | Cases | | | | | |
|---|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Ketepatan Waktu Makan Pagi * Persen Total Sisa Makan Pagi | 70 | 100,0% | 0 | ,0% | 70 | 100,0% |

Ketepatan Waktu Makan Pagi * Persen Total Sisa Makan Pagi Crosstabulation

| | | | Persen Total Sisa Makan Pagi | | Total |
|----------------------------|-------------------------------------|-------------------------------------|------------------------------|---------|--------|
| | | | Banyak | Sedikit | |
| Ketepatan Waktu Makan Pagi | Tidak Tepat | Count | 21 | 5 | 26 |
| | | Expected Count | 14,1 | 11,9 | 26,0 |
| | | % within Ketepatan Waktu Makan Pagi | 80,8% | 19,2% | 100,0% |
| | Tepat | Count | 17 | 27 | 44 |
| | | Expected Count | 23,9 | 20,1 | 44,0 |
| | | % within Ketepatan Waktu Makan Pagi | 38,6% | 61,4% | 100,0% |
| Total | Count | 38 | 32 | 70 | |
| | Expected Count | 38,0 | 32,0 | 70,0 | |
| | % within Ketepatan Waktu Makan Pagi | 54,3% | 45,7% | 100,0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|-----------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 11,690(b) | 1 | ,001 | | |
| Continuity Correction(a) | 10,054 | 1 | ,002 | | |
| Likelihood Ratio | 12,365 | 1 | ,000 | | |
| Fisher's Exact Test | | | | ,001 | ,001 |
| Linear-by-Linear Association | 11,523 | 1 | ,001 | | |
| N of Valid Cases | 70 | | | | |

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11,89.

Case Processing Summary

| | Cases | | | | | |
|---|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Ketepatan Waktu Makan Siang * Persen Total Sisa Makan Siang | 70 | 100,0% | 0 | ,0% | 70 | 100,0% |

Ketepatan Waktu Makan Siang * Persen Total Sisa Makan Siang Crosstabulation

| | | | Persen Total Sisa Makan Siang | | Total |
|-----------------------------|-------------|--------------------------------------|-------------------------------|---------|--------|
| | | | Banyak | Sedikit | |
| Ketepatan Waktu Makan Siang | Tidak Tepat | Count | 23 | 11 | 34 |
| | | Expected Count | 17,5 | 16,5 | 34,0 |
| | | % within Ketepatan Waktu Makan Siang | 67,6% | 32,4% | 100,0% |
| | Tepat | Count | 13 | 23 | 36 |
| | | Expected Count | 18,5 | 17,5 | 36,0 |
| | | % within Ketepatan Waktu Makan Siang | 36,1% | 63,9% | 100,0% |
| Total | | Count | 36 | 34 | 70 |
| | | Expected Count | 36,0 | 34,0 | 70,0 |
| | | % within Ketepatan Waktu Makan Siang | 51,4% | 48,6% | 100,0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|----------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 6,962(b) | 1 | ,008 | | |
| Continuity Correction(a) | 5,756 | 1 | ,016 | | |
| Likelihood Ratio | 7,085 | 1 | ,008 | | |
| Fisher's Exact Test | | | | ,010 | ,008 |
| Linear-by-Linear Association | 6,862 | 1 | ,009 | | |
| N of Valid Cases | 70 | | | | |

a Computed only for a 2x2 table

b 0 cells (,0%) have expected count less than 5. The minimum expected count is 16,51.

Crosstabs

[DataSet4] D:\DIAH\ESA UNGGUL\HASIL SKRIPSI\master 6.sav

Case Processing Summary

| | Cases | | | | | |
|---|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Ketepatan Waktu Makan Malam * Persen Total Sisa Makan Malam | 70 | 100,0% | 0 | ,0% | 70 | 100,0% |

Ketepatan Waktu Makan Malam * Persen Total Sisa Makan Malam Crosstabulation

| | | | Persen Total Sisa Makan Malam | | Total |
|-----------------------------|--------------------------------------|--------------------------------------|-------------------------------|---------|--------|
| | | | Banyak | Sedikit | |
| Ketepatan Waktu Makan Malam | Tidak Tepat | Count | 11 | 2 | 13 |
| | | Expected Count | 6,7 | 6,3 | 13,0 |
| | | % within Ketepatan Waktu Makan Malam | 84,6% | 15,4% | 100,0% |
| | Tepat | Count | 25 | 32 | 57 |
| | | Expected Count | 29,3 | 27,7 | 57 |
| | | % within Ketepatan Waktu Makan Malam | 43,9% | 56,1% | 57,0 |
| Total | Count | 36 | 34 | 70 | |
| | Expected Count | 36,0 | 34,0 | 70,0 | |
| | % within Ketepatan Waktu Makan Malam | 51,4% | 48,6% | 100,0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------|----------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 7,039(b) | 1 | ,008 | | |
| Continuity Correction(a) | 5,502 | 1 | ,019 | | |
| Likelihood Ratio | 7,664 | 1 | ,006 | | |
| Fisher's Exact Test | | | | ,012 | ,008 |
| Linear-by-Linear Association | 6,938 | 1 | ,008 | | |
| N of Valid Cases | 70 | | | | |

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 6,31.