

A. Output Analisis Univariat

| | | stop buang air besar sembarangan | cuci tangan pakai sabun | pengelolaan air minum dan makanan | pengamanan sampah rumah tangga | pengelolaan limbar cair rumah tangga | kejadian diare |
|---|---------|--|----------------------------|---|--------------------------------------|--|----------------|
| N | Valid | 97 | 97 | 97 | 97 | 97 | 97 |
| | Missing | 0 | 0 | 0 | 0 | 0 | 0 |

stop buang air besar sembarangan

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------------|-----------|---------|---------------|--------------------|
| Valid | Tidak baik | 43 | 44.3 | 44.3 | 44.3 |
| | Baik | 54 | 55.7 | 55.7 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

cuci tangan pakai sabun

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------------|-----------|---------|---------------|--------------------|
| Valid | Tidak baik | 10 | 10.3 | 10.3 | 10.3 |
| | Baik | 87 | 89.7 | 89.7 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

pengelolaan air minum dan makanan

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------------|-----------|---------|---------------|--------------------|
| Valid | Tidak baik | 42 | 43.3 | 43.3 | 43.3 |
| | Baik | 55 | 56.7 | 56.7 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

pengamanan sampah rumah tangga

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------------|-----------|---------|---------------|--------------------|
| Valid | Tidak baik | 51 | 52.6 | 52.6 | 52.6 |
| | Baik | 46 | 47.4 | 47.4 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

pengelolaan limbar cair rumah tangga

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------------|-----------|---------|---------------|--------------------|
| Valid | Tidak baik | 87 | 89.7 | 89.7 | 89.7 |
| | Baik | 10 | 10.3 | 10.3 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

kejadian diare

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------|-----------|---------|---------------|--------------------|
| Valid | Diare | 19 | 19.6 | 19.6 | 19.6 |
| | Tidak Diare | 78 | 80.4 | 80.4 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

B. Output Analisis Bivariat

Case Processing Summary

| | Cases | | | | | |
|--|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| stop buang air besar sembarangan * kejadian diare | 97 | 100.0% | 0 | 0.0% | 97 | 100.0% |
| cuci tangan pakai sabun * kejadian diare | 97 | 100.0% | 0 | 0.0% | 97 | 100.0% |
| pengelolaan air minum dan makanan * kejadian diare | 97 | 100.0% | 0 | 0.0% | 97 | 100.0% |
| pengamanan sampah rumah tangga * kejadian diare | 97 | 100.0% | 0 | 0.0% | 97 | 100.0% |
| pengelolaan limbah cair rumah tangga * kejadian diare | 97 | 100.0% | 0 | 0.0% | 97 | 100.0% |

Crosstab

| | | | kejadian diare | | Total |
|----------------------------------|---------------------------|---|----------------|-------------|--------|
| | | | Diare | Tidak Diare | |
| stop buang air besar sembarangan | Tidak baik, jika skor < 8 | Count | 17 | 26 | 43 |
| | | % within stop buang air besar sembarangan | 39.5% | 60.5% | 100.0% |
| | Baik, jika skor = 8 | Count | 2 | 52 | 54 |
| | | % within stop buang air besar sembarangan | 3.7% | 96.3% | 100.0% |
| Total | | Count | 19 | 78 | 97 |
| | | % within stop buang air besar sembarangan | 19.6% | 80.4% | 100.0% |

Chi-Square Tests

| | Value | df | Asymptotic | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|---------------------|----|------------------------|----------------------|----------------------|
| | | | Significance (2-sided) | | |
| Pearson Chi-Square | 19.512 ^a | 1 | .000 | | |
| Continuity Correction ^b | 17.304 | 1 | .000 | | |
| Likelihood Ratio | 21.137 | 1 | .000 | | |
| Fisher's Exact Test | | | | .000 | .000 |
| Linear-by-Linear Association | 19.311 | 1 | .000 | | |
| N of Valid Cases | 97 | | | | |

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.42.

b. Computed only for a 2x2 table

Risk Estimate

| | Value | 95% Confidence Interval | |
|---|--------|-------------------------|--------|
| | | Lower | Upper |
| Odds Ratio for stop buang air besar sembarangan (Tidak baik, jika skor < 8 / Baik, jika skor = 8) | 17.000 | 3.648 | 79.214 |
| For cohort kejadian diare = Diare | 10.674 | 2.608 | 43.693 |
| For cohort kejadian diare = Tidak Diare | .628 | .490 | .804 |
| N of Valid Cases | 97 | | |

Crosstab

| | | | kejadian diare | | Total |
|-------------------------|---------------------------|----------------------------------|----------------|-------------|--------|
| | | | Diare | Tidak Diare | |
| cuci tangan pakai sabun | Tidak baik, jika skor < 4 | Count | 6 | 4 | 10 |
| | | % within cuci tangan pakai sabun | 60.0% | 40.0% | 100.0% |
| | Baik, jika skor = 4 | Count | 13 | 74 | 87 |
| | | % within cuci tangan pakai sabun | 14.9% | 85.1% | 100.0% |
| Total | | Count | 19 | 78 | 97 |
| | | % within cuci tangan pakai sabun | 19.6% | 80.4% | 100.0% |

Chi-Square Tests

| | Value | df | Asymptotic | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|---------------------|----|------------------------|----------------------|----------------------|
| | | | Significance (2-sided) | | |
| Pearson Chi-Square | 11.560 ^a | 1 | .001 | | |
| Continuity Correction ^b | 8.877 | 1 | .003 | | |
| Likelihood Ratio | 9.121 | 1 | .003 | | |
| Fisher's Exact Test | | | | .003 | .003 |
| Linear-by-Linear Association | 11.441 | 1 | .001 | | |
| N of Valid Cases | 97 | | | | |

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.96.

b. Computed only for a 2x2 table

Risk Estimate

| | Value | 95% Confidence Interval | |
|--|-------|-------------------------|--------|
| | | Lower | Upper |
| Odds Ratio for cuci tangan pakai sabun (Tidak baik, jika skor < 4 / Baik, jika skor = 4) | 8.538 | 2.115 | 34.477 |
| For cohort kejadian diare = Diare | 4.015 | 1.970 | 8.186 |
| For cohort kejadian diare = Tidak Diare | .470 | .219 | 1.010 |
| N of Valid Cases | 97 | | |

Crosstab

| | | | kejadian diare | | |
|-----------------------------------|---------------------------|--|----------------|-------------|--------|
| | | | Diare | Tidak Diare | Total |
| pengelolaan air minum dan makanan | Tidak baik, jika skor < 5 | Count | 18 | 24 | 42 |
| | | % within pengelolaan air minum dan makanan | 42.9% | 57.1% | 100.0% |
| | Baik, jika skor = 5 | Count | 1 | 54 | 55 |
| | | % within pengelolaan air minum dan makanan | 1.8% | 98.2% | 100.0% |
| Total | | Count | 19 | 78 | 97 |
| | | % within pengelolaan air minum dan makanan | 19.6% | 80.4% | 100.0% |

Chi-Square Tests

| | Value | df | Asymptotic | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|---------------------|----|------------------------|----------------------|----------------------|
| | | | Significance (2-sided) | | |
| Pearson Chi-Square | 25.464 ^a | 1 | .000 | .000 | .000 |
| Continuity Correction ^b | 22.925 | 1 | .000 | | |
| Likelihood Ratio | 28.598 | 1 | .000 | | |
| Fisher's Exact Test | | | | | |
| Linear-by-Linear Association | 25.202 | 1 | .000 | | |
| N of Valid Cases | 97 | | | | |

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.23.

b. Computed only for a 2x2 table

Risk Estimate

| | Value | 95% Confidence Interval | |
|--|--------|-------------------------|---------|
| | | Lower | Upper |
| Odds Ratio for pengelolaan air minum dan makanan (Tidak baik, jika skor < 5 / Baik, jika skor = 5) | 40.500 | 5.109 | 321.046 |
| For cohort kejadian diare = Diare | 23.571 | 3.277 | 169.567 |
| For cohort kejadian diare = Tidak Diare | .582 | .447 | .758 |
| N of Valid Cases | 97 | | |

Crosstab

| | | | kejadian diare | | Total |
|--------------------------------|---------------------------|---|----------------|-------------|--------|
| | | | Diare | Tidak Diare | |
| pengamanan sampah rumah tangga | Tidak baik, jika skor < 2 | Count | 18 | 33 | 51 |
| | | % within pengamanan sampah rumah tangga | 35.3% | 64.7% | 100.0% |
| | Baik, jika skor = 2 | Count | 1 | 45 | 46 |
| | | % within pengamanan sampah rumah tangga | 2.2% | 97.8% | 100.0% |
| Total | | Count | 19 | 78 | 97 |
| | | % within pengamanan sampah rumah tangga | 19.6% | 80.4% | 100.0% |

Chi-Square Tests

| | Value | df | Asymptotic | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|---------------------|----|------------------------|----------------------|----------------------|
| | | | Significance (2-sided) | | |
| Pearson Chi-Square | 16.844 ^a | 1 | .000 | .000 | .000 |
| Continuity Correction ^b | 14.807 | 1 | .000 | | |
| Likelihood Ratio | 20.100 | 1 | .000 | | |
| Fisher's Exact Test | | | | | |
| Linear-by-Linear Association | 16.670 | 1 | .000 | | |
| N of Valid Cases | 97 | | | | |

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 9.01.

b. Computed only for a 2x2 table

Risk Estimate

| | Value | 95% Confidence Interval | |
|---|--------|-------------------------|---------|
| | | Lower | Upper |
| Odds Ratio for pengamanan sampah rumah tangga (Tidak baik, jika skor < 2 / Baik, jika skor = 2) | 24.545 | 3.119 | 193.193 |
| For cohort kejadian diare = Diare | 16.235 | 2.255 | 116.866 |
| For cohort kejadian diare = Tidak Diare | .661 | .538 | .814 |
| N of Valid Cases | 97 | | |

Crosstab

| | | | kejadian diare | | |
|--------------------------------------|---------------------------|---|----------------|-------------|--------|
| | | | Diare | Tidak Diare | Total |
| pengelolaan limbah cair rumah tangga | Tidak baik, jika skor < 2 | Count | 18 | 69 | 87 |
| | | % within pengelolaan limbah cair rumah tangga | 20.7% | 79.3% | 100.0% |
| | Baik, jika skor = 2 | Count | 1 | 9 | 10 |
| | | % within pengelolaan limbah cair rumah tangga | 10.0% | 90.0% | 100.0% |
| Total | | Count | 19 | 78 | 97 |
| | | % within pengelolaan limbah cair rumah tangga | 19.6% | 80.4% | 100.0% |

Chi-Square Tests

| | Value | df | Asymptotic | | |
|------------------------------------|-------------------|----|------------------------|----------------------|----------------------|
| | | | Significance (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
| Pearson Chi-Square | .651 ^a | 1 | .420 | .681 | .376 |
| Continuity Correction ^b | .149 | 1 | .700 | | |
| Likelihood Ratio | .749 | 1 | .387 | | |
| Fisher's Exact Test | | | | | |
| Linear-by-Linear Association | .644 | 1 | .422 | | |
| N of Valid Cases | 97 | | | | |

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.96.

b. Computed only for a 2x2 table

Risk Estimate

| | Value | 95% Confidence Interval | |
|---|-------|-------------------------|--------|
| | | Lower | Upper |
| Odds Ratio for pengelolaan limbah cair rumah tangga (Tidak baik, jika skor < 2 / Baik, jika skor = 2) | 2.348 | .279 | 19.759 |
| For cohort kejadian diare = Diare | 2.069 | .308 | 13.893 |
| For cohort kejadian diare = Tidak Diare | .881 | .698 | 1.112 |
| N of Valid Cases | 97 | | |

Output persentase kuesioner

1. SBABS

P1_1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0 | 43 | 44,3 | 44.3 | 44.3 |
| | 1 | 54 | 55,6 | 55.6 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

P1_2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0 | 36 | 37,1 | 37.1 | 37.1 |
| | 1 | 61 | 62,9 | 62.9 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

P1_3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0 | 38 | 39,2 | 39.2 | 39.2 |
| | 1 | 59 | 60,8 | 60.8 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

P1_4

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0 | 10 | 10,3 | 10.3 | 10.3 |
| | 1 | 87 | 89,7 | 89.7 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

P1_5

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0 | 5 | 5,2 | 5.2 | 5.2 |
| | 1 | 92 | 94,8 | 94.8 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

P1_6

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 1 | 97 | 100.0 | 100.0 | 100.0 |

P1_7

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 0 | 6 | 6.2 | 6.2 | 6.2 |
| 1 | 91 | 93.8 | 93.8 | 100.0 |
| Total | 97 | 100.0 | 100.0 | |

P1_8

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 0 | 2 | 2.1 | 2.1 | 2.1 |
| 1 | 95 | 97.9 | 97.9 | 100.0 |
| Total | 97 | 100.0 | 100.0 | |

2. CTPS

P2_1

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 0 | 10 | 10,3 | 10,3 | 10,3 |
| 1 | 90 | 92,7 | 92,7 | 100,0 |
| Total | 97 | 100,0 | 100,0 | |

P2_2

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|-----------|---------|---------------|--------------------|
| Valid 0 | 10 | 10,3 | 10,3 | 10,3 |
| 1 | 87 | 89,6 | 89,6 | 89,6 |
| Total | 97 | 100,0 | 100,0 | |

P2_3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0 | 3 | 3.1 | 3.1 | 3.1 |
| | 1 | 94 | 96.9 | 96.9 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

P2_4

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---|-----------|---------|---------------|--------------------|
| Valid | 1 | 97 | 100.0 | 100.0 | 100.0 |

3. PAMDM

P3_1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0 | 42 | 43,2 | 43,2 | 43,2 |
| | 1 | 55 | 57,7 | 57,7 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

P3_2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0 | 13 | 13.4 | 13.4 | 13.4 |
| | 1 | 84 | 86.6 | 86.6 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

P3_3

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0 | 22 | 22.7 | 22.7 | 22.7 |
| | 1 | 75 | 77.3 | 77.3 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

P3_4

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0 | 7 | 7.2 | 7.2 | 7.2 |
| | 1 | 90 | 92.8 | 92.8 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

P3_5

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0 | 5 | 5.2 | 5.2 | 5.2 |
| | 1 | 92 | 94.8 | 94.8 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

4. PSRT

P4_1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0 | 32 | 33.0 | 33.0 | 33.0 |
| | 1 | 65 | 67.0 | 67.0 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

P4_2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0 | 51 | 52,5 | 52,5 | 52,5 |
| | 1 | 46 | 47,4 | 47,4 | 100.0 |
| | Total | 97 | 100.0 | 100.0 | |

5. PLCRT

P5_1

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0 | 8 | 8,2 | 8,2 | 8,2 |
| | 1 | 89 | 91,7 | 91,7 | 100,0 |
| | Total | 97 | 100,0 | 100,0 | |

P5_2

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 0 | 87 | 89,6 | 89,6 | 89,6 |
| | 1 | 10 | 10,3 | 10,3 | 100,0 |
| | Total | 97 | 100,0 | 100,0 | |