

LAMPIRAN 6

1. Jenis Kelamin

Statistics

jenis kelamin

N	Valid	153
	Missing	0

jenis kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid perempuan	89	58.2	58.2	58.2
laki-laki	64	41.8	41.8	100.0
Total	153	100.0	100.0	

2. Usia

Statistics

usia

N	Valid	153
	Missing	0

usia

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 15	29	19.0	19.0	19.0
16	115	75.2	75.2	94.1
17	8	5.2	5.2	99.3
18	1	.7	.7	100.0
Total	153	100.0	100.0	

3. Uang Saku

Statistics

kategori uang saku

N	Valid	153
	Missing	0

kategori uang saku

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid besar	76	49.7	49.7	49.7
kecil	77	50.3	50.3	100.0
Total	153	100.0	100.0	

4. Pengetahuan Gizi

Statistics

kategori pengetahuan

N	Valid	153
	Missing	0

kategori pengetahuan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid kurang	48	31.4	31.4	31.4
baik	105	68.6	68.6	100.0
Total	153	100.0	100.0	

5. Frekuensi makanan jajanan

Statistics

kategori frekuensi makanan

jajanan

N	Valid	153
	Missing	0

kategori frekuensi makanan jajanan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid sering	73	47.7	47.7	47.7
jarang	80	52.3	52.3	100.0
Total	153	100.0	100.0	

6. Frekuensi Minuman kemasan

Statistics

kategori frekuensi minuman

kemasan

N	Valid	153
	Missing	0

kategori frekuensi minuman kemasan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid sering	47	30.7	30.7	30.7
jarang	106	69.3	69.3	100.0
Total	153	100.0	100.0	

7. Status Gizi

Statistics

kategori status gizi

N	Valid	153
	Missing	0

kategori status gizi

	Frequency	Valid Percent	Valid Percent	Cumulative Percent
Valid obesitas	23	15.0	15.0	15.0
tidak obesitas	130	85.0	85.0	100.0
Total	153	100.0	100.0	

8. Hubungan Pengetahuan Gizi dengan Obesitas

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kategori pengetahuan *	153	100.0%	0	0.0%	153	100.0%
kategori status gizi						

kategori pengetahuan * kategori status gizi Crosstabulation

		kategori status gizi		Total
		obesitas	tidak obesitas	
kategori pengetahuan kurang	Count	9	39	48
	Expected Count	7.2	40.8	48.0
	% within kategori pengetahuan	18.8%	81.3%	100.0%
	% within kategori status gizi	39.1%	30.0%	31.4%
	% of Total	5.9%	25.5%	31.4%
kategori pengetahuan baik	Count	14	91	105
	Expected Count	15.8	89.2	105.0
	% within kategori pengetahuan	13.3%	86.7%	100.0%
	% within kategori status gizi	60.9%	70.0%	68.6%
	% of Total	9.2%	59.5%	68.6%
Total	Count	23	130	153
	Expected Count	23.0	130.0	153.0
	% within kategori pengetahuan	15.0%	85.0%	100.0%
	% within kategori status gizi	100.0%	100.0%	100.0%
	% of Total	15.0%	85.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.757 ^a	1	.384		
Continuity Correction ^b	.392	1	.531		
Likelihood Ratio	.733	1	.392		
Fisher's Exact Test				.465	.262
Linear-by-Linear Association	.752	1	.386		
N of Valid Cases	153				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 7.22.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategori pengetahuan (kurang / baik)	1.500	.599	3.755
For cohort kategori status gizi = obesitas	1.406	.655	3.021
For cohort kategori status gizi = tidak obesitas	.938	.803	1.095
N of Valid Cases	153		

9. Hubungan Frekuensi Makanan jajanan dengan Obesitas

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kategori frekuensi makanan jajanan * kategori status gizi	153	100.0%	0	0.0%	153	100.0%

kategori frekuensi makanan jajanan * kategori status gizi Crosstabulation

		kategori status gizi		Total	
		obesitas	tidak obesitas		
kategori frekuensi makanan jajanan	sering	Count	17	56	73
		Expected Count	11.0	62.0	73.0
		% within kategori frekuensi makanan jajanan	23.3%	76.7%	100.0%
		% within kategori status gizi	73.9%	43.1%	47.7%
		% of Total	11.1%	36.6%	47.7%
jarang		Count	6	74	80
		Expected Count	12.0	68.0	80.0
		% within kategori frekuensi makanan jajanan	7.5%	92.5%	100.0%
		% within kategori status gizi	26.1%	56.9%	52.3%
		% of Total	3.9%	48.4%	52.3%
Total		Count	23	130	153
		Expected Count	23.0	130.0	153.0
		% within kategori frekuensi makanan jajanan	15.0%	85.0%	100.0%
		% within kategori status gizi	100.0%	100.0%	100.0%
		% of Total	15.0%	85.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7.449 ^a	1	.006		
Continuity Correction ^b	6.264	1	.012		
Likelihood Ratio	7.662	1	.006		
Fisher's Exact Test				.007	.006
Linear-by-Linear Association	7.400	1	.007		
N of Valid Cases	153				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 10.97.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategori frekuensi makanan jajanan (sering / jarang)	3.744	1.387	10.110
For cohort kategori status gizi = obesitas	3.105	1.294	7.448
For cohort kategori status gizi = tidak obesitas	.829	.720	.955
N of Valid Cases	153		

10. Hubungan Frekuensi Minuman kemasan dengan Obesitas
Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kategori frekuensi minuman kemasan *	153	100.0%	0	0.0%	153	100.0%
kategori status gizi						

kategori frekuensi minuman kemasan * kategori status gizi Crosstabulation

			kategori status gizi		Total
			obesitas	tidak obesitas	
kategori frekuensi minuman kemasan	sering	Count	13	34	47
		Expected Count	7.1	39.9	47.0
		% within kategori frekuensi minuman kemasan	27.7%	72.3%	100.0%
		% within kategori status gizi	56.5%	26.2%	30.7%
		% of Total	8.5%	22.2%	30.7%
	jarang	Count	10	96	106
		Expected Count	15.9	90.1	106.0
		% within kategori frekuensi minuman kemasan	9.4%	90.6%	100.0%
		% within kategori status gizi	43.5%	73.8%	69.3%
		% of Total	6.5%	62.7%	69.3%
Total		Count	23	130	153
		Expected Count	23.0	130.0	153.0
		% within kategori frekuensi minuman kemasan	15.0%	85.0%	100.0%
		% within kategori status gizi	100.0%	100.0%	100.0%
		% of Total	15.0%	85.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.468 ^a	1	.004		
Continuity Correction ^b	7.101	1	.008		
Likelihood Ratio	7.847	1	.005		
Fisher's Exact Test				.006	.005
Linear-by-Linear Association	8.413	1	.004		
N of Valid Cases	153				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 7.07.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategori frekuensi minuman kemasan (sering / jarang)	3.671	1.474	9.142
For cohort kategori status gizi = obesitas	2.932	1.386	6.203
For cohort kategori status gizi = tidak obesitas	.799	.662	.963
N of Valid Cases	153		

11. Hubungan Uang Saku dengan Kejadian Obesitas

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kategori uang saku * kategori status gizi	153	100.0%	0	0.0%	153	100.0%

kategori uang saku * kategori status gizi Crosstabulation

			kategori status gizi		Total
			obesitas	tidak obesitas	
kategori uang saku besar	Count	18	58	76	
	Expected Count	11.4	64.6	76.0	
	% within kategori uang saku	23.7%	76.3%	100.0%	
	% within kategori status gizi	78.3%	44.6%	49.7%	
	% of Total	11.8%	37.9%	49.7%	
kecil	Count	5	72	77	
	Expected Count	11.6	65.4	77.0	
	% within kategori uang saku	6.5%	93.5%	100.0%	
	% within kategori status gizi	21.7%	55.4%	50.3%	
	% of Total	3.3%	47.1%	50.3%	
Total	Count	23	130	153	
	Expected Count	23.0	130.0	153.0	
	% within kategori uang saku	15.0%	85.0%	100.0%	
	% within kategori status gizi	100.0%	100.0%	100.0%	
	% of Total	15.0%	85.0%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.849 ^a	1	.003		
Continuity Correction ^b	7.555	1	.006		
Likelihood Ratio	9.304	1	.002		
Fisher's Exact Test				.003	.003
Linear-by-Linear Association	8.792	1	.003		
N of Valid Cases	153				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 11.42.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategori uang saku (besar / kecil)	4.469	1.565	12.763
For cohort kategori status gizi = obesitas	3.647	1.427	9.326
For cohort kategori status gizi = tidak obesitas	.816	.711	.937
N of Valid Cases	153		

