

Pengkajian Pre Intervensi																
Resp	S 1	S 2	S 3	S 4	S 5	S 6	S 7	S 8	S 9	S1 0	S1 1	S1 2	S1 3	JM L	%	K D
Resp 1	1	0	1	0	1	1	0	1	1	1	1	1	1	10	76,9	2
Resp 2	1	1	1	1	1	1	1	0	1	0	1	0	1	10	76,9	2
Resp 3	1	0	1	1	1	1	1	1	1	0	1	0	1	10	76,9	2
Resp 4	1	0	1	1	1	1	1	1	1	1	1	0	0	10	76,9	2
Resp 5	1	1	1	1	1	1	1	1	0	0	0	1	1	10	76,9	2
Resp 6	1	1	1	1	1	1	1	0	1	0	1	1	1	11	84,6	2
Resp 7	1	0	0	1	1	1	1	1	1	1	0	1	1	10	76,9	2
Resp 8	1	0	1	1	0	0	1	1	0	1	1	0	1	8	61,5	1
Resp 9	1	1	1	1	1	0	1	1	0	0	0	1	1	9	69,2	1
Resp 10	1	0	0	0	1	1	1	1	1	1	1	1	1	10	76,9	2
Resp 11	1	0	1	1	1	0	0	1	1	1	1	1	1	10	76,9	2
Resp 12	1	0	0	1	1	1	1	1	1	1	1	0	1	10	76,9	2
Resp 13	1	0	0	1	0	0	1	0	0	0	1	1	1	6	46,2	1
Resp 14	1	0	0	0	1	1	0	1	0	0	1	1	1	7	53,8	1
Resp 15	1	1	1	1	0	0	0	1	0	0	1	0	1	7	53,8	1
Resp 16	1	0	0	1	1	0	1	0	0	0	0	1	1	6	46,2	1
Resp 17	1	0	0	1	1	0	0	0	0	1	0	1	1	6	46,2	1
Resp 18	1	1	1	1	1	1	0	0	0	0	0	1	1	8	61,5	1
Resp 19	1	0	1	1	0	0	0	0	0	1	1	1	1	7	53,8	1
Resp 20	1	0	1	1	1	1	1	0	0	0	0	1	1	8	61,5	1
Resp 21	1	1	1	1	0	1	1	1	1	1	0	0	1	10	76,9	2
Resp 22	1	1	1	0	1	1	1	1	1	1	0	0	1	10	76,9	2
Resp 23	1	0	0	1	1	1	1	1	0	0	0	1	1	8	61,5	1
Resp 24	1	0	0	0	1	1	1	1	1	1	1	1	1	10	76,9	2
Resp 25	1	1	1	0	1	1	0	0	0	0	1	0	1	7	53,8	1
Resp 26	1	0	1	0	1	1	0	0	0	0	1	1	1	7	53,8	1

			Intervensi Keperawatan Pre Intervensi											
			Resp	S 1	S 2	S 3	S 4	S 5	S 6	JM L	%	K D		
Resp 27	1	0	Resp 1	0	1	1	1	1	1	5	83,3	2	53,8	1
Resp 28	1	1	Resp 2	1	1	1	1	0	1	5	83,3	2	46,2	1
Resp 29	1	0	Resp 3	1	0	1	1	1	1	5	83,3	2	38,5	1
Resp 30	1	1	Resp 4	1	1	1	1	0	1	5	83,3	2	61,5	1
Resp 31	1	0	Resp 5	1	1	1	1	0	1	5	83,3	2	61,5	1
Resp 32	1	1	Resp 6	0	0	0	0	1	1	2	33,3	1	69,2	1
Resp 33	1	1	Resp 7	0	0	0	0	1	1	2	33,3	1	76,9	2
Resp 34	1	0	Resp 8	0	0	0	1	1	0	2	33,3	1	69,2	1
Resp 35	1	0	Resp 9	0	0	0	0	1	0	1	16,7	1	69,2	1
Resp 36	1	0	Resp 10	0	0	0	0	1	1	2	33,3	1	69,2	1
Resp 37	1	0	Resp 11	0	0	1	0	1	1	3	50	1	76,9	2
Resp 38	1	1	Resp 12	0	0	1	0	0	1	2	33,3	1	61,5	1
Resp 39	1	0	Resp 13	0	0	1	0	1	1	3	50	1	76,9	2
Resp 40	1	0	Resp 14	0	0	0	1	1	1	3	50	1	69,2	1
Resp 41	1	0	Resp 15	0	1	1	0	0	1	3	50	1	84,6	2
Resp 42	1	1	Resp 16	0	1	1	1	1	1	5	83,3	2	53,8	1
Resp 43	1	1	Resp 17	0	1	1	1	1	1	5	83,3	2	61,5	1
Resp 44	1	1	Resp 18	0	1	1	1	1	1	5	83,3	2	61,5	1
			Resp 19	1	0	1	1	1	1	5	83,3	2	53,8	1
			Resp 20	0	0	0	1	1	1	3	50	1		
			Resp 21	0	0	1	0	1	1	3	50	1		
			Resp 22	0	1	0	1	1	1	4	66,7	1		
			Resp 23	0	1	0	0	1	1	3	50	1		
			Resp 24	0	1	0	0	1	1	3	50	1		
			Resp 25	0	1	0	1	0	1	3	50	1		
			Resp 26	0	1	0	1	1	1	4	66,7	1		
			Resp 27	0	0	0	1	1	1	3	50	1		
			Resp 28	1	0	1	0	0	1	3	50	1		
			Resp 29	1	0	0	1	0	1	3	50	1		
			Resp 30	1	1	1	1	0	1	5	83,3	2		
			Resp 31	0	1	1	1	1	1	5	83,3	2		

												0	
Resp 5	1	0	0	1	1	1	0	1	1	1	7	7	1
Resp 6	1	0	0	1	0	0	0	1	1	1	5	5	1
Resp 7	1	0	1	1	0	1	0	0	1	1	6	6	1
Resp 8	1	0	0	1	0	1	1	1	0	1	6	6	1
Resp 9	1	0	1	1	0	0	0	1	1	1	6	6	1
Resp 10	0	1	0	1	0	1	1	1	0	1	6	6	1
Resp 11	0	0	0	0	1	1	1	1	0	0	4	4	1
Resp 12	1	0	0	1	0	1	0	0	1	1	5	5	1
Resp 13	0	0	1	1	0	0	0	1	1	1	5	5	1
Resp 14	0	0	1	1	1	1	1	1	1	1	8	8	2
Resp 15	0	0	1	1	0	0	0	1	1	1	5	5	1
Resp 16	0	1	1	1	1	1	1	1	1	1	9	9	2
Resp 17	0	0	1	1	1	1	1	1	1	1	8	8	2
Resp 18	1	0	1	1	1	1	1	1	1	0	8	8	2
Resp 19	0	0	1	1	1	0	1	1	1	1	7	7	1
Resp 20	0	1	1	1	0	0	1	0	1	1	6	6	1
Resp 21	0	0	1	1	1	1	1	1	1	1	8	8	2
Resp 22	0	0	1	1	1	1	1	1	1	1	8	8	2
Resp 23	0	0	1	1	1	1	0	1	1	1	7	7	1
Resp 24	0	0	0	1	1	1	1	0	1	1	6	6	1
Resp 25	0	0	0	1	1	0	0	1	1	1	5	5	1
Resp 26	0	0	0	1	1	1	1	1	1	1	7	7	1
Resp 27	0	0	0	1	1	0	0	1	1	1	5	5	1
Resp 28	0	0	1	1	1	0	0	0	1	1	5	5	1
Resp 29	0	0	1	0	0	1	1	1	1	0	5	5	1
Resp 30	0	0	1	1	1	1	1	1	0	1	7	7	1
Resp 31	1	0	1	1	1	1	1	1	1	1	9	9	2

Evaluasi Keperawatan Pre Intervensi

			Resp	S 1	S 2	S 3	S 4	S 5	JM L	%	K D			
Resp 32	1		Resp 1	0	1	1	1	1	4	80	2	60	1	
Resp 33	0		Resp 2	1	1	0	1	1	4	80	2	60	1	
Resp 34	0		Resp 3	1	0	1	1	1	4	80	2	60	1	
Resp 35	0		Resp 4	1	0	1	1	1	4	80	2	50	1	
Resp 36	1		Resp 5	1	1	1	0	1	4	80	2	80	2	
Resp 37	1		Resp 6	1	0	1	1	1	4	80	2	60	1	
Resp 38	0		Resp 7	1	0	0	1	0	2	40	1	40	1	
Resp 39	0		Resp 8	1	0	1	0	0	2	40	1	60	1	
Resp 40	0		Resp 9	0	0	0	0	1	1	20	1	60	1	
Resp 41	0		Resp 10	0	1	0	0	1	2	40	1	50	1	
Resp 42	1		Resp 11	0	0	0	0	1	1	20	1	50	1	
Resp 43	0		Resp 12	1	0	0	1	1	3	60	1	60	1	
Resp 44	0		Resp 13	0	0	1	0	1	2	40	1	80	2	
			Resp 14	0	0	1	0	0	1	20	1			
			Resp 15	1	0	0	1	1	3	60	1			
Resp	S 1	S 2	S 3	Resp								JM L	%	K D
Resp 1	1	1	1	Resp 16	0	0	1	0	0	1	0	13	10	2
Resp 2	1	0	1	Resp 17	0	0	0	0	1	1	0	12	92,3	2
Resp 3	1	0	0	Resp 18	0	0	1	0	0	1	0	11	84,6	2
Resp 4	1	0	1	Resp 19	0	1	1	1	1	4	0	10	76,9	2
Resp 5	1	0	0	Resp 20	1	0	1	1	1	4	0	10	76,9	2
Resp 6	1	1	1	Resp 21	1	0	1	1	1	4	0	12	92,3	2
Resp 7	1	0	0	Resp 22	1	0	1	1	1	4	0	11	84,6	2
Resp 8	1	0	0	Resp 23	0	1	1	1	1	4	0	9	69,2	1
Resp 9	1	1	1	Resp 24	0	0	0	1	1	2	0	12	92,3	2
Resp 10	1	0	0	Resp 25	0	0	1	0	1	2	0	9	69,2	1
Resp 11	1	0	1	Resp 26	0	0	1	1	1	3	0	10	76,9	2
Resp 12	1	0	0	Resp 27	0	0	0	1	1	2	0	11	84,6	2
				Resp 28	0	1	0	1	0	2	0			
				Resp 29	0	0	1	0	0	1	0			
				Resp 30	1	0	0	1	1	3	0			
				Resp 31						6				

					31	0	0	1	1	1	5	0	1					
					Resp 32	0	0	1	1	0	2	4	0	1				
					Resp 33	0	0	1	1	1	3	6	0	1				
Resp 13	1	0	1		Resp 34	1	0	0	0	1	2	4	0	1	9	69,	2	1
Resp 14	1	0	0		Resp 35	1	0	1	1	1	4	8	0	2	10	76,	9	2
Resp 15	1	1	1		Resp 36	1	0	0	0	1	2	4	0	1	11	84,	6	2
Resp 16	1	0	0		Resp 37	1	0	0	1	1	3	6	0	1	11	84,	6	2
Resp 17	1	0	0		Resp 38	1	1	0	0	1	3	6	0	1	11	84,	6	2
Resp 18	1	1	1		Resp 39	1	0	0	1	0	2	4	0	1	11	84,	6	2
Resp 19	1	0	1		Resp 40	1	0	0	1	1	3	6	0	1	11	84,	6	2
Resp 20	1	0	1		Resp 41	0	0	0	1	0	1	2	0	1	11	84,	6	2
Resp 21	1	1	1		Resp 42	1	0	0	0	1	2	4	0	1	11	84,	6	2
Resp 22	1	1	1		Resp 43	0	0	0	1	0	1	2	0	1	11	84,	6	2
Resp 23	1	0	0		Resp 44	0	0	0	1	1	2	4	0	1	9	69,	2	1
Resp 24	1	0	0	0	0	1	1	1	1	1	1	0	1	1	9	69,	2	1
Resp 25	1	1	1	0	1	1	1	1	0	0	1	0	1	9	69,	2	1	
Resp 26	1	0	1	0	1	1	1	1	1	1	1	1	1	11	84,	6	2	
Resp 27	1	0	1	0	1	1	1	1	0	0	1	1	1	9	69,	2	1	
Resp 28	1	1	0	1	0	1	1	1	0	0	0	1	1	8	61,	5	1	
Resp 29	1	0	0	1	0	1	0	0	1	1	1	1	1	8	61,	5	1	
Resp 30	1	1	1	1	0	0	1	1	1	1	1	1	1	11	84,	6	2	
Resp 31	1	0	1	1	0	1	0	1	1	1	1	1	1	10	76,	9	2	
Resp 32	1	1	1	1	0	1	1	0	1	0	1	1	1	10	76,	9	2	
Resp 33	1	1	0	1	0	1	1	1	1	0	1	1	1	10	76,	9	2	
Resp 34	1	0	1	1	0	1	1	1	1	1	0	0	1	9	69,	2	1	
Resp 35	1	0	0	1	0	1	1	1	1	1	0	1	1	9	69,	2	1	
Resp 36	1	0	1	1	0	1	1	1	1	1	1	1	1	11	84,	6	2	
Resp 37	1	0	0	1	1	0	1	1	1	0	1	1	1	9	69,	2	1	
Resp 38	1	1	0	1	1	1	0	1	1	1	1	1	1	11	84,	6	2	
Resp 39	1	0	1	1	1	1	1	0	1	1	1	1	1	11	84,	6	2	
Resp	1	0	1	1	1	1	1	1	0	1	1	1	1	11	84,	6	2	

40															6	
Resp 41	1	0	1	0	1	1	1	1	0	0	1	1	1	9	69,2	1
Resp 42	1	1	1	1	0	1	0	1	1	0	0	1	1	9	69,2	1
Resp 43	1	1	1	1	1	1	1	0	1	0	0	0	1	9	69,2	1
Resp 44	1	1	1	1	1	1	1	1	1	0	0	0	0	9	69,2	1

Diagnosa Keperawatan Post Intervensi											
Resp	S 1	S 2	S 3	S 4	S 5	S 6	S 7	JM L	%	K D	
Resp 1	1	1	0	1	1	1	1	6	85,7	2	
Resp 2	1	1	1	1	1	1	0	6	85,7	2	
Resp 3	1	1	1	1	1	1	0	6	85,7	2	
Resp 4	0	1	1	1	1	1	1	6	85,7	2	
Resp 5	1	1	0	0	1	0	1	4	57,1	1	
Resp 6	1	0	0	0	1	1	1	4	57,1	1	
Resp 7	1	1	0	1	1	0	0	4	57,1	1	
Resp 8	1	1	1	0	1	0	0	4	57,1	1	
Resp 9	1	1	0	0	0	1	1	4	57,1	1	
Resp 10	1	1	0	0	1	0	1	4	57,1	1	
Resp 11	1	1	1	1	0	0	0	4	57,1	1	
Resp 12	1	0	0	1	1	1	0	4	57,1	1	
Resp 13	1	1	0	0	0	1	1	4	57,1	1	
Resp 14	0	1	1	1	1	1	1	6	85,7	2	
Resp 15	1	1	1	1	1	1	0	6	85,7	2	
Resp 16	1	1	1	1	1	1	0	6	85,7	2	
Resp 17	1	1	1	1	0	0	0	4	57,1	1	
Resp 18	1	1	1	1	0	1	1	6	85,7	2	
Resp 19	1	1	1	1	1	1	0	6	85,7	2	
Resp	1	0	0	0	1	1	1	4	57,1	1	

20									1	
Resp 21	0	1	1	1	1	1	1	6	85,7	2
Resp 22	1	1	1	1	1	1	0	6	85,7	2
Resp 23	1	0	1	1	0	0	1	4	57,1	1
Resp 24	1	0	1	0	1	1	0	4	57,1	1
Resp 25	0	1	0	1	1	1	0	4	57,1	1
Resp 26	0	1	1	1	1	1	1	6	85,7	2
Resp 27	1	0	0	1	1	1	0	4	57,1	1
Resp 28	0	1	1	0	1	1	0	4	57,1	1
Resp 29	0	1	1	1	1	0	0	4	57,1	1
Resp 30	0	1	1	1	1	1	1	6	85,7	2
Resp 31	1	1	1	1	1	1	0	6	85,7	2
Resp 32	1	0	1	1	1	1	1	6	85,7	2
Resp 33	1	1	1	1	1	1	0	6	85,7	2
Resp 34	0	1	0	0	1	1	1	4	57,1	1
Resp 35	1	0	1	0	1	1	0	4	57,1	1
Resp 36	1	1	1	0	1	0	0	4	57,1	1
Resp 37	0	1	0	0	1	1	1	4	57,1	1
Resp 38	1	1	1	1	1	1	0	6	85,7	2
Resp 39	1	1	0	1	0	0	1	4	57,1	1
Resp 40	1	1	1	1	0	0	0	4	57,1	1
Resp 41	1	1	0	1	1	0	0	4	57,1	1
Resp 42	1	0	1	1	1	0	0	4	57,1	1
Resp 43	0	1	1	1	0	1	0	4	57,1	1
Resp 44	1	1	1	1	1	1	0	6	85,7	2

Intervensi Keperawatan Post Intervensi									
Resp	S	S	S	S	S	S	JM	%	K

	1	2	3	4	5	6	L		D
Resp 1	1	1	1	0	1	1	5	83, 3	2
Resp 2	1	1	1	1	0	1	5	83, 3	2
Resp 3	1	1	1	0	1	1	5	83, 3	2
Resp 4	1	1	1	1	0	1	5	83, 3	2
Resp 5	1	1	1	1	0	1	5	83, 3	2
Resp 6	1	0	1	0	1	1	4	66, 7	1
Resp 7	1	0	0	0	1	1	3	50	1
Resp 8	1	0	1	1	1	0	4	66, 7	1
Resp 9	1	1	0	1	1	0	4	66, 7	1
Resp 10	1	0	0	1	1	1	4	66, 7	1
Resp 11	0	1	1	0	1	1	4	66, 7	1
Resp 12	1	1	1	0	0	1	4	66, 7	1
Resp 13	1	0	1	0	1	1	4	66, 7	1
Resp 14	1	1	0	1	1	1	5	83, 3	2
Resp 15	1	1	1	0	0	1	4	66, 7	1
Resp 16	1	1	0	1	1	1	5	83, 3	2
Resp 17	1	1	1	1	0	1	5	83, 3	2
Resp 18	1	1	0	1	1	1	5	83, 3	2
Resp 19	1	1	1	1	1	1	6	10 0	2
Resp 20	0	1	0	1	1	1	4	66, 7	1
Resp 21	1	1	1	0	1	1	5	83, 3	2
Resp 22	1	1	0	1	1	1	5	83, 3	2
Resp 23	1	1	0	0	1	1	4	66, 7	1
Resp 24	1	1	0	0	1	1	4	66, 7	1
Resp 25	1	1	0	1	0	1	4	66, 7	1
Resp 26	1	1	0	1	1	1	5	83, 3	2
Resp 27	0	1	0	1	1	1	4	66, 7	1
Resp	1	1	1	0	0	1	4	66,	1

28									7	
Resp 29	1	0	0	1	0	1	3	50	1	
Resp 30	1	1	1	1	0	1	5	83,3	2	
Resp 31	1	1	1	1	1	1	6	100	2	
Resp 32	1	1	0	1	1	1	5	83,3	2	
Resp 33	1	1	0	1	1	1	5	83,3	2	
Resp 34	0	1	0	1	1	0	3	50	1	
Resp 35	1	0	0	0	1	1	3	50	1	
Resp 36	1	0	0	0	0	1	2	33,3	1	
Resp 37	1	1	0	0	0	1	3	50	1	
Resp 38	1	1	0	1	1	1	5	83,3	2	
Resp 39	1	1	1	0	0	1	4	66,7	1	
Resp 40	1	1	0	0	1	1	4	66,7	1	
Resp 41	1	1	1	0	0	1	4	66,7	1	
Resp 42	1	1	1	0	1	1	5	83,3	2	
Resp 43	1	1	0	0	1	1	4	66,7	1	
Resp 44	1	1	1	0	1	1	5	83,3	2	

Implementasi Keperawatan Post Intervensi													
Resp	S 1	S 2	S 3	S 4	S 5	S 6	S 7	S 8	S 9	S 10	JM L	%	K D
Resp 1	1	1	1	1	1	1	0	0	0	1	7	70	1
Resp 2	1	1	1	1	0	0	0	1	1	1	7	70	1
Resp 3	1	1	1	1	1	1	1	1	1	1	10	100	2
Resp 4	0	1	1	1	1	1	1	1	1	1	9	90	2
Resp 5	1	1	1	1	1	1	0	1	1	1	9	90	2
Resp 6	1	1	1	1	0	0	0	1	1	1	7	70	1
Resp 7	1	1	1	1	0	1	0	0	1	1	7	70	1
Resp	1	1	0	1	0	1	1	1	0	1	7	70	1

8												0	
Resp 9	1	1	1	1	0	0	0	1	1	1	7	7	1
Resp 10	1	1	0	1	0	1	1	1	0	1	7	7	1
Resp 11	1	1	0	0	1	1	1	1	0	0	6	6	1
Resp 12	1	1	1	1	0	1	0	0	1	1	7	7	1
Resp 13	1	1	1	1	0	0	0	1	1	1	7	7	1
Resp 14	1	1	1	1	1	1	1	1	1	1	1	0	2
Resp 15	1	1	1	1	0	0	0	1	1	1	7	7	1
Resp 16	1	1	1	1	1	1	1	1	1	1	1	0	2
Resp 17	1	1	1	1	1	1	1	1	1	1	1	0	2
Resp 18	1	1	1	1	1	1	1	1	1	1	0	9	2
Resp 19	1	1	1	1	1	0	1	1	1	1	9	9	2
Resp 20	1	1	1	1	0	0	1	0	1	1	7	7	1
Resp 21	1	0	1	1	1	1	1	1	1	1	9	9	2
Resp 22	0	1	1	1	1	1	1	1	1	1	9	9	2
Resp 23	1	1	1	1	1	1	0	1	1	1	9	9	2
Resp 24	1	1	1	1	1	1	1	0	1	1	9	9	2
Resp 25	0	1	1	1	1	0	0	1	1	1	7	7	1
Resp 26	0	1	1	1	1	1	1	1	1	1	9	9	2
Resp 27	0	1	1	1	1	0	0	1	1	1	7	7	1
Resp 28	1	0	1	1	1	0	0	0	1	1	6	6	1
Resp 29	1	0	1	0	0	1	1	1	1	0	6	6	1
Resp 30	1	1	1	1	1	1	1	1	0	1	9	9	2
Resp 31	1	0	1	1	1	1	1	1	1	1	9	9	2
Resp 32	1	0	1	1	0	1	0	1	1	1	7	7	1
Resp 33	1	0	1	1	1	0	0	1	1	1	7	7	1
Resp	1	0	1	1	1	0	1	0	1	1	7	7	1



					Resp 31	1	0	1	1	1	4	8	0	2					
					Resp 32	1	0	1	1	0	3	6	0	1					
Resp 13	1	0			Resp 33	1	0	1	1	1	4	8	0	2	6	5		1	
Resp 14	1	0			Resp 34	1	1	0	0	1	3	6	0	1	9	8		2	
Resp 15	1	1			Resp 35	1	0	1	1	1	4	8	0	2	9	8		2	
Resp 16	1	0			Resp 36	1	1	0	0	1	3	6	0	1	9	8		2	
Resp 17	1	1			Resp 37	1	0	0	1	1	3	6	0	1	9	8		2	
Resp 18	1	0			Resp 38	1	1	1	0	1	4	8	0	2	9	8		2	
Resp 19	1	0			Resp 39	1	1	1	1	0	4	8	0	2	9	8		2	
Resp 20	0	1			Resp 40	1	1	0	1	1	4	8	0	2	9	8		2	
Resp 21	1	1			Resp 41	0	1	1	1	0	3	6	0	1	9	8		2	
Resp 22	1	0			Resp 42	1	0	1	0	1	3	6	0	1	9	8		2	
Resp 23	1	0			Resp 43	1	1	1	1	0	4	8	0	2	9	8		2	
Resp 24	1	0			Resp 44	1	0	1	1	1	4	8	0	2	6	5		1	
Resp 25	1	0	1	0			1	0	1	0	0	1	1		6	5		1	
Resp 26	1	0	1	1			0	1	1	1	1	1	1		9	8		2	
Resp 27	1	0	1	0			0	1	0	0	1	1	1		6	5		1	
Resp 28	1	1	0	1			0	1	0	0	0	1	1		6	5		1	
Resp 29	1	0	1	0			1	0	1	0	0	1	1		6	5		1	
Resp 30	1	0	1	0			1	1	1	1	1	1	1		9	8		2	
Resp 31	1	1	1	0			1	1	1	1	1	0	1		9	8		2	
Resp 32	0	1	1	0			1	1	0	1	0	1	0		6	5		1	
Resp 33	1	0	1	0			0	0	1	0	1	1	1		6	5		1	
Resp 34	1	0	1	0			0	0	0	1	1	1	1		6	5		1	
Resp 35	1	1	0	1			0	1	0	0	0	1	1		6	5		1	
Resp 36	1	0	1	0			0	1	0	1	0	1	1		6	5		1	
Resp 37	1	0	0	1			0	0	1	1	0	1	1		6	5		1	
Resp 38	1	0	1	1			0	1	1	1	1	1	1		9	8		2	
Resp 39	1	0	1	0			1	1	1	1	1	1	1		9	8		2	

Resp 40	1	0	1	0	1	1	1	1	1	1	1	9	8 2	2
Resp 41	1	0	1	0	1	0	1	0	0	1	1	6	5 5	1
Resp 42	0	1	1	0	1	1	0	1	0	1	0	6	5 5	1
Resp 43	0	1	1	0	1	1	0	1	0	1	0	6	5 5	1
Resp 44	1	0	1	0	1	1	1	1	1	1	1	9	8 2	2

NORMALITAS DATA



Descriptives

			Statistic	Std. Error
Pengkajian	Mean		10.1591	.17187
	95% Confidence Interval for Mean	Lower Bound	9.8125	
		Upper Bound	10.5057	
	5% Trimmed Mean		10.1465	
	Median		10.0000	
	Variance		1.300	
	Std. Deviation		1.14004	
	Minimum		8.00	
	Maximum		13.00	
	Range		5.00	
	Interquartile Range		2.0000	
	Skewness		.068	.357
	Kurtosis		-.596	.702
	Diagnosa	Mean		3.6591
95% Confidence Interval for Mean		Lower Bound	3.2660	
		Upper Bound	4.0522	
5% Trimmed Mean			3.6212	
Median			3.0000	
Variance			1.672	
Std. Deviation			1.29297	
Minimum			2.00	
Maximum			6.00	
Range			4.00	
Interquartile Range			2.0000	
Skewness			.341	.357
Kurtosis			-1.082	.702
Intervensi		Mean		4.3182
	95% Confidence Interval for Mean	Lower Bound	4.0578	
		Upper Bound	4.5786	
	5% Trimmed Mean		4.3283	
	Median		4.0000	
	Variance		.734	
	Std. Deviation		.85651	
	Minimum		2.00	
	Maximum		6.00	
	Range		4.00	
	Interquartile Range		1.0000	
	Skewness		-.447	.357
	Kurtosis		.111	.702
	Implementasi	Mean		8.2273
95% Confidence Interval for Mean		Lower Bound	7.8572	
		Upper Bound	8.5974	
5% Trimmed Mean			8.2778	
Median			8.0000	
Variance			1.482	
Std. Deviation			1.21739	
Minimum			5.00	
Maximum			10.00	
Range			5.00	
Interquartile Range			1.7500	
Skewness			-.540	.357
Kurtosis			-.026	.702
Evaluasi		Mean		3.5455
	95% Confidence Interval for Mean	Lower Bound	3.3548	
		Upper Bound	3.7361	
	5% Trimmed Mean		3.5253	
	Median		4.0000	
	Variance		.393	
	Std. Deviation		.62708	
	Minimum		2.00	
	Maximum		5.00	
	Range		3.00	
	Interquartile Range		1.0000	
	Skewness		.118	.357
	Kurtosis		-.226	.702
	Implementasi Pasien DM	Mean		6.8409
95% Confidence Interval for Mean		Lower Bound	6.5481	
		Upper Bound	7.1337	
5% Trimmed Mean			6.7677	
Median			7.0000	
Variance			.928	
Std. Deviation			.96311	
Minimum			6.00	
Maximum			9.00	
Range			3.00	
Interquartile Range			1.0000	
Skewness			.659	.357
Kurtosis			.072	.702

Usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	20-29 tahun	16	36.4	36.4	36.4
	30-39 tahun	24	54.5	54.5	90.9
	40-49 tahun	4	9.1	9.1	100.0
	Total	44	100.0	100.0	

Jenis Kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-laki	4	9.1	9.1	9.1
	Perempuan	40	90.9	90.9	100.0
	Total	44	100.0	100.0	

Pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	DIII Keperawatan	13	29.5	29.5	29.5
	S1 Keperawatan	31	70.5	70.5	100.0
	Total	44	100.0	100.0	

Lama Kerja

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	< 3 tahun	12	27.3	27.3	27.3
	> 3 tahun	32	72.7	72.7	100.0
	Total	44	100.0	100.0	

Pengkajian

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	16	36.4	36.4	36.4
	Baik	28	63.6	63.6	100.0
	Total	44	100.0	100.0	

Diagnosa

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	25	56.8	56.8	56.8
	Baik	19	43.2	43.2	100.0
	Total	44	100.0	100.0	

Intervensi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	23	52.3	52.3	52.3
	Baik	21	47.7	47.7	100.0
	Total	44	100.0	100.0	

Implementasi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	24	54.5	54.5	54.5
	Baik	20	45.5	45.5	100.0
	Total	44	100.0	100.0	

Evaluasi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	21	47.7	47.7	47.7
	Baik	23	52.3	52.3	100.0
	Total	44	100.0	100.0	

Dokumentasi Keperawatan Sebelum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	19	43.2	43.2	43.2
	Baik	25	56.8	56.8	100.0
	Total	44	100.0	100.0	

Dokumentasi Keperawatan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	13	29.5	29.5	29.5
	Baik	31	70.5	70.5	100.0
	Total	44	100.0	100.0	

ANALISA UNIVARIAT

Pengaturan diet dan nutrisi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	4	9.1	9.1	9.1
	Baik	40	90.9	90.9	100.0
	Total	44	100.0	100.0	

Olahraga

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	30	68.2	68.2	68.2
	Baik	14	31.8	31.8	100.0
	Total	44	100.0	100.0	

Obat-obatan DM

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	12	27.3	27.3	27.3
	Baik	32	72.7	72.7	100.0
	Total	44	100.0	100.0	

Perawatan Kulit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	22	50.0	50.0	50.0
	Baik	22	50.0	50.0	100.0
	Total	44	100.0	100.0	

Perawatan Kaki

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	9	20.5	20.5	20.5
	Baik	35	79.5	79.5	100.0
	Total	44	100.0	100.0	

Implementasi Pasien DM

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	20	45.5	45.5	45.5
	Baik	24	54.5	54.5	100.0
	Total	44	100.0	100.0	

USIA * DOKUMENTASI KEPERAWATAN

Crosstab

			Dokumentasi Keperawatan		Total
			Kurang	Baik	
Usia	20-29 tahun	Count	4	12	16
		Expected Count	4.7	11.3	16.0
		% within Usia	25.0%	75.0%	100.0%
		% of Total	9.1%	27.3%	36.4%
	30-39 tahun	Count	6	18	24
		Expected Count	7.1	16.9	24.0
		% within Usia	25.0%	75.0%	100.0%
		% of Total	13.6%	40.9%	54.5%
	40-49 tahun	Count	3	1	4
		Expected Count	1.2	2.8	4.0
		% within Usia	75.0%	25.0%	100.0%
		% of Total	6.8%	2.3%	9.1%
Total	Count	13	31	44	
	Expected Count	13.0	31.0	44.0	
	% within Usia	29.5%	70.5%	100.0%	
	% of Total	29.5%	70.5%	100.0%	

Chi-Square Tests

	Value	df	Asy mp. Sig. (2-sided)
Pearson Chi-Square	4.367 ^a	2	.113
Likelihood Ratio	3.927	2	.140
Linear-by-Linear Association	1.819	1	.177
N of Valid Cases	44		

a. 3 cells (50.0%) have expected count less than 5. The minimum expected count is 1.18.

JENIS KELAMIN* DOKUMENTASI KEPERAWATAN

Crosstab

			Dokumentasi Keperawatan		Total
			Kurang	Baik	
Jenis Kelamin	Laki-laki	Count	1	3	4
		Expected Count	1.2	2.8	4.0
		% within Jenis Kelamin	25.0%	75.0%	100.0%
		% of Total	2.3%	6.8%	9.1%
	Perempuan	Count	12	28	40
		Expected Count	11.8	28.2	40.0
		% within Jenis Kelamin	30.0%	70.0%	100.0%
		% of Total	27.3%	63.6%	90.9%
	Total	Count	13	31	44
		Expected Count	13.0	31.0	44.0
		% within Jenis Kelamin	29.5%	70.5%	100.0%
		% of Total	29.5%	70.5%	100.0%

Chi-Square Tests

	Value	df	Asy mp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.044 ^b	1	.834		
Continuity Correction	.000	1	1.000		
Likelihood Ratio	.045	1	.832		
Fisher's Exact Test				1.000	.662
Linear-by-Linear Association	.043	1	.836		
N of Valid Cases	44				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.18.

PENDIDIKAN* DOKUMENTASI KEPERAWATAN

Crosstab

			Dokumentasi Keperawatan		Total
			Kurang	Baik	
Pendidikan	DIII Keperawatan	Count	5	8	13
		Expected Count	3.8	9.2	13.0
		% within Pendidikan	38.5%	61.5%	100.0%
		% of Total	11.4%	18.2%	29.5%
	S1 Keperawatan	Count	8	23	31
		Expected Count	9.2	21.8	31.0
		% within Pendidikan	25.8%	74.2%	100.0%
		% of Total	18.2%	52.3%	70.5%
Total		Count	13	31	44
		Expected Count	13.0	31.0	44.0
		% within Pendidikan	29.5%	70.5%	100.0%
		% of Total	29.5%	70.5%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.705 ^a	1	.401		
Continuity Correction ^b	.228	1	.633		
Likelihood Ratio	.686	1	.407		
Fisher's Exact Test				.478	.311
Linear-by-Linear Association	.689	1	.407		
N of Valid Cases	44				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.84.

LAMA KERJA* DOKUMNTASI KEPERAWATAN

Crosstab

			Dokumentasi Keperawatan		Total
			Kurang	Baik	
Lama Kerja	< 3 tahun	Count	4	8	12
		Expected Count	3.5	8.5	12.0
		% within Lama Kerja	33.3%	66.7%	100.0%
		% of Total	9.1%	18.2%	27.3%
	> 3 tahun	Count	9	23	32
		Expected Count	9.5	22.5	32.0
		% within Lama Kerja	28.1%	71.9%	100.0%
		% of Total	20.5%	52.3%	72.7%
Total		Count	13	31	44
		Expected Count	13.0	31.0	44.0
		% within Lama Kerja	29.5%	70.5%	100.0%
		% of Total	29.5%	70.5%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.114 ^b	1	.736		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.112	1	.738		
Fisher's Exact Test				.727	.504
Linear-by-Linear Association	.111	1	.739		
N of Valid Cases	44				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.55.

ANALISA BIVARIAT

Pengkajian* Implementasi Pasien DM Crosstabulation

Crosstab

			Implementasi Pasien DM		Total
			Kurang	Baik	
Pengkajian	Kurang	Count	14	2	16
		Expected Count	7.3	8.7	16.0
		% within Pengkajian	87.5%	12.5%	100.0%
		% of Total	31.8%	4.5%	36.4%
	Baik	Count	6	22	28
		Expected Count	12.7	15.3	28.0
		% within Pengkajian	21.4%	78.6%	100.0%
		% of Total	13.6%	50.0%	63.6%
Total	Count	20	24	44	
	Expected Count	20.0	24.0	44.0	
	% within Pengkajian	45.5%	54.5%	100.0%	
	% of Total	45.5%	54.5%	100.0%	

Chi-Square Tests

	Value	df	Asy mp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	17.927 ^a	1	.000		
Continuity Correction ^b	15.362	1	.000		
Likelihood Ratio	19.480	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	17.520	1	.000		
N of Valid Cases	44				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.27.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.538	.000
N of Valid Cases		44	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pengkajian (Kurang / Baik)	25.667	4.528	145.492
For cohort Implementasi Pasien DM = Kurang	4.083	1.962	8.499
For cohort Implementasi Pasien DM = Baik	.159	.043	.590
N of Valid Cases	44		

Diagnosa * Implementasi Pasien DM Crosstabulation

			Implementasi Pasien DM		Total
			Kurang	Baik	
Diagnosa	Kurang	Count	18	7	25
		Expected Count	11.4	13.6	25.0
		% within Diagnosa	72.0%	28.0%	100.0%
		% of Total	40.9%	15.9%	56.8%
Baik	Baik	Count	2	17	19
		Expected Count	8.6	10.4	19.0
		% within Diagnosa	10.5%	89.5%	100.0%
		% of Total	4.5%	38.6%	43.2%
Total	Total	Count	20	24	44
		Expected Count	20.0	24.0	44.0
		% within Diagnosa	45.5%	54.5%	100.0%
		% of Total	45.5%	54.5%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	16.454 ^a	1	.000		
Continuity Correction ^b	14.068	1	.000		
Likelihood Ratio	18.198	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	16.080	1	.000		
N of Valid Cases	44				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.64.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.568	.000
N of Valid Cases		44	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Diagnosa (Kurang / Baik)	21.857	3.971	120.310
For cohort Implementasi Pasien DM = Kurang	6.840	1.803	25.954
For cohort Implementasi Pasien DM = Baik	.313	.164	.598
N of Valid Cases	44		

Intervensi * Implementasi Pasien DM Crosstabulation

			Implementasi Pasien DM		Total
			Kurang	Baik	
Intervensi Kurang	Count	16	7	23	
	Expected Count	10.5	12.5	23.0	
	% within Intervensi	69.6%	30.4%	100.0%	
	% of Total	36.4%	15.9%	52.3%	
Baik	Count	4	17	21	
	Expected Count	9.5	11.5	21.0	
	% within Intervensi	19.0%	81.0%	100.0%	
	% of Total	9.1%	38.6%	47.7%	
Total	Count	20	24	44	
	Expected Count	20.0	24.0	44.0	
	% within Intervensi	45.5%	54.5%	100.0%	
	% of Total	45.5%	54.5%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	11.299 ^b	1	.001		
Continuity Correction ^a	9.353	1	.002		
Likelihood Ratio	11.915	1	.001		
Fisher's Exact Test				.001	.001
Linear-by-Linear Association	11.042	1	.001		
N of Valid Cases	44				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.55.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.452	.001
N of Valid Cases	44	

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Intervensi (Kurang / Baik)	9.714	2.383	39.607
For cohort Implementasi Pasien DM = Kurang	3.652	1.452	9.185
For cohort Implementasi Pasien DM = Baik	.376	.196	.721
N of Valid Cases	44		

Implementasi * Implementasi Pasien DM Crosstabulation

			Implementasi Pasien DM		Total
			Kurang	Baik	
Implementasi	Kurang	Count	18	8	26
		Expected Count	11.8	14.2	26.0
		% within Implementasi	69.2%	30.8%	100.0%
		% of Total	40.9%	18.2%	59.1%
	Baik	Count	2	16	18
		Expected Count	8.2	9.8	18.0
		% within Implementasi	11.1%	88.9%	100.0%
		% of Total	4.5%	36.4%	40.9%
Total	Count	20	24	44	
	Expected Count	20.0	24.0	44.0	
	% within Implementasi	45.5%	54.5%	100.0%	
	% of Total	45.5%	54.5%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	14.491 ^b	1	.000		
Continuity Correction ^a	12.242	1	.000		
Likelihood Ratio	15.978	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	14.162	1	.000		
N of Valid Cases	44				

- a. Computed only for a 2x2 table
- b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.18.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.498	.000
N of Valid Cases	44	

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Implementasi (Kurang / Baik)	18.000	3.323	97.502
For cohort Implementasi Pasien DM = Kurang	6.231	1.645	23.595
For cohort Implementasi Pasien DM = Baik	.346	.190	.630
N of Valid Cases	44		

Evaluasi * Implementasi Pasien DM Crosstabulation

			Implementasi Pasien DM		Total
			Kurang	Baik	
Evaluasi	Kurang	Count	16	5	21
		Expected Count	9.5	11.5	21.0
		% within Evaluasi	76.2%	23.8%	100.0%
		% of Total	36.4%	11.4%	47.7%
	Baik	Count	4	19	23
		Expected Count	10.5	12.5	23.0
		% within Evaluasi	17.4%	82.6%	100.0%
		% of Total	9.1%	43.2%	52.3%
Total	Count	20	24	44	
	Expected Count	20.0	24.0	44.0	
	% within Evaluasi	45.5%	54.5%	100.0%	
	% of Total	45.5%	54.5%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	15.307 ^b	1	.000		
Continuity Correction ^a	13.028	1	.000		
Likelihood Ratio	16.326	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	14.959	1	.000		
N of Valid Cases	44				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.55.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.508	.000
N of Valid Cases	44	

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Evaluasi (Kurang / Baik)	15.200	3.483	66.334
For cohort Implementasi Pasien DM = Kurang	4.381	1.742	11.018
For cohort Implementasi Pasien DM = Baik	.288	.131	.634
N of Valid Cases	44		

Dokumentasi Keperawatan * Implementasi DM Crosstabulation

			Implementasi DM		Total
			Kurang	Baik	
Dokumentasi Keperawatan	Kurang	Count	18	2	20
		Expected Count	9.1	10.9	20.0
		% within Dokumentasi Keperawatan	90.0%	10.0%	100.0%
		% of Total	40.9%	4.5%	45.5%
	Baik	Count	2	22	24
		Expected Count	10.9	13.1	24.0
		% within Dokumentasi Keperawatan	8.3%	91.7%	100.0%
		% of Total	4.5%	50.0%	54.5%
Total	Count	20	24	44	
	Expected Count	20.0	24.0	44.0	
	% within Dokumentasi Keperawatan	45.5%	54.5%	100.0%	
	% of Total	45.5%	54.5%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	29.346 ^b	1	.000		
Continuity Correction ^a	26.144	1	.000		
Likelihood Ratio	33.861	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	28.679	1	.000		
N of Valid Cases	44				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.09.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.633	.000
N of Valid Cases	44	

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Dokumentasi Keperawatan (Kurang / Baik)	99.000	12.661	774.092
For cohort Implementasi DM = Kurang	10.800	2.842	41.037
For cohort Implementasi DM = Baik	.109	.029	.408
N of Valid Cases	44		

HASIL UJI BEDA PAIRED T-TEST

Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	Pengkajian Sebelum	65.3846	44	12.02035	1.81214
	Pengkajian Sesudah	78.3217	44	8.97571	1.35314
Pair 2	Diagnosa Sebelum	57.4675	44	17.56097	2.64742
	Diagnosa Sesudah	68.8312	44	14.21001	2.14224
Pair 3	Intervensi Sebelum	55.3030	44	20.57718	3.10213
	Intervensi Sesudah	72.7273	44	13.96327	2.10504
Pair 4	Implementasi Sebelum	62.9545	44	12.86415	1.93934
	Implementasi Sesudah	77.7273	44	13.09423	1.97403
Pair 5	Evaluasi Sebelum	50.9091	44	22.18508	3.34453
	Evaluasi Sesudah	70.9091	44	12.54169	1.89073
Pair 6	Dokumentasi Keperawatan Sesudah	77.4089	44	8.88656	1.33970
	Dokumentasi Keperawatan Sebelum	58.4038	44	10.83238	1.63304

Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	Pengkajian Sebelum & Pengkajian Sesudah	44	.446	.002
Pair 2	Diagnosa Sebelum & Diagnosa Sesudah	44	.783	.000
Pair 3	Intervensi Sebelum & Intervensi Sesudah	44	.717	.000
Pair 4	Implementasi Sebelum & Implementasi Sesudah	44	.786	.000
Pair 5	Evaluasi Sebelum & Evaluasi Sesudah	44	.766	.000
Pair 6	Dokumentasi Keperawatan Sesudah & Dokumentasi Keperawatan Sebelum	44	.606	.000

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Pengkajian Sebelum - Pengkajian Sesudah	-12.9371	11.34576	1.71044	-16.3865	-9.4876	-7.564	43	.000
Pair 2	Diagnosa Sebelum - Diagnosa Sesudah	-11.3636	10.92736	1.64736	-14.6859	-8.0414	-6.898	43	.000
Pair 3	Intervensi Sebelum - Intervensi Sesudah	-17.4242	14.35727	2.16444	-21.7893	-13.0592	-8.050	43	.000
Pair 4	Implementasi Sebelum - Implementasi Sesudah	-14.7727	8.48765	1.27956	-17.3532	-12.1922	-11.545	43	.000
Pair 5	Evaluasi Sebelum - Evaluasi Sesudah	-20.0000	14.94175	2.25255	-24.5427	-15.4573	-8.879	43	.000
Pair 6	Dokumentasi Keperawatan Sesudah - Dokumentasi Keperawatan Sebelum	19.0052	8.92327	1.34523	16.2922	21.7181	14.128	43	.000

Universitas
Esa Unggul

Universitas
Esa Unggul

Universitas
Esa Unggul



Universitas
Esa Unggul



Universitas
Esa Unggul



Universitas
Esa Unggul



Universitas
Esa Unggul



Universitas
Esa Unggul



Universitas
Esa Unggul



Universitas
Esa Unggul



Universitas
Esa Unggul



Universitas
Esa Unggul