

UJI NORMALITAS

1. PENGETAHUAN

total pengetahuan

	Frequency	Percent	Valid Percent	Cumulative Percent
7	2	10.5	10.5	10.5
8	4	21.1	21.1	31.6
9	5	26.3	26.3	57.9
10	5	26.3	26.3	84.2
11	1	5.3	5.3	89.5
12	1	5.3	5.3	94.7
13	1	5.3	5.3	100.0
Total	19	100.0	100.0	

Statistics

total pengetahuan

N	Valid	19
	Missing	0
Mean		9.32
Std. Error of Mean		.359
Median		9.00
Mode		9 ^a
Std. Deviation		1.565
Variance		2.450
Range		6
Minimum		7
Maximum		13
Sum		177

a. Multiple modes exist. The smallest value is shown

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
total pengetahuan	.173	19	.136	.934	19	.205

a. Lilliefors Significance Correction

2. PERSONAL HYGIENE (Perilaku Hygiene)

Descriptives

		Statistic	Std. Error	
total perilaku	Mean	10.79	.379	
	95% Confidence Interval for Mean	Lower Bound	9.99	
		Upper Bound	11.59	
	5% Trimmed Mean	10.88		
	Median	11.00		
	Variance	2.731		
	Std. Deviation	1.653		
	Minimum	7		
	Maximum	13		
	Range	6		
	Interquartile Range	2		
	Skewness	-.451	.524	
	Kurtosis	-.230	1.014	

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
total perilaku	.189	19	.072	.924	19	.136

a. Lilliefors Significance Correction

OUTPUT ANALISIS UNIVARIAT DAN BIVARIAT

UNIVARIAT

1. GAMBARAN KARAKTERISTIK

a. Frekuensi Jenis kelamin

jenis kelamin responden

	Frequency	Percent	Valid Percent	Cumulative Percent
laki-laki	11	57.9	57.9	57.9
Valid perempuan	8	42.1	42.1	100.0
Total	19	100.0	100.0	

b. Frekuensi Umur

umur responden

	Frequency	Percent	Valid Percent	Cumulative Percent
Masa dewasa awal	8	42.1	42.1	42.1
Valid Masa dewasa akhir	3	15.8	15.8	57.9
Masa lansia awal	8	42.1	42.1	100.0
Total	19	100.0	100.0	

c. Frekuensi Pendidikan

pendidikan responden

	Frequency	Percent	Valid Percent	Cumulative Percent
SD	1	5.3	5.3	5.3
SMP	1	5.3	5.3	10.5
Valid SMA	15	78.9	78.9	89.5
PT	2	10.5	10.5	100.0
Total	19	100.0	100.0	

2. GAMBARAN TINGKAT PENEGTAHUAN

Frequensi Pengetahuan

		katpengetahuan			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	pengetahuan rendah	6	31.6	31.6	31.6
	pengetahuan tinggi	13	68.4	68.4	100.0
Total		19	100.0	100.0	

3. GAMBARAN PERSONAL HYGIENE (Perilaku Hygiene)

Frequensi Prilaku Hygiene

		katprilaku			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	perilaku tidak baik	9	47.4	47.4	47.4
	perilaku baik	10	52.6	52.6	100.0
Total		19	100.0	100.0	

BIVARIAT

Tabulasi Silang

katpengetahuan * katprilaku Crosstabulation

		katprilaku		Total	
		perilaku tidak baik	perilaku baik		
katdidik	pengetahuan rendah	Count	2	4	6
		Expected count	2.8	3.2	6.0
		% within katdidik	33.3%	66.7%	100.0%
	pengetahuan tinggi	Count	7	6	13
		Expected count	6.2	6.8	13.0
		% within katdidik	53.8%	46.2%	100.0%
Total	Count	9	10	19	
	Expected count	9.0	10.0	19.0	
	% within katdidik	47.4%	52.6%	100.0%	

Uji Chi square

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.693 ^a	1	.405		
Continuity Correction ^b	.114	1	.735		
Likelihood Ratio	.704	1	.401		
Fisher's Exact Test				.628	.370
Linear-by-Linear Association	.656	1	.418		
N of Valid Cases	19				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 2.84.

b. Computed only for a 2x2 table

Odds Ratio (OR)

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for katpengetahuan (pengetahuan rendah / pengetahuan tinggi)	.429	.057	3.222
For cohort katprilaku = perilaku tidak baik	.619	.179	2.136
For cohort katprilaku = perilaku baik	1.444	.639	3.265
N of Valid Cases	19		