

Frequencies

Frequency Table

P.M_LH

		Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid	tidak memuaskan	55	64,7	65,5	65,5
	memuaskan	29	34,1	34,5	100,0
	Total	84	98,8	100,0	
Missing	System	1	1,2		
Total		85	100,0		

P.M_LN

		Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid	tidak memuaskan	37	43,5	44,0	44,0
	memuaskan	47	55,3	56,0	100,0
	Total	84	98,8	100,0	
Missing	System	1	1,2		
Total		85	100,0		

P.M_S

		Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid	tidak memuaskan	51	60,0	60,7	60,7
	memuaskan	33	38,8	39,3	100,0
	Total	84	98,8	100,0	
Missing	System	1	1,2		
Total		85	100,0		

P.M_M.P

	Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid				
tidak memuaskan	43	50,6	51,2	51,2
memuaskan	41	48,2	48,8	100,0
Total	84	98,8	100,0	
Missing System	1	1,2		
Total	85	100,0		

R.M_M.P

	Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid				
tidak memuaskan	2	2,4	2,4	2,4
memuaskan	82	96,5	97,6	100,0
Total	84	98,8	100,0	
Missing System	1	1,2		
Total	85	100,0		

R.M_LH

	Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid				
tidak memuaskan	57	67,1	67,9	67,9
memuaskan	27	31,8	32,1	100,0
Total	84	98,8	100,0	
Missing System	1	1,2		
Total	85	100,0		

R.M_LN

		Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid	tidak memuaskan	26	30,6	31,0	31,0
	memuaskan	58	68,2	69,0	100,0
	Total	84	98,8	100,0	
Missing	System	1	1,2		
Total		85	100,0		

R.M_S

		Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid	tidak memuaskan	47	55,3	56,0	56,0
	memuaskan	37	43,5	44,0	100,0
	Total	84	98,8	100,0	
Missing	System	1	1,2		
Total		85	100,0		

makanan luar rs

		Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid	ya	54	63,5	64,3	64,3
	tidak	30	35,3	35,7	100,0
	Total	84	98,8	100,0	
Missing	System	1	1,2		
Total		85	100,0		

jadwal penyajian makanan pagi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kurang tepat waktu	30	35,3	35,7	35,7
	tepat waktu	54	63,5	64,3	100,0
	Total	84	98,8	100,0	
Missing	System	1	1,2		
Total		85	100,0		

jadwal penyajian makanan siang

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kurang tepat waktu	3	3,5	3,6	3,6
	tepat waktu	81	95,3	96,4	100,0
	Total	84	98,8	100,0	
Missing	System	1	1,2		
Total		85	100,0		

jadwal penyajian makan sore

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kurang tepat waktu	10	11,8	11,9	11,9
	tepat waktu	74	87,1	88,1	100,0
	Total	84	98,8	100,0	
Missing	System	1	1,2		
Total		85	100,0		

keramahan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ramah(8-12)	84	98,8	100,0	100,0
Missing	System	1	1,2		
Total		85	100,0		

kat lama rawat

	Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid 1-3	80	94,1	95,2	95,2
Valid >3	4	4,7	4,8	100,0
Total	84	98,8	100,0	
Missing System	1	1,2		
Total	85	100,0		

katsm

	Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid banyak (>25%)	42	49,4	50,0	50,0
Valid sedikit(<25%)	42	49,4	50,0	100,0
Total	84	98,8	100,0	
Missing System	1	1,2		
Total	85	100,0		

umur

	Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid 18-30	29	34,1	34,5	34,5
Valid 31-64	55	64,7	65,5	100,0
Total	84	98,8	100,0	
Missing System	1	1,2		
Total	85	100,0		

JenisKelamin

	Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid Laki-Laki	35	41,2	41,7	41,7
Valid perempuan	49	57,6	58,3	100,0
Total	84	98,8	100,0	
Missing System	1	1,2		
Total	85	100,0		

persentase sisa makanan pokok

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	banyak (>25%)	72	84,7	85,7	85,7
	sedikit(<25%)	12	14,1	14,3	100,0
	Total	84	98,8	100,0	
Missing	System	1	1,2		
Total		85	100,0		

persentase sisa makanan lauk nabati

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	banyak (>25%)	76	89,4	90,5	90,5
	sedikit(<25%)	8	9,4	9,5	100,0
	Total	84	98,8	100,0	
Missing	System	1	1,2		
Total		85	100,0		

persentase sisa makanan lauk hewani

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	banyak (>25%)	78	91,8	92,9	92,9
	sedikit(<25%)	6	7,1	7,1	100,0
	Total	84	98,8	100,0	
Missing	System	1	1,2		
Total		85	100,0		

persentase sisa makanan sayuran

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	banyak (>25%)	78	91,8	92,9
	sedikit(<25%)	6	7,1	100,0
Total	84	98,8	100,0	
Missing System	1	1,2		
Total	85	100,0		

Crosstabs

P.M_M.P * katsm

Crosstab

		katsm		Total	
		banyak (>25%)	sedikit(<25%)		
P.M_M.P	tidak memiuaskan	Count % within P.M_M.P	25 58,1%	18 41,9%	43 100,0%
	memuaskan	Count % within P.M_M.P	17 41,5%	24 58,5%	41 100,0%
Total	Count % within P.M_M.P	42 50,0%	42 50,0%	84 100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,335 ^a	1	,127		
Continuity Correction ^b	1,715	1	,190		
Likelihood Ratio	2,346	1	,126		
Fisher's Exact Test				,190	,095
Linear-by-Linear Association	2,307	1	,129		
N of Valid Cases	84				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 20,50.

b. Computed only for a 2x2 table

P.M_LH * katsm

Crosstab

			katsm		Total
			banyak (>25%)	sedikit(<25%)	
P.M_LH	tidak memiaskan	Count	27	28	55
		% within P.M_LH	49,1%	50,9%	100,0%
H	memuaskan	Count	15	14	29
		% within P.M_LH	51,7%	48,3%	100,0%
Total		Count	42	42	84
		% within P.M_LH	50,0%	50,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,053 ^a	1	,818		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,053	1	,818		
Fisher's Exact Test				1,000	,500
Linear-by-Linear Association	,052	1	,820		
N of Valid Cases	84				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 14,50.

b. Computed only for a 2x2 table

P.M_LN * katsm

Crosstab

			katsm		Total
			banyak (>25%)	sedikit(<25%)	
P.M_L N	tidak memiaskan	Count	12	25	37
		% within P.M_LN	32,4%	67,6%	100,0%
	memuaskan	Count	30	17	47
		% within P.M_LN	63,8%	36,2%	100,0%
Total		Count	42	42	84
		% within P.M_LN	50,0%	50,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8,163 ^a	1	,004		
Continuity Correction ^b	6,956	1	,008		
Likelihood Ratio	8,310	1	,004		
Fisher's Exact Test				,008	,004
Linear-by-Linear Association	8,066	1	,005		
N of Valid Cases	84				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 18,50.

b. Computed only for a 2x2 table

P.M_S * katsm

Crosstab

		katsm		Total
		banyak (>25%)	sedikit(<25%)	
P.M_S	tidak memiuaskan	Count 26	25	51
		% within P.M_S 51,0%	49,0%	100,0%
	memuaskan	Count 16	17	33
		% within P.M_S 48,5%	51,5%	100,0%
Total	Count	42	42	84
	% within P.M_S	50,0%	50,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,050 ^a	1	,823		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,050	1	,823		
Fisher's Exact Test				1,000	,500
Linear-by-Linear Association	,049	1	,824		
N of Valid Cases	84				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 16,50.

b. Computed only for a 2x2 table

R.M_M.P * katsm

Crosstab

		katsm		Total
		banyak (>25%)	sedikit(<25%)	
R.M_M.P	tidak memiuaskan	Count 1	Count 1	Count 2
		% within R.M_M.P 50,0%	% within R.M_M.P 50,0%	% within R.M_M.P 100,0%
P	Memuaskan	Count 41	Count 41	Count 82
		% within R.M_M.P 50,0%	% within R.M_M.P 50,0%	% within R.M_M.P 100,0%
Total		Count 42	Count 42	Count 84
		% within R.M_M.P 50,0%	% within R.M_M.P 50,0%	% within R.M_M.P 100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,000 ^a	1	1,000		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,000	1	1,000		
Fisher's Exact Test				1,000	,753
Linear-by-Linear Association	,000	1	1,000		
N of Valid Cases	84				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 1,00.

b. Computed only for a 2x2 table

R.M_LN * katsm

Crosstab

		katsm		Total
		banyak (>25%)	sedikit(<25%)	
R.M_L N	tidak memiaskan	Count 17 65,4%	9 34,6%	26 100,0%
	memuaskan	Count 25 43,1%	33 56,9%	58 100,0%
Total		Count 42 50,0%	42 50,0%	84 100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3,565 ^a	1	,059		
Continuity Correction ^b	2,729	1	,099		
Likelihood Ratio	3,609	1	,057		
Fisher's Exact Test				,098	,049
Linear-by-Linear Association	3,523	1	,061		
N of Valid Cases	84				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 13,00.

b. Computed only for a 2x2 table

R.M_LH * katsm

Crosstab

			katsm		Total
			banyak (>25%)	sedikit(<25%)	
R.M_LH	tidak memiaskan	Count	34	23	57
		% within R.M_LH	59,6%	40,4%	100,0%
H	memuaskan	Count	8	19	27
		% within R.M_LH	29,6%	70,4%	100,0%
Total		Count	42	42	84
		% within R.M_LH	50,0%	50,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6,604 ^a	1	,010		
Continuity Correction ^b	5,458	1	,019		
Likelihood Ratio	6,751	1	,009		
Fisher's Exact Test				,019	,009
Linear-by-Linear Association	6,526	1	,011		
N of Valid Cases	84				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 13,50.

b. Computed only for a 2x2 table

R.M_S * katsm

Crosstab

		katsm		Total
		banyak (>25%)	sedikit(<25%)	
R.M_S	tidak memiuaskan	Count 30	17	47
		% within R.M_S 63,8%	36,2%	100,0%
S	Memuaskan	Count 12	25	37
		% within R.M_S 32,4%	67,6%	100,0%
Total		Count 42	42	84
		% within R.M_S 50,0%	50,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8,163 ^a	1	,004		
Continuity Correction ^b	6,956	1	,008		
Likelihood Ratio	8,310	1	,004		
Fisher's Exact Test				,008	,004
Linear-by-Linear Association	8,066	1	,005		
N of Valid Cases	84				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 18,50.

b. Computed only for a 2x2 table

makanan luar rs * katsm

Crosstab

		katsm		Total
		banyak (>25%)	sedikit(<25%)	
makanan luar rs	ya	Count 33	Count 21	Count 54
		% within makanan luar rs 61,1%	% within makanan luar rs 38,9%	% within makanan luar rs 100,0%
	tidak	Count 9	Count 21	Count 30
		% within makanan luar rs 30,0%	% within makanan luar rs 70,0%	% within makanan luar rs 100,0%
Total	Count	42	42	84
	% within makanan luar rs	50,0%	50,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7,467 ^a	1	,006		
Continuity Correction ^b	6,274	1	,012		
Likelihood Ratio	7,626	1	,006		
Fisher's Exact Test				,012	,006
Linear-by-Linear Association	7,378	1	,007		
N of Valid Cases	84				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 15,00.

b. Computed only for a 2x2 table