

FREKUENSI RESPONDEN

Statistics

		usia	jenis kelamin	pendidikan	status perkawinan	pekerjaan	riwayat keluarga gangguan jiwa	frekuensi dirawat dirsj
N	Valid	48	48	48	48	48	48	48
	Missing	0	0	0	0	0	0	0
Mean		2,35	1,54	1,98	1,79	4,63	1,33	1,75
Median		2,00	2,00	2,00	2,00	5,00	1,00	2,00
Std. Deviation		1,229	,504	,785	,713	,959	,476	,438
Range		5	1	2	3	4	1	1
Minimum		1	1	1	1	1	1	1
Maximum		6	2	3	4	5	2	2

Statistics

		Pre Kognitif	Post Kognitif	Pre afektif	Post afektif	Pre fisiologis	Post fisiologis	Pre_perilaku	Post_perilaku	Pre_sosial	Post_sosial
N	Valid	48	48	48	48	48	48	48	48	48	48
	Missing	0	0	0	0	0	0	0	0	0	0
Mean		2,85	,17	5,77	,19	1,69	,13	4,79	,10	1,85	,04
Median		3,00	,00	6,00	,00	2,00	,00	5,00	,00	2,00	,00
Std. Deviation		,357	,377	,425	,394	,468	,334	,410	,309	,357	,202
Range		1	1	1	1	1	1	1	1	1	1
Minimum		2	0	5	0	1	0	4	0	1	0
Maximum		3	1	6	1	2	1	5	1	2	1

Analisis Univariat Karakteristik Responden

Frequency Table

usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	19-24	12	25,0	25,0	25,0
	25-30	19	39,6	39,6	64,6
	31-36	10	20,8	20,8	85,4
	37-42	3	6,3	6,3	91,7
	43-48	3	6,3	6,3	97,9
	49-55	1	2,1	2,1	100,0
	Total	48	100,0	100,0	

jenis kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-laki	22	45,8	45,8	45,8
	Perempuan	26	54,2	54,2	100,0
	Total	48	100,0	100,0	

pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	SD	15	31,3	31,3	31,3
	SMP	19	39,6	39,6	70,8
	SMA/SMK/SEDERAJAT	14	29,2	29,2	100,0
	Total	48	100,0	100,0	

status perkawinan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Menikah	16	33,3	33,3	33,3
	Belum menikah	28	58,3	58,3	91,7
	Duda	2	4,2	4,2	95,8
	Janda	2	4,2	4,2	100,0
	Total	48	100,0	100,0	

pekerjaan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Pelajar/mahasiswa	2	4,2	4,2	4,2
	Karyawan	4	8,3	8,3	12,5
	Wiraswasta	2	4,2	4,2	16,7
	Lain-lainnya	40	83,3	83,3	100,0
	Total	48	100,0	100,0	

riwayat keluarga gangguan jiwa

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	32	66,7	66,7	66,7
	Tidak ada	16	33,3	33,3	100,0
	Total	48	100,0	100,0	

frekuensi dirawat dirsj

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1 kali	12	25,0	25,0	25,0
	Lebih dari 1kali	36	75,0	75,0	100,0
	Total	48	100,0	100,0	

Analisis Terapi Aktivitas Kelompok Stimulasi Persepsi

Statistics

		Pre TAK sesi 1	Pre TAK sesi 2	Post_TAK sesi 1	Post_TAK sesi 2
N	Valid	48	48	48	48
	Missing	0	0	0	0
Mean		,00	,00	2,19	2,77
Median		,00	,00	3,00	3,00
Std. Deviation		,000	,000	1,197	,660
Range		0	0	3	3
Minimum		0	0	0	0
Maximum		0	0	3	3

Frequency Table

Pre TAK sesi 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	48	100,0	100,0	100,0

Post TAK sesi 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	10	20,8	20,8	20,8
	2	9	18,8	18,8	39,6
	3	29	60,4	60,4	100,0
Total		48	100,0	100,0	

Pre TAK sesi 2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	48	100,0	100,0	100,0

Post TAK sesi 2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	2	4,2	4,2	4,2
2	5	10,4	10,4	14,6
3	41	85,4	85,4	100,0
Total	48	100,0	100,0	

Analisis Tanda dan Gejala Pada Pasien Harga Diri Rendah

Frequency Table

Pre Kognitif

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	7	14,6	14,6	14,6
	3	41	85,4	85,4	100,0
	Total	48	100,0	100,0	

Post Kognitif

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	40	83,3	83,3	83,3
	1	8	16,7	16,7	100,0
	Total	48	100,0	100,0	

Pre afektif

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	5	11	22,9	22,9	22,9
	6	37	77,1	77,1	100,0
	Total	48	100,0	100,0	

Post afektif

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	39	81,3	81,3	81,3
	1	9	18,8	18,8	100,0
	Total	48	100,0	100,0	

Pre fisiologis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	15	31,3	31,3	31,3
	2	33	68,8	68,8	100,0
	Total	48	100,0	100,0	

Post fisiologis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	42	87,5	87,5	87,5
	1	6	12,5	12,5	100,0
	Total	48	100,0	100,0	

Pre_perilaku

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	10	20,8	20,8	20,8
	5	38	79,2	79,2	100,0
	Total	48	100,0	100,0	

Post_perilaku

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	43	89,6	89,6	89,6
	1	5	10,4	10,4	100,0
	Total	48	100,0	100,0	

Pre_sosial

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	7	14,6	14,6	14,6
	2	41	85,4	85,4	100,0
	Total	48	100,0	100,0	

Post_sosial

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	46	95,8	95,8	95,8
	1	2	4,2	4,2	100,0
	Total	48	100,0	100,0	

Uji Normalitas Tanda dan Gejala Pada Pasien Harga Diri Rendah

Tests of Normality^b

	Post Kognitif	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Pre Kognitif	0	,500	40	,000	,462	40	,000

a. Lilliefors Significance Correction

b. Pre Kognitif is constant when Post Kognitif = 1. It has been omitted.

Tests of Normality^b

	Post afektif	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Pre afektif	0	,450	39	,000	,564	39	,000

a. Lilliefors Significance Correction

b. Pre afektif is constant when Post afektif = 1. It has been omitted.

Tests of Normality^b

	Post fisiologis	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Pre fisiologis	0	,412	42	,000	,607	42	,000

a. Lilliefors Significance Correction

b. Pre fisiologis is constant when Post fisiologis = 1. It has been omitted.

Tests of Normality^b

	Post_perilaku	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Pre_perilaku	0	,474	43	,000	,524	43	,000

a. Lilliefors Significance Correction

b. Pre_perilaku is constant when Post_perilaku = 1. It has been omitted.

Tests of Normality^b

	Post_sosial	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Pre_sosial	0	,510	46	,000	,431	46	,000

a. Lilliefors Significance Correction

b. Pre_sosial is constant when Post_sosial = 1. It has been omitted.

Uji Hipotesis (Uji Wilcoxon)

		Ranks		
		N	Mean Rank	Sum of Ranks
Post Kognitif - Pre Kognitif	Negative Ranks	48 ^a	24,50	1176,00
	Positive Ranks	0 ^b	,00	,00
	Ties	0 ^c		
	Total	48		
Post afektif - Pre afektif	Negative Ranks	48 ^d	24,50	1176,00
	Positive Ranks	0 ^e	,00	,00
	Ties	0 ^f		
	Total	48		
Post fisiologis - Pre fisiologis	Negative Ranks	48 ^g	24,50	1176,00
	Positive Ranks	0 ^h	,00	,00
	Ties	0 ⁱ		
	Total	48		
Post_perilaku - Pre_perilaku	Negative Ranks	48 ^j	24,50	1176,00
	Positive Ranks	0 ^k	,00	,00
	Ties	0 ^l		
	Total	48		
Post_sosial - Pre_sosial	Negative Ranks	48 ^m	24,50	1176,00
	Positive Ranks	0 ⁿ	,00	,00
	Ties	0 ^o		
	Total	48		

a. Post Kognitif < Pre Kognitif

b. Post Kognitif > Pre Kognitif

c. Post Kognitif = Pre Kognitif

d. Post afektif < Pre afektif

e. Post afektif > Pre afektif

f. Post afektif = Pre afektif

g. Post fisiologis < Pre fisiologis

h. Post fisiologis > Pre fisiologis

i. Post fisiologis = Pre fisiologis

j. Post_perilaku < Pre_perilaku

k. Post_perilaku > Pre_perilaku

l. Post_perilaku = Pre_perilaku

m. Post_sosial < Pre_sosial

n. Post_sosial > Pre_sosial

o. Post_sosial = Pre_sosial

Test Statistics^a

	Post Kognitif - Pre Kognitif	Post afektif - Pre afektif	Post fisiologis - Pre fisiologis	Post_perilaku - Pre_perilaku	Post_sosial - Pre_sosial
Z	-6,308 ^b	-6,239 ^b	-6,231 ^b	-6,169 ^b	-6,471 ^b
Asymp. Sig. (2-tailed)	,000	,000	,000	,000	,000

a. Wilcoxon Signed Ranks Test

b. Based on positive ranks.

Descriptive Statistics

	N	Mean	Std. Deviation	Minimum	Maximum
Pre Kognitif	48	2,85	,357	2	3
Pre afektif	48	5,77	,425	5	6
Pre fisiologis	48	1,69	,468	1	2
Pre_perilaku	48	4,79	,410	4	5
Pre_sosial	48	1,85	,357	1	2
Post Kognitif	48	,17	,377	0	1
Post afektif	48	,19	,394	0	1
Post fisiologis	48	,13	,334	0	1
Post_perilaku	48	,10	,309	0	1
Post_sosial	48	,04	,202	0	1