

```
FREQUENCIES VARIABLES=UMUR PEKERJAAN PENDIDIKAN STATUS_GIZI KADAR_HB KEPATUHAN_TABLET_BESI ASUPAN_FE
/HISTOGRAM
/ORDER=ANALYSIS.
```

Frequencies

[DataSet1] D:\input spss 21.sav

Statistics

		Kepatuhan Tablet Besi	Umur	Pekerjaan	Pendidikan	Status Gizi	Kadar Hb	Asupan Fe
N	Valid	43	43	43	43	43	43	43
	Missing	0	0	0	0	0	0	0
Mean		.79	29.56	.28	.70	.84	.70	.28
Median		1.00	30.00	.00	1.00	1.00	1.00	.00
Mode		1	29 ^a	0	1	1	1	0
Minimum		0	21	0	0	0	0	0
Maximum		1	38	1	1	1	1	1

a. Multiple modes exist. The smallest value is shown

Analisis Univariat

		Umur			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	21	1	2.3	2.3	2.3
	22	4	9.3	9.3	11.6
	23	1	2.3	2.3	14.0
	24	3	7.0	7.0	20.9
	26	3	7.0	7.0	27.9
	27	1	2.3	2.3	30.2
	28	2	4.7	4.7	34.9
	29	5	11.6	11.6	46.5
	30	5	11.6	11.6	58.1
	31	4	9.3	9.3	67.4
	32	2	4.7	4.7	72.1
	33	1	2.3	2.3	74.4
	34	4	9.3	9.3	83.7
	35	3	7.0	7.0	90.7
	36	1	2.3	2.3	93.0
	37	1	2.3	2.3	95.3
	38	2	4.7	4.7	100.0
	Total	43	100.0	100.0	

		Pekerjaan			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Bekerja	31	72.1	72.1	72.1
	Bekerja	12	27.9	27.9	100.0
	Total	43	100.0	100.0	

Pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Rendah	13	30.2	30.2	30.2
	Tinggi	30	69.8	69.8	100.0
	Total	43	100.0	100.0	

Status Gizi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Resiko KEK	7	16.3	16.3	16.3
	Tidak Beresiko KEK	36	83.7	83.7	100.0
	Total	43	100.0	100.0	

Kadar Hb

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Normal	13	30.2	30.2	30.2
	Normal	30	69.8	69.8	100.0
	Total	43	100.0	100.0	

Kepatuhan Tablet Besi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Patuh	8	18.6	18.6	18.6
	Patuh	35	81.4	81.4	100.0
	Total	43	100.0	100.0	

Asupan Fe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	31	72.1	72.1	72.1
	Cukup	12	27.9	27.9	100.0
	Total	43	100.0	100.0	

CROSSTABS

```

/TABLES=KEPATUHAN_TABLET_BESI BY KADAR_HB
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ CC
/CELLS=COUNT EXPECTED ROW
/COUNT ROUND CELL.
    
```

Hubungan kepatuhan mengonsumsi tablet besi terhadap kadar hemoglobin

[DataSet0] D:\input spss 21.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kepatuhan Tablet Besi * Kadar Hb	43	100.0%	0	0.0%	43	100.0%

Kepatuhan Tablet Besi * Kadar Hb Crosstabulation

			Kadar Hb		Total
			Tidak Normal	Normal	
Kepatuhan Tablet Besi	Tidak Patuh	Count	5	3	8
		Expected Count	2.4	5.6	8.0
		% within Kepatuhan Tablet Besi	62.5%	37.5%	100.0%
	Patuh	Count	8	27	35
		Expected Count	10.6	24.4	35.0
		% within Kepatuhan Tablet Besi	22.9%	77.1%	100.0%
Total	Count	13	30	43	
	Expected Count	13.0	30.0	43.0	
	% within Kepatuhan Tablet Besi	30.2%	69.8%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.852 ^a	1	.028		
Continuity Correction ^b	3.154	1	.076		
Likelihood Ratio	4.490	1	.034		
Fisher's Exact Test				.042	.042
Linear-by-Linear Association	4.739	1	.029		
N of Valid Cases	43				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.42.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.318	.028
N of Valid Cases		43	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kepatuhan Tablet Besi (Tidak Patuh / Patuh)	5.625	1.097	28.836
For cohort Kadar Hb = Tidak Normal	2.734	1.215	6.156
For cohort Kadar Hb = Normal	.486	.195	1.211
N of Valid Cases	43		

CROSSTABS

/TABLES=STATUS_GIZI BY KADAR_HB
 /FORMAT=AVALUE TABLES
 /STATISTICS=CHISQ CC
 /CELLS=COUNT EXPECTED ROW
 /COUNT ROUND CELL.

Hubungan status gizi terhadap kadar hemoglobin

[DataSet0] D:\input spss 21.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Status Gizi * Kadar Hb	43	100.0%	0	0.0%	43	100.0%

Status Gizi * Kadar Hb Crosstabulation

		Kadar Hb		Total
		Tidak Normal	Normal	
Resiko KEK	Count	2	5	7
	Expected Count	2.1	4.9	7.0
	% within Status Gizi	28.6%	71.4%	100.0%
Tidak Beresiko KEK	Count	11	25	36
	Expected Count	10.9	25.1	36.0
	% within Status Gizi	30.6%	69.4%	100.0%
Total	Count	13	30	43
	Expected Count	13.0	30.0	43.0
	% within Status Gizi	30.2%	69.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.011 ^a	1	.917		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.011	1	.916		
Fisher's Exact Test				1.000	.648
Linear-by-Linear Association	.011	1	.918		
N of Valid Cases	43				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 2.12.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.016	.917
N of Valid Cases		43	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Status Gizi (Resiko KEK / Tidak Beresiko KEK)	.909	.152	5.426
For cohort Kadar Hb = Tidak Normal	.935	.262	3.332
For cohort Kadar Hb = Normal	1.029	.614	1.724
N of Valid Cases	43		