

HASIL BIVARIAT

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Usia * Perilaku	40	100,0%	0	0,0%	40	100,0%
Masa_Kerja * Perilaku	40	100,0%	0	0,0%	40	100,0%
Pengetahuan * Perilaku	40	100,0%	0	0,0%	40	100,0%
Pelatihan * Perilaku	40	100,0%	0	0,0%	40	100,0%
Motivasi * Perilaku	40	100,0%	0	0,0%	40	100,0%

Usia * Perilaku

Crosstab					
			Perilaku		Total
			Tidak_Aman	Aman	
Usia	Berisiko	Count	17	7	24
		Expected Count	12,0	12,0	24,0
		% within Usia	70,8%	29,2%	100,0%
		% within Perilaku	85,0%	35,0%	60,0%
		% of Total	42,5%	17,5%	60,0%
	Tidak_Berisiko	Count	3	13	16
		Expected Count	8,0	8,0	16,0
		% within Usia	18,8%	81,2%	100,0%
		% within Perilaku	15,0%	65,0%	40,0%
		% of Total	7,5%	32,5%	40,0%
Total	Count	20	20	40	
	Expected Count	20,0	20,0	40,0	
	% within Usia	50,0%	50,0%	100,0%	
	% within Perilaku	100,0%	100,0%	100,0%	
	% of Total	50,0%	50,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	10,417 ^a	1	,001		
Continuity Correction ^b	8,438	1	,004		
Likelihood Ratio	11,035	1	,001		
Fisher's Exact Test				,003	,002
N of Valid Cases	40				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 8,00.

b. Computed only for a 2x2 table

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia (Berisiko / Tidak_Berisiko)	10,524	2,271	48,757
For cohort Perilaku = Tidak_Aman	3,778	1,320	10,815
For cohort Perilaku = Aman	,359	,184	,699
N of Valid Cases	40		

Masa_Kerja * Perilaku

Crosstab					
			Perilaku		Total
			Tidak_Aman	Aman	
Masa_Kerja	Berisiko	Count	17	6	23
		Expected Count	11,5	11,5	23,0
		% within Masa_Kerja	73,9%	26,1%	100,0%
		% within Perilaku	85,0%	30,0%	57,5%
		% of Total	42,5%	15,0%	57,5%
	Tidak_Berisiko	Count	3	14	17
		Expected Count	8,5	8,5	17,0
		% within Masa_Kerja	17,6%	82,4%	100,0%
		% within Perilaku	15,0%	70,0%	42,5%
		% of Total	7,5%	35,0%	42,5%
Total	Count	20	20	40	
	Expected Count	20,0	20,0	40,0	
	% within Masa_Kerja	50,0%	50,0%	100,0%	
	% within Perilaku	100,0%	100,0%	100,0%	
	% of Total	50,0%	50,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	12,379 ^a	1	,000		
Continuity Correction ^b	10,230	1	,001		
Likelihood Ratio	13,205	1	,000		
Fisher's Exact Test				,001	,001
N of Valid Cases	40				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 8,50.

b. Computed only for a 2x2 table

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Masa_Kerja (Berisiko / Tidak_Berisiko)	13,222	2,790	62,670
For cohort Perilaku = Tidak_Aman	4,188	1,458	12,032
For cohort Perilaku = Aman	,317	,154	,652
N of Valid Cases	40		

Pengetahuan * Perilaku

Crosstab					
			Perilaku		Total
			Tidak_Aman	Aman	
Pengetahuan	Kurang_Baik	Count	15	5	20
		Expected Count	10,0	10,0	20,0
		% within Pengetahuan	75,0%	25,0%	100,0%
		% within Perilaku	75,0%	25,0%	50,0%
		% of Total	37,5%	12,5%	50,0%
	Baik	Count	5	15	20
		Expected Count	10,0	10,0	20,0
		% within Pengetahuan	25,0%	75,0%	100,0%
		% within Perilaku	25,0%	75,0%	50,0%
		% of Total	12,5%	37,5%	50,0%
Total	Count	20	20	40	
	Expected Count	20,0	20,0	40,0	
	% within Pengetahuan	50,0%	50,0%	100,0%	
	% within Perilaku	100,0%	100,0%	100,0%	
	% of Total	50,0%	50,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	10,000 ^a	1	,002		
Continuity Correction ^b	8,100	1	,004		
Likelihood Ratio	10,465	1	,001		
Fisher's Exact Test				,004	,002
N of Valid Cases	40				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 10,00.

b. Computed only for a 2x2 table

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pengetahuan (Kurang_Baik / Baik)	9,000	2,151	37,659
For cohort Perilaku = Tidak_Aman	3,000	1,348	6,678
For cohort Perilaku = Aman	,333	,150	,742
N of Valid Cases	40		

Pelatihan * Perilaku

Crosstab					
			Perilaku		Total
			Tidak_Aman	Aman	
Pelatihan	Kurang_Baik	Count	12	7	19
		Expected Count	9,5	9,5	19,0
		% within Pelatihan	63,2%	36,8%	100,0%
		% within Perilaku	60,0%	35,0%	47,5%
		% of Total	30,0%	17,5%	47,5%
	Baik	Count	8	13	21
		Expected Count	10,5	10,5	21,0
		% within Pelatihan	38,1%	61,9%	100,0%
		% within Perilaku	40,0%	65,0%	52,5%
		% of Total	20,0%	32,5%	52,5%
Total	Count	20	20	40	
	Expected Count	20,0	20,0	40,0	
	% within Pelatihan	50,0%	50,0%	100,0%	
	% within Perilaku	100,0%	100,0%	100,0%	
	% of Total	50,0%	50,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,506 ^a	1	,113		
Continuity Correction ^b	1,604	1	,205		
Likelihood Ratio	2,533	1	,111		
Fisher's Exact Test				,205	,102
N of Valid Cases	40				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 9,50.

b. Computed only for a 2x2 table

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pelatihan (Kurang_Baik / Baik)	2,786	,773	10,043
For cohort Perilaku = Tidak_Aman	1,658	,870	3,158
For cohort Perilaku = Aman	,595	,302	1,172
N of Valid Cases	40		

Motivasi * Perilaku

Crosstab					
			Perilaku		Total
			Tidak_Aman	Aman	
Motivasi	Kurang_Baik	Count	14	8	22
		Expected Count	11,0	11,0	22,0
		% within Motivasi	63,6%	36,4%	100,0%
		% within Perilaku	70,0%	40,0%	55,0%
		% of Total	35,0%	20,0%	55,0%
	Baik	Count	6	12	18
		Expected Count	9,0	9,0	18,0
		% within Motivasi	33,3%	66,7%	100,0%
		% within Perilaku	30,0%	60,0%	45,0%
		% of Total	15,0%	30,0%	45,0%
Total	Count	20	20	40	
	Expected Count	20,0	20,0	40,0	
	% within Motivasi	50,0%	50,0%	100,0%	
	% within Perilaku	100,0%	100,0%	100,0%	
	% of Total	50,0%	50,0%	100,0%	

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3,636 ^a	1	,057		
Continuity Correction ^b	2,525	1	,112		
Likelihood Ratio	3,696	1	,055		
Fisher's Exact Test				,111	,055
N of Valid Cases	40				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 9,00.

b. Computed only for a 2x2 table

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Motivasi (Kurang_Baik / Baik)	3,500	,945	12,966
For cohort Perilaku = Tidak_Aman	1,909	,924	3,944
For cohort Perilaku = Aman	,545	,287	1,037
N of Valid Cases	40		