

LAMPIRAN

A. Hasil Analisis Univariat

1. Umur

a. Pulau Jawa

Statistics

Umur (Tahun)

| | | |
|----------------|---------|-------|
| N | Valid | 5394 |
| | Missing | 0 |
| Mean | | 49.04 |
| Median | | 49.00 |
| Mode | | 45 |
| Std. Deviation | | 2.837 |
| Minimum | | 45 |
| Maximum | | 54 |

Umur (Tahun)

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | 45 | 714 | 13.2 | 13.2 | 13.2 |
| | 46 | 594 | 11.0 | 11.0 | 24.2 |
| | 47 | 660 | 12.2 | 12.2 | 36.5 |
| | 48 | 500 | 9.3 | 9.3 | 45.8 |
| | 49 | 490 | 9.1 | 9.1 | 54.8 |
| | 50 | 691 | 12.8 | 12.8 | 67.6 |
| | 51 | 476 | 8.8 | 8.8 | 76.5 |
| | 52 | 438 | 8.1 | 8.1 | 84.6 |
| | 53 | 423 | 7.8 | 7.8 | 92.4 |
| | 54 | 408 | 7.6 | 7.6 | 100.0 |
| | Total | 5394 | 100.0 | 100.0 | |

b. Pulau Bali

Statistics

Umur (Tahun)

| | | |
|--------|---------|-------|
| N | Valid | 114 |
| | Missing | 0 |
| Mean | | 49.16 |
| Median | | 49.00 |
| Mode | | 45 |

| | |
|----------------|-------|
| Std. Deviation | 3.027 |
| Minimum | 45 |
| Maximum | 54 |

Umur (Tahun)

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid 45 | 17 | 14.9 | 14.9 | 14.9 |
| 46 | 14 | 12.3 | 12.3 | 27.2 |
| 47 | 8 | 7.0 | 7.0 | 34.2 |
| 48 | 12 | 10.5 | 10.5 | 44.7 |
| 49 | 13 | 11.4 | 11.4 | 56.1 |
| 50 | 10 | 8.8 | 8.8 | 64.9 |
| 51 | 9 | 7.9 | 7.9 | 72.8 |
| 52 | 9 | 7.9 | 7.9 | 80.7 |
| 53 | 9 | 7.9 | 7.9 | 88.6 |
| 54 | 13 | 11.4 | 11.4 | 100.0 |
| Total | 114 | 100.0 | 100.0 | |

2. Status Gizi

a. Pulau Jawa

Statistics

BMI (IMT)

| | | |
|----------------|---------|--------|
| N | Valid | 5394 |
| | Missing | 0 |
| Mean | | 23.917 |
| Median | | 23.400 |
| Mode | | 20.8 |
| Std. Deviation | | 4.3891 |
| Minimum | | 12.0 |
| Maximum | | 54.0 |

Statistics

Status Gizi

| | | |
|----------------|---------|--------|
| N | Valid | 5394 |
| | Missing | 0 |
| Mean | | 2.5041 |
| Median | | 2.0000 |
| Mode | | 2.00 |
| Std. Deviation | | .92300 |
| Minimum | | 1.00 |
| Maximum | | 4.00 |

Status Gizi

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|----------|-----------|---------|---------------|--------------------|
| Valid | Kurus | 437 | 8.1 | 8.1 | 8.1 |
| | Normal | 2987 | 55.4 | 55.4 | 63.5 |
| | BB lebih | 784 | 14.5 | 14.5 | 78.0 |
| | Obese | 1186 | 22.0 | 22.0 | 100.0 |
| | Total | 5394 | 100.0 | 100.0 | |

b. Pulau Bali

Statistics

BMI (IMT)

| | | |
|----------------|---------|--------|
| N | Valid | 114 |
| | Missing | 0 |
| Mean | | 23.526 |
| Median | | 23.350 |
| Mode | | 20.0 |
| Std. Deviation | | 3.4647 |
| Minimum | | 16.9 |
| Maximum | | 33.3 |

Statistics

Status Gizi

| | | |
|----------------|---------|--------|
| N | Valid | 114 |
| | Missing | 0 |
| Mean | | 2.5000 |
| Median | | 2.0000 |
| Mode | | 2.00 |
| Std. Deviation | | .83348 |
| Minimum | | 1.00 |
| Maximum | | 4.00 |

Status Gizi

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|----------|-----------|---------|---------------|--------------------|
| Valid | Kurus | 6 | 5.3 | 5.3 | 5.3 |
| | Normal | 64 | 56.1 | 56.1 | 61.4 |
| | BB lebih | 25 | 21.9 | 21.9 | 83.3 |
| | Obese | 19 | 16.7 | 16.7 | 100.0 |
| | Total | 114 | 100.0 | 100.0 | |

3. Status Ekonomi

a. Pulau Jawa

Statistics

Status Ekonomi

| | | |
|----------------|---------|-------|
| N | Valid | 5394 |
| | Missing | 0 |
| Mean | | 2.92 |
| Median | | 3.00 |
| Mode | | 2 |
| Std. Deviation | | 1.404 |
| Minimum | | 1 |
| Maximum | | 5 |

Status Ekonomi

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----------|-----------|---------|---------------|--------------------|
| Valid | Kuintil 1 | 1143 | 21.2 | 21.2 | 21.2 |
| | Kuintil 2 | 1160 | 21.5 | 21.5 | 42.7 |
| | Kuintil 3 | 1077 | 20.0 | 20.0 | 62.7 |
| | Kuintil 4 | 1040 | 19.3 | 19.3 | 81.9 |
| | Kuintil 5 | 974 | 18.1 | 18.1 | 100.0 |
| | Total | 5394 | 100.0 | 100.0 | |

b. Pulau Bali

Statistics

Status Ekonomi

| | | |
|----------------|---------|-------|
| N | Valid | 114 |
| | Missing | 0 |
| Mean | | 3.68 |
| Median | | 4.00 |
| Mode | | 5 |
| Std. Deviation | | 1.177 |
| Minimum | | 1 |
| Maximum | | 5 |

Status Ekonomi

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----------|-----------|---------|---------------|--------------------|
| Valid | Kuintil 1 | 5 | 4.4 | 4.4 | 4.4 |
| | Kuintil 2 | 15 | 13.2 | 13.2 | 17.5 |
| | Kuintil 3 | 27 | 23.7 | 23.7 | 41.2 |
| | Kuintil 4 | 31 | 27.2 | 27.2 | 68.4 |

| | | | | |
|-----------|-----|-------|-------|-------|
| Kuintil 5 | 36 | 31.6 | 31.6 | 100.0 |
| Total | 114 | 100.0 | 100.0 | |

4. Tingkat Pendidikan

a. Pulau Jawa

Statistics

Tingkat Pendidikan

| | | |
|----------------|---------|-------|
| N | Valid | 5394 |
| | Missing | 0 |
| Mean | | 2.08 |
| Median | | 2.00 |
| Mode | | 2 |
| Std. Deviation | | 1.018 |
| Minimum | | 1 |
| Maximum | | 4 |

Tingkat Pendidikan

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---|-----------|---------|---------------|--------------------|
| Valid Tidak sekolah & tidak tamat SD/MI | 1742 | 32.3 | 32.3 | 32.3 |
| Tamat SD/MI | 2293 | 42.5 | 42.5 | 74.8 |
| Tamat SLTP/MTS | 518 | 9.6 | 9.6 | 84.4 |
| Tamat SLTA & D1/D2/D3 & PT | 841 | 15.6 | 15.6 | 100.0 |
| Total | 5394 | 100.0 | 100.0 | |

b. Pulau Bali

Statistics

Tingkat Pendidikan

| | | |
|----------------|---------|-------|
| N | Valid | 114 |
| | Missing | 0 |
| Mean | | 2.11 |
| Median | | 2.00 |
| Mode | | 2 |
| Std. Deviation | | 1.095 |
| Minimum | | 1 |
| Maximum | | 4 |

Tingkat Pendidikan

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----------------------------------|-----------|---------|---------------|--------------------|
| Valid | Tidak sekolah & tidak tamat SD/MI | 40 | 35.1 | 35.1 | 35.1 |
| | Tamat SD/MI | 43 | 37.7 | 37.7 | 72.8 |
| | Tamat SLTP/MTS | 9 | 7.9 | 7.9 | 80.7 |
| | Tamat SLTA & D1/D2/D3 & PT | 22 | 19.3 | 19.3 | 100.0 |
| | Total | 114 | 100.0 | 100.0 | |

5. Konsumsi Kacang-Kacangan

a. Pulau Jawa

Statistics

Kacol

| | | |
|----------------|---------|----------|
| N | Valid | 5394 |
| | Missing | 0 |
| Mean | | 101.8445 |
| Median | | 90.0000 |
| Mode | | 50.00 |
| Std. Deviation | | 65.33790 |
| Minimum | | 2.00 |
| Maximum | | 300.00 |

Statistics

Ktnahttl

| | | |
|----------------|---------|----------|
| N | Valid | 161 |
| | Missing | 5233 |
| Mean | | 40.7205 |
| Median | | 30.0000 |
| Mode | | 50.00 |
| Std. Deviation | | 31.58564 |
| Minimum | | 5.00 |
| Maximum | | 200.00 |

Konsumsi Berdasarkan Propinsi di Pulau Jawa

Case Processing Summary

| | Cases | | | | | |
|------------------|----------|---------|----------|---------|-------|---------|
| | Included | | Excluded | | Total | |
| | N | Percent | N | Percent | N | Percent |
| kacol * Propinsi | 5394 | 100.0% | 0 | .0% | 5394 | 100.0% |

Report

Kacol

| Provinsi | Mean | N | Std. Deviation |
|---------------|----------|------|----------------|
| DKI Jakarta | 85.6588 | 296 | 59.68836 |
| Jawa Barat | 94.1287 | 1367 | 62.70051 |
| Jawa Tengah | 104.4590 | 1547 | 62.57024 |
| DI Yogyakarta | 84.9956 | 228 | 56.68698 |
| Jawa Timur | 111.9639 | 1664 | 70.26422 |
| Banten | 96.0103 | 292 | 64.07489 |
| Total | 101.8445 | 5394 | 65.33790 |

b. Pulau Bali

Statistics

Kacol

| | | |
|----------------|---------|---------------------|
| N | Valid | 114 |
| | Missing | 0 |
| Mean | | 98.5614 |
| Median | | 97.5000 |
| Mode | | 100.00 ^a |
| Std. Deviation | | 63.59093 |
| Minimum | | 5.00 |
| Maximum | | 300.00 |

a. Multiple modes exist. The smallest value is shown

Statistics

kdelettl

| | | |
|----------------|---------|---------------------|
| N | Valid | 114 |
| | Missing | 0 |
| Mean | | 90.57018 |
| Median | | 100.0000 |
| Mode | | 100.00 ^a |
| Std. Deviation | | 56.18381 |
| Minimum | | 5.00 |
| Maximum | | 300.00 |

a. Multiple modes exist. The smallest value is shown

Statistics

ktnahttl

| | | |
|--------|---------|---------|
| N | Valid | 4 |
| | Missing | 110 |
| Mean | | 15.0000 |
| Median | | 15.0000 |

| | |
|----------------|--------------------|
| Mode | 10.00 ^a |
| Std. Deviation | 5.77350 |
| Minimum | 10.00 |
| Maximum | 20.00 |

a. Multiple modes exist. The smallest value is shown

B. Hasil Analisis Bivariat

1. Perbedaan Konsumsi Kacang-Kacangan Berdasarkan Status Gizi

Wanita Kelompok Usia Menopause

a. Pulau Jawa

Case Processing Summary

| | Cases | | | | | |
|---------------------|----------|---------|----------|---------|-------|---------|
| | Included | | Excluded | | Total | |
| | N | Percent | N | Percent | N | Percent |
| kacol * Status Gizi | 5394 | 100.0% | 0 | .0% | 5394 | 100.0% |

Report

Kacol

| Status Gizi | Mean | N | Std. Deviation | Median | Sum | Minimum | Maximum | % of Total Sum |
|-------------|----------|------|----------------|----------|-----------|---------|---------|----------------|
| Kurus | 112.4783 | 437 | 71.59736 | 100.0000 | 49153.00 | 3.00 | 300.00 | 8.9% |
| Normal | 101.2795 | 2987 | 64.65291 | 90.0000 | 302522.00 | 2.00 | 300.00 | 55.1% |
| BB lebih | 102.5497 | 784 | 65.62650 | 95.0000 | 80399.00 | 8.00 | 300.00 | 14.6% |
| Obese | 98.8828 | 1186 | 64.12694 | 80.0000 | 117275.00 | 2.00 | 300.00 | 21.3% |
| Total | 101.8445 | 5394 | 65.33790 | 90.0000 | 549349.00 | 2.00 | 300.00 | 100.0% |

Oneway

ANOVA

Kacol

| | Sum of Squares | df | Mean Square | F | Sig. |
|----------------|----------------|------|-------------|-------|------|
| Between Groups | 61161.107 | 3 | 20387.036 | 4.786 | .002 |
| Within Groups | 2.296E7 | 5390 | 4260.070 | | |
| Total | 2.302E7 | 5393 | | | |

Post Hoc Tests

Multiple Comparisons

kacol

Bonferroni

| (I) Status Gizi | (J) Status Gizi | Mean Difference (I-J) | Std. Error | Sig. | 95% Confidence Interval | |
|--------------------|--------------------|--------------------------|------------|-------|-------------------------|-------------|
| | | | | | Lower Bound | Upper Bound |
| Kurus | Normal | 11.19872* | 3.34285 | .005 | 2.3762 | 20.0213 |
| | BB lebih | 9.92852 | 3.89644 | .065 | -.3551 | 20.2121 |
| | Obese | 13.59546* | 3.65245 | .001 | 3.9558 | 23.2351 |
| Normal | Kurus | -11.19872* | 3.34285 | .005 | -20.0213 | -2.3762 |
| | BB lebih | -1.27020 | 2.61915 | 1.000 | -8.1828 | 5.6424 |
| | Obese | 2.39675 | 2.24013 | 1.000 | -3.5155 | 8.3090 |
| BB lebih | Kurus | -9.92852 | 3.89644 | .065 | -20.2121 | .3551 |
| | Normal | 1.27020 | 2.61915 | 1.000 | -5.6424 | 8.1828 |
| | Obese | 3.66695 | 3.00428 | 1.000 | -4.2621 | 11.5959 |
| Obese | Kurus | -13.59546* | 3.65245 | .001 | -23.2351 | -3.9558 |
| | Normal | -2.39675 | 2.24013 | 1.000 | -8.3090 | 3.5155 |
| | BB lebih | -3.66695 | 3.00428 | 1.000 | -11.5959 | 4.2621 |

*. The mean difference is significant at the 0.05 level.

b. Pulau Bali

Case Processing Summary

| | Cases | | | | | |
|---------------------|----------|---------|----------|---------|-------|---------|
| | Included | | Excluded | | Total | |
| | N | Percent | N | Percent | N | Percent |
| kacol * Status Gizi | 114 | 100.0% | 0 | .0% | 114 | 100.0% |

Report

Kacol

| Status Gizi | Mean | N | Std. Deviation | Median | Sum | Minimum | Maximum | % of Total Sum |
|-------------|----------|-----|----------------|----------|----------|---------|---------|----------------|
| Kurus | 137.5000 | 6 | 49.37104 | 125.0000 | 825.00 | 100.00 | 225.00 | 7.3% |
| Normal | 96.8906 | 64 | 71.11272 | 85.0000 | 6201.00 | 5.00 | 300.00 | 55.2% |
| BB lebih | 94.0000 | 25 | 51.15336 | 100.0000 | 2350.00 | 10.00 | 200.00 | 20.9% |
| Obese | 97.8947 | 19 | 54.55160 | 90.0000 | 1860.00 | 20.00 | 200.00 | 16.6% |
| Total | 98.5614 | 114 | 63.59093 | 97.5000 | 11236.00 | 5.00 | 300.00 | 100.0% |

Oneway

ANOVA

Kacol

| | Sum of Squares | df | Mean Square | F | Sig. |
|----------------|----------------|-----|-------------|------|------|
| Between Groups | 9804.546 | 3 | 3268.182 | .804 | .494 |
| Within Groups | 447145.524 | 110 | 4064.959 | | |
| Total | 456950.070 | 113 | | | |

Post Hoc Tests

Multiple Comparisons

Kacol

Bonferroni

| (I) Status Gizi | (J) Status Gizi | Mean Difference (I-J) | Std. Error | Sig. | 95% Confidence Interval | |
|--------------------|--------------------|--------------------------|------------|-------|-------------------------|-------------|
| | | | | | Lower Bound | Upper Bound |
| Kurus | Normal | 40.60938 | 27.22147 | .832 | -32.5295 | 113.7482 |
| | BB lebih | 43.50000 | 28.98433 | .818 | -34.3754 | 121.3754 |
| | Obese | 39.60526 | 29.85697 | 1.000 | -40.6147 | 119.8252 |
| Normal | Kurus | -40.60938 | 27.22147 | .832 | -113.7482 | 32.5295 |
| | BB lebih | 2.89063 | 15.03707 | 1.000 | -37.5111 | 43.2923 |
| | Obese | -1.00411 | 16.65714 | 1.000 | -45.7587 | 43.7504 |
| BB lebih | Kurus | -43.50000 | 28.98433 | .818 | -121.3754 | 34.3754 |
| | Normal | -2.89063 | 15.03707 | 1.000 | -43.2923 | 37.5111 |
| | Obese | -3.89474 | 19.40473 | 1.000 | -56.0315 | 48.2421 |
| Obese | Kurus | -39.60526 | 29.85697 | 1.000 | -119.8252 | 40.6147 |
| | Normal | 1.00411 | 16.65714 | 1.000 | -43.7504 | 45.7587 |
| | BB lebih | 3.89474 | 19.40473 | 1.000 | -48.2421 | 56.0315 |

2. Perbedaan Konsumsi Kacang-Kacangan Berdasarkan Status Ekonomi

Wanita Kelompok Usia Menopause

a. Pulau Jawa

Case Processing Summary

| | Cases | | | | | |
|------------------------|----------|---------|----------|---------|-------|---------|
| | Included | | Excluded | | Total | |
| | N | Percent | N | Percent | N | Percent |
| kacol * Status Ekonomi | 5394 | 100.0% | 0 | .0% | 5394 | 100.0% |

Report

Kacol

| Status Ekonomi | Mean | N | Std. Deviation | Median | Sum | Minimum | Maximum | % of Total Sum |
|----------------|----------|------|----------------|----------|-----------|---------|---------|----------------|
| Kuintil 1 | 107.4033 | 1143 | 64.09011 | 100.0000 | 122762.00 | 2.00 | 300.00 | 22.3% |
| Kuintil 2 | 105.7845 | 1160 | 66.50055 | 100.0000 | 122710.00 | 2.00 | 300.00 | 22.3% |
| Kuintil 3 | 103.9721 | 1077 | 63.40924 | 100.0000 | 111978.00 | 10.00 | 300.00 | 20.4% |
| Kuintil 4 | 95.6769 | 1040 | 65.47196 | 80.0000 | 99504.00 | 2.00 | 300.00 | 18.1% |
| Kuintil 5 | 94.8614 | 974 | 66.33354 | 75.0000 | 92395.00 | 3.00 | 300.00 | 16.8% |
| Total | 101.8445 | 5394 | 65.33790 | 90.0000 | 549349.00 | 2.00 | 300.00 | 100.0% |

Oneway

ANOVA

Kacol

| | Sum of Squares | df | Mean Square | F | Sig. |
|----------------|----------------|------|-------------|-------|------|
| Between Groups | 145258.412 | 4 | 36314.603 | 8.554 | .000 |
| Within Groups | 2.288E7 | 5389 | 4245.255 | | |
| Total | 2.302E7 | 5393 | | | |

Post Hoc Tests

Multiple Comparisons

kacol

Bonferroni

| (I) Status Ekonomi | (J) Status Ekonomi | Mean Difference (I-J) | Std. Error | Sig. | 95% Confidence Interval | |
|--------------------|--------------------|-----------------------|------------|-------|-------------------------|-------------|
| | | | | | Lower Bound | Upper Bound |
| Kuintil 1 | Kuintil 2 | 1.61884 | 2.71548 | 1.000 | -6.0067 | 9.2444 |

| | | | | | | |
|-----------|-----------|------------|---------|-------|----------|---------|
| | Kuintil 3 | 3.43118 | 2.76693 | 1.000 | -4.3389 | 11.2012 |
| | Kuintil 4 | 11.72640* | 2.79215 | .000 | 3.8855 | 19.5673 |
| | Kuintil 5 | 12.54193* | 2.84125 | .000 | 4.5632 | 20.5207 |
| Kuintil 2 | Kuintil 1 | -1.61884 | 2.71548 | 1.000 | -9.2444 | 6.0067 |
| | Kuintil 3 | 1.81234 | 2.75707 | 1.000 | -5.9300 | 9.5547 |
| | Kuintil 4 | 10.10756* | 2.78239 | .003 | 2.2941 | 17.9210 |
| | Kuintil 5 | 10.92309* | 2.83166 | .001 | 2.9713 | 18.8749 |
| Kuintil 3 | Kuintil 1 | -3.43118 | 2.76693 | 1.000 | -11.2012 | 4.3389 |
| | Kuintil 2 | -1.81234 | 2.75707 | 1.000 | -9.5547 | 5.9300 |
| | Kuintil 4 | 8.29522* | 2.83262 | .034 | .3407 | 16.2497 |
| | Kuintil 5 | 9.11075* | 2.88103 | .016 | 1.0203 | 17.2012 |
| Kuintil 4 | Kuintil 1 | -11.72640* | 2.79215 | .000 | -19.5673 | -3.8855 |
| | Kuintil 2 | -10.10756* | 2.78239 | .003 | -17.9210 | -2.2941 |
| | Kuintil 3 | -8.29522* | 2.83262 | .034 | -16.2497 | -.3407 |
| | Kuintil 5 | .81553 | 2.90526 | 1.000 | -7.3430 | 8.9741 |
| Kuintil 5 | Kuintil 1 | -12.54193* | 2.84125 | .000 | -20.5207 | -4.5632 |
| | Kuintil 2 | -10.92309* | 2.83166 | .001 | -18.8749 | -2.9713 |
| | Kuintil 3 | -9.11075* | 2.88103 | .016 | -17.2012 | -1.0203 |
| | Kuintil 4 | -.81553 | 2.90526 | 1.000 | -8.9741 | 7.3430 |

*. The mean difference is significant at the 0.05 level.

b. Pulau Bali

Case Processing Summary

| | Cases | | | | | |
|------------------------|----------|---------|----------|---------|-------|---------|
| | Included | | Excluded | | Total | |
| | N | Percent | N | Percent | N | Percent |
| kacol * Status Ekonomi | 114 | 100.0% | 0 | .0% | 114 | 100.0% |

Report

Kaccol

| Status Ekonomi | Mean | N | Std. Deviation | Median | Sum | Minimum | Maximum | % of Total Sum |
|----------------|----------|-----|----------------|----------|----------|---------|---------|----------------|
| Kuintil 1 | 114.0000 | 5 | 43.35897 | 130.0000 | 570.00 | 50.00 | 150.00 | 5.1% |
| Kuintil 2 | 90.0000 | 15 | 59.76143 | 95.0000 | 1350.00 | 10.00 | 240.00 | 12.0% |
| Kuintil 3 | 106.4815 | 27 | 70.16210 | 100.0000 | 2875.00 | 20.00 | 240.00 | 25.6% |
| Kuintil 4 | 93.5806 | 31 | 57.16454 | 100.0000 | 2901.00 | 5.00 | 200.00 | 25.8% |
| Kuintil 5 | 98.3333 | 36 | 69.41593 | 72.5000 | 3540.00 | 10.00 | 300.00 | 31.5% |
| Total | 98.5614 | 114 | 63.59093 | 97.5000 | 11236.00 | 5.00 | 300.00 | 100.0% |

Oneway

ANOVA

Kaccol

| | Sum of Squares | df | Mean Square | F | Sig. |
|----------------|----------------|-----|-------------|------|------|
| Between Groups | 4755.781 | 4 | 1188.945 | .287 | .886 |
| Within Groups | 452194.289 | 109 | 4148.571 | | |
| Total | 456950.070 | 113 | | | |

Post Hoc Tests

Multiple Comparisons

Kaccol
Bonferroni

| (I) Status Ekonomi | (J) Status Ekonomi | Mean Difference (I-J) | Std. Error | Sig. | 95% Confidence Interval | |
|--------------------|--------------------|-----------------------|------------|-------|-------------------------|-------------|
| | | | | | Lower Bound | Upper Bound |
| Kuintil 1 | Kuintil 2 | 24.00000 | 33.26087 | 1.000 | -71.3023 | 119.3023 |
| | Kuintil 3 | 7.51852 | 31.35865 | 1.000 | -82.3334 | 97.3704 |
| | Kuintil 4 | 20.41935 | 31.04093 | 1.000 | -68.5222 | 109.3609 |
| | Kuintil 5 | 15.66667 | 30.74008 | 1.000 | -72.4128 | 103.7462 |
| Kuintil 2 | Kuintil 1 | -24.00000 | 33.26087 | 1.000 | -119.3023 | 71.3023 |
| | Kuintil 3 | -16.48148 | 20.74180 | 1.000 | -75.9129 | 42.9500 |
| | Kuintil 4 | -3.58065 | 20.25824 | 1.000 | -61.6265 | 54.4653 |
| | Kuintil 5 | -8.33333 | 19.79418 | 1.000 | -65.0496 | 48.3829 |
| Kuintil 3 | Kuintil 1 | -7.51852 | 31.35865 | 1.000 | -97.3704 | 82.3334 |
| | Kuintil 2 | 16.48148 | 20.74180 | 1.000 | -42.9500 | 75.9129 |
| | Kuintil 4 | 12.90084 | 16.95511 | 1.000 | -35.6806 | 61.4823 |
| | Kuintil 5 | 8.14815 | 16.39783 | 1.000 | -38.8365 | 55.1328 |

| | | | | | | |
|-----------|-----------|-----------|----------|-------|-----------|---------|
| Kuintil 4 | Kuintil 1 | -20.41935 | 31.04093 | 1.000 | -109.3609 | 68.5222 |
| | Kuintil 2 | 3.58065 | 20.25824 | 1.000 | -54.4653 | 61.6265 |
| | Kuintil 3 | -12.90084 | 16.95511 | 1.000 | -61.4823 | 35.6806 |
| | Kuintil 5 | -4.75269 | 15.78173 | 1.000 | -49.9721 | 40.4667 |
| Kuintil 5 | Kuintil 1 | -15.66667 | 30.74008 | 1.000 | -103.7462 | 72.4128 |
| | Kuintil 2 | 8.33333 | 19.79418 | 1.000 | -48.3829 | 65.0496 |
| | Kuintil 3 | -8.14815 | 16.39783 | 1.000 | -55.1328 | 38.8365 |
| | Kuintil 4 | 4.75269 | 15.78173 | 1.000 | -40.4667 | 49.9721 |

3. Perbedaan Konsumsi Kacang-Kacangan Berdasarkan Tingkat Pendidikan Wanita Kelompok Usia Menopause

a. Pulau Jawa

Case Processing Summary

| | Cases | | | | | |
|-----------------------------|----------|---------|----------|---------|-------|---------|
| | Included | | Excluded | | Total | |
| | N | Percent | N | Percent | N | Percent |
| kaccol * Tingkat Pendidikan | 5394 | 100.0% | 0 | .0% | 5394 | 100.0% |

Report

Kaccol

| Tingkat Pendidikan | Mean | N | Std. Deviation | Median | Sum | Minimum | Maximum | % of Total Sum |
|-----------------------------------|----------|------|----------------|----------|-----------|---------|---------|----------------|
| Tidak sekolah & tidak tamat SD/MI | 106.2354 | 1742 | 65.90652 | 100.0000 | 185062.00 | 2.00 | 300.00 | 33.7% |
| Tamat SD/MI | 104.5303 | 2293 | 65.63786 | 95.0000 | 239688.00 | 2.00 | 300.00 | 43.6% |
| Tamat SLTP/MTS | 98.7239 | 518 | 67.51029 | 80.0000 | 51139.00 | 2.00 | 300.00 | 9.3% |
| Tamat SLTA & D1/D2/D3 & PT | 87.3484 | 841 | 59.73877 | 75.0000 | 73460.00 | 5.00 | 300.00 | 13.4% |
| Total | 101.8445 | 5394 | 65.33790 | 90.0000 | 549349.00 | 2.00 | 300.00 | 100.0% |

Oneway

ANOVA

Kaccol

| | Sum of Squares | df | Mean Square | F | Sig. |
|----------------|----------------|------|-------------|--------|------|
| Between Groups | 231895.411 | 3 | 77298.470 | 18.281 | .000 |
| Within Groups | 2.279E7 | 5390 | 4228.394 | | |
| Total | 2.302E7 | 5393 | | | |

Post Hoc Tests

Multiple Comparisons

Kacol

Bonferroni

| (I) Tingkat Pendidikan | (J) Tingkat Pendidikan | Mean Difference (I-J) | Std. Error | Sig. | 95% Confidence Interval | |
|-----------------------------------|-----------------------------------|--------------------------|------------|-------|-------------------------|-------------|
| | | | | | Lower Bound | Upper Bound |
| Tidak sekolah & tidak tamat SD/MI | Tamat SD/MI | 1.70505 | 2.06673 | 1.000 | -3.7495 | 7.1596 |
| | Tamat SLTP/MTS | 7.51142 | 3.25427 | .126 | -1.0773 | 16.1002 |
| | Tamat SLTA & D1/D2/D3 & PT | 18.88697* | 2.73041 | .000 | 11.6808 | 26.0932 |
| Tamat SD/MI | Tidak sekolah & tidak tamat SD/MI | -1.70505 | 2.06673 | 1.000 | -7.1596 | 3.7495 |
| | Tamat SLTP/MTS | 5.80637 | 3.16338 | .399 | -2.5425 | 14.1553 |
| | Tamat SLTA & D1/D2/D3 & PT | 17.18191* | 2.62142 | .000 | 10.2634 | 24.1005 |
| Tamat SLTP/MTS | Tidak sekolah & tidak tamat SD/MI | -7.51142 | 3.25427 | .126 | -16.1002 | 1.0773 |
| | Tamat SD/MI | -5.80637 | 3.16338 | .399 | -14.1553 | 2.5425 |
| | Tamat SLTA & D1/D2/D3 & PT | 11.37554* | 3.63191 | .010 | 1.7901 | 20.9610 |
| Tamat SLTA & D1/D2/D3 & PT | Tidak sekolah & tidak tamat SD/MI | -18.88697* | 2.73041 | .000 | -26.0932 | -11.6808 |
| | Tamat SD/MI | -17.18191* | 2.62142 | .000 | -24.1005 | -10.2634 |
| | Tamat SLTP/MTS | -11.37554* | 3.63191 | .010 | -20.9610 | -1.7901 |

*. The mean difference is significant at the 0.05 level.

b. Pulau Bali

Case Processing Summary

| | Cases | | | | | |
|----------------------------|----------|---------|----------|---------|-------|---------|
| | Included | | Excluded | | Total | |
| | N | Percent | N | Percent | N | Percent |
| kacol * Tingkat Pendidikan | 114 | 100.0% | 0 | .0% | 114 | 100.0% |

Report

Kacol

| Tingkat Pendidikan | Mean | N | Std. Deviation | Median | Sum | Minimum | Maximum | % of Total Sum |
|-----------------------------------|----------|-----|----------------|----------|----------|---------|---------|----------------|
| Tidak sekolah & tidak tamat SD/MI | 113.8750 | 40 | 67.31563 | 100.0000 | 4555.00 | 5.00 | 300.00 | 40.5% |
| Tamat SD/MI | 93.3953 | 43 | 65.17564 | 90.0000 | 4016.00 | 6.00 | 240.00 | 35.7% |
| Tamat SLTP/MTS | 83.8889 | 9 | 54.64532 | 80.0000 | 755.00 | 20.00 | 200.00 | 6.7% |
| Tamat SLTA & D1/D2/D3 & PT | 86.8182 | 22 | 54.52272 | 72.5000 | 1910.00 | 15.00 | 200.00 | 17.0% |
| Total | 98.5614 | 114 | 63.59093 | 97.5000 | 11236.00 | 5.00 | 300.00 | 100.0% |

Oneway

ANOVA

Kacol

| | Sum of Squares | df | Mean Square | F | Sig. |
|----------------|----------------|-----|-------------|-------|------|
| Between Groups | 15499.254 | 3 | 5166.418 | 1.287 | .282 |
| Within Groups | 441450.816 | 110 | 4013.189 | | |
| Total | 456950.070 | 113 | | | |

Post Hoc Tests

Multiple Comparisons

Kacol

Bonferroni

| (I) Tingkat Pendidikan | (J) Tingkat Pendidikan | Mean Difference (I-J) | Std. Error | Sig. | 95% Confidence Interval | |
|-----------------------------------|-----------------------------------|-----------------------|------------|-------|-------------------------|-------------|
| | | | | | Lower Bound | Upper Bound |
| Tidak sekolah & tidak tamat SD/MI | Tamat SD/MI | 20.47965 | 13.91617 | .864 | -16.9104 | 57.8697 |
| | Tamat SLTP/MTS | 29.98611 | 23.37177 | 1.000 | -32.8094 | 92.7816 |
| | Tamat SLTA & D1/D2/D3 & PT | 27.05682 | 16.81510 | .663 | -18.1221 | 72.2358 |
| Tamat SD/MI | Tidak sekolah & tidak tamat SD/MI | -20.47965 | 13.91617 | .864 | -57.8697 | 16.9104 |
| | Tamat SLTP/MTS | 9.50646 | 23.22154 | 1.000 | -52.8854 | 71.8983 |
| | Tamat SLTA & D1/D2/D3 & PT | 6.57717 | 16.60565 | 1.000 | -38.0390 | 51.1934 |
| Tamat SLTP/MTS | Tidak sekolah & tidak tamat SD/MI | -29.98611 | 23.37177 | 1.000 | -92.7816 | 32.8094 |

| | | | | | | |
|----------------------------|-----------------------------------|-----------|----------|-------|----------|---------|
| | Tamat SD/MI | -9.50646 | 23.22154 | 1.000 | -71.8983 | 52.8854 |
| | Tamat SLTA & D1/D2/D3 & PT | -2.92929 | 25.06646 | 1.000 | -70.2781 | 64.4195 |
| Tamat SLTA & D1/D2/D3 & PT | Tidak sekolah & tidak tamat SD/MI | -27.05682 | 16.81510 | .663 | -72.2358 | 18.1221 |
| | Tamat SD/MI | -6.57717 | 16.60565 | 1.000 | -51.1934 | 38.0390 |
| | Tamat SLTP/MTS | 2.92929 | 25.06646 | 1.000 | -64.4195 | 70.2781 |

4. Perbedaan Konsumsi Kacang-Kacangan pada Wanita Kelompok Usia Menopause di Pulau Jawa dan Bali

Case Processing Summary

| | Cases | | | | | |
|---------------|----------|---------|----------|---------|-------|---------|
| | Included | | Excluded | | Total | |
| | N | Percent | N | Percent | N | Percent |
| kacol * Pulau | 5508 | 100.0% | 0 | .0% | 5508 | 100.0% |

Report

kacol

| Pulau | Mean | N | Std. Deviation | Median | Sum | Minimum | Maximum |
|-------|----------|------|----------------|---------|-----------|---------|---------|
| Jawa | 101.8445 | 5394 | 65.33790 | 90.0000 | 549349.00 | 2.00 | 300.00 |
| Bali | 98.5614 | 114 | 63.59093 | 97.5000 | 11236.00 | 5.00 | 300.00 |
| Total | 101.7765 | 5508 | 65.29826 | 90.0000 | 560585.00 | 2.00 | 300.00 |

T-Test

Group Statistics

| | Pulau | N | Mean | Std. Deviation | Std. Error Mean |
|-------|-------|------|----------|----------------|-----------------|
| kacol | Jawa | 5394 | 101.8445 | 65.33790 | .88963 |
| | Bali | 114 | 98.5614 | 63.59093 | 5.95584 |

Independent Samples Test

| | | Levene's Test for Equality of Variances | | | | t-test for Equality of Means | | | | 95% Confidence Interval of the Difference | |
|-------|-----------------------------|---|------|------|---------|------------------------------|-----------------|-----------------------|----------|---|--|
| | | F | Sig. | t | df | Sig. (2-tailed) | Mean Difference | Std. Error Difference | Lower | Upper | |
| kacol | Equal variances assumed | .005 | .942 | .531 | 5506 | .595 | 3.28305 | 6.18043 | -8.83304 | 15.39915 | |
| | Equal variances not assumed | | | .545 | 118.097 | .587 | 3.28305 | 6.02191 | -8.64187 | 15.20798 | |