

## Analisis Bivariat

### PENGETAHUAN

#### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pengetahuan * perilaku	93	100.0%	0	.0%	93	100.0%

#### pengetahuan \* perilaku Crosstabulation

			perilaku		Total
			tidak aman	aman	
pengetahuan rendah	Count		18	21	39
	% within pengetahuan		46.2%	53.8%	100.0%
tinggi	Count		13	41	54
	% within pengetahuan		24.1%	75.9%	100.0%
Total	Count		31	62	93
	% within pengetahuan		33.3%	66.7%	100.0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.968 <sup>a</sup>	1	.026		
Continuity Correction <sup>b</sup>	4.024	1	.045		
Likelihood Ratio	4.948	1	.026		
Fisher's Exact Test				.044	.023
Linear-by-Linear Association	4.915	1	.027		
N of Valid Cases <sup>b</sup>	93				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13,00.

b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper

Odds Ratio for pengetahuan (rendah / tinggi)	2.703	1.114	6.559
For cohort perilaku = tidak aman	1.917	1.071	3.433
For cohort perilaku = aman	.709	.511	.984
N of Valid Cases	93		

## Persepsi

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
persepsi * perilaku	93	100.0%	0	.0%	93	100.0%

### persepsi \* perilaku Crosstabulation

			perilaku		Total
			tidak aman	aman	
persepsi	negatif	Count	17	19	36
		% within persepsi	47.2%	52.8%	100.0%
	positif	Count	14	43	57
		% within persepsi	24.6%	75.4%	100.0%
Total		Count	31	62	93
		% within persepsi	33.3%	66.7%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.099 <sup>a</sup>	1	.024		
Continuity Correction <sup>b</sup>	4.130	1	.042		
Likelihood Ratio	5.045	1	.025		
Fisher's Exact Test				.041	.021
Linear-by-Linear Association	5.044	1	.025		

N of Valid Cases <sup>b</sup>	93			
-------------------------------	----	--	--	--

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12,00.

b. Computed only for a 2x2 table

## SIKAP

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
sikap * perilaku	93	100.0%	0	.0%	93	100.0%

**sikap \* perilaku Crosstabulation**

			perilaku		Total
			tidak aman	aman	
sikap	negatif	Count	18	21	39
		% within sikap	46.2%	53.8%	100.0%
	positif	Count	13	41	54
		% within sikap	24.1%	75.9%	100.0%
Total		Count	31	62	93
		% within sikap	33.3%	66.7%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.968 <sup>a</sup>	1	.026		
Continuity Correction <sup>b</sup>	4.024	1	.045		
Likelihood Ratio	4.948	1	.026		
Fisher's Exact Test				.044	.023
Linear-by-Linear Association	4.915	1	.027		
N of Valid Cases <sup>b</sup>	93				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13,00.

b. Computed only for a 2x2 table

## Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for sikap (negatif / positif)	2.703	1.114	6.559
For cohort perilaku = tidak aman	1.917	1.071	3.433
For cohort perilaku = aman	.709	.511	.984
N of Valid Cases	93		