

LAMPIRAN 5

Crosstabs Jenis kelamin

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Jenis kelamin * responden	100	98.0%	2	2.0%	102	100.0%

Jenis Kelamin * Responden Crosstabulation

		Responden		Total	
		Kasus	Kontrol		
Jenis kelamin	laki-laki	Count	29	31	60
		Expected Count	30.0	30.0	60.0
		% within Responden	58.0%	62.0%	60.0%
	perempuan	Count	21	19	40
		Expected Count	20.0	20.0	40.0
		% within Responden	42.0%	38.0%	40.0%
Total	Count	50	50	100	
	Expected Count	50.0	50.0	100.0	
	% within Responden	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.167 ^a	1	.683		
Continuity Correction ^b	.042	1	.838		
Likelihood Ratio	.167	1	.683		
Fisher's Exact Test				.838	.419
Linear-by-Linear Association	.165	1	.685		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 20.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jenis Kelamin (laki-laki / perempuan)	.846	.380	1.885
For cohort Responden = Kasus	.921	.621	1.365
For cohort Responden = Kontrol	1.088	.724	1.635
N of Valid Cases	100		

LAMPIRAN 5

Crosstabs Status Imunisasi

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Status Imunisasi * Responden	100	98.0%	2	2.0%	102	100.0%

status imunisasi * Responden Crosstabulation

		Responden		Total	
		Kasus	Kontrol		
Status imunisasi	tdk lengkap	Count	24	17	41
		Expected Count	20.5	20.5	41.0
		% within Responden	48.0%	34.0%	41.0%
	lengkap	Count	26	33	59
		Expected Count	29.5	29.5	59.0
		% within Responden	52.0%	66.0%	59.0%
Total	Count	50	50	100	
	Expected Count	50.0	50.0	100.0	
	% within Responden	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.026 ^a	1	.155		
Continuity Correction ^b	1.488	1	.222		
Likelihood Ratio	2.033	1	.154		
Fisher's Exact Test				.222	.111
Linear-by-Linear Association	2.005	1	.157		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 20.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for status imunisasi (tdk lengkap / lengkap)	1.792	.800	4.013
For cohort Responden = Kasus	1.328	.903	1.954
For cohort Responden = Kontrol	.741	.483	1.138
N of Valid Cases	100		

LAMPIRAN 5

Crosstabs ASI Eksklusif

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
ASI Eksklusif * Responden	100	98.0%	2	2.0%	102	100.0%

ASI Eksklusif * Responden Crosstabulation

		Responden		Total	
		Kasus	Kontrol		
ASI Eksklusif	tidak	Count	33	22	55
		Expected Count	27.5	27.5	55.0
		% within Responden	66.0%	44.0%	55.0%
	Ya	Count	17	28	45
		Expected Count	22.5	22.5	45.0
		% within Responden	34.0%	56.0%	45.0%
Total		Count	50	50	100
		Expected Count	50.0	50.0	100.0
		% within Responden	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.889 ^a	1	.027		
Continuity Correction ^b	4.040	1	.044		
Likelihood Ratio	4.931	1	.026		
Fisher's Exact Test				.044	.022
Linear-by-Linear Association	4.840	1	.028		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 22.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for ASI Eksklusif (tidak / Ya)	2.471	1.100	5.547
For cohort Responden = Kasus	1.588	1.030	2.448
For cohort Responden = Kontrol	.643	.433	.955
N of Valid Cases	100		

LAMPIRAN 5

Crosstabs Status Gizi

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Status Gizi * Responden	100	98.0%	2	2.0%	102	100.0%

statatus Gizi * Responden Crosstabulation

		Responden		Total	
		Kasus	Kontrol		
Status gizi	Kurang	Count	6	4	10
		Expected Count	5.0	5.0	10.0
		% within Responden	12.0%	8.0%	10.0%
	Normal	Count	44	46	90
		Expected Count	45.0	45.0	90.0
		% within Responden	88.0%	92.0%	90.0%
Total	Count	50	50	100	
	Expected Count	50.0	50.0	100.0	
	% within Responden	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.444 ^a	1	.505		
Continuity Correction ^b	.111	1	.739		
Likelihood Ratio	.447	1	.504		
Fisher's Exact Test				.741	.370
Linear-by-Linear Association	.440	1	.507		
N of Valid Cases	100				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 5.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for statatus Gizi (kurang / normal)	1.568	.414	5.935
For cohort Responden = Kasus	1.227	.709	2.124
For cohort Responden = Kontrol	.783	.357	1.717
N of Valid Cases	100		

LAMPIRAN 5

Crosstabs Asap Rokok

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Terpapar Asap Rokok * Responden	100	98.0%	2	2.0%	102	100.0%

terpapar asap rokok * Responden Crosstabulation

		Responden		Total	
		Kasus	Kontrol		
Terpapar asap rokok	ya	Count	36	22	58
		Expected Count	29.0	29.0	58.0
		% within Responden	72.0%	44.0%	58.0%
	tidak	Count	14	28	42
		Expected Count	21.0	21.0	42.0
		% within Responden	28.0%	56.0%	42.0%
Total		Count	50	50	100
		Expected Count	50.0	50.0	100.0
		% within Responden	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.046 ^a	1	.005		
Continuity Correction ^b	6.938	1	.008		
Likelihood Ratio	8.170	1	.004		
Fisher's Exact Test				.008	.004
Linear-by-Linear Association	7.966	1	.005		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 21.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for terpapar asap rokok (ya / tidak)	3.273	1.424	7.524
For cohort Responden = Kasus	1.862	1.161	2.987
For cohort Responden = Kontrol	.569	.384	.843
N of Valid Cases	100		