

## LAMPIRAN 6

### CODING

#### Coding

##### 1. Login User

```
<!DOCTYPE html>
<html lang="en">
<head>

  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width,
  initial-scale=1">
  <title>Sistem Informasi Diagnosa Kebutuhan Gizi</title>

  <!-- Global stylesheets -->
  <link
href="//fonts.googleapis.com/css?family=Roboto:400,300,100,500,700,900" rel="stylesheet" type="text/css">
  <link
href="<?=base_url()?>appsources/css/icons/icomoon/styles.css" rel="stylesheet" type="text/css">
  <link href="<?=base_url()?>appsources/css/bootstrap.css" rel="stylesheet" type="text/css">
  <link href="<?=base_url()?>appsources/css/core.css" rel="stylesheet" type="text/css">
  <link href="<?=base_url()?>appsources/css/components.css" rel="stylesheet" type="text/css">
  <link href="<?=base_url()?>appsources/css/colors.css" rel="stylesheet" type="text/css">
  <!-- /theme JS files -->

</head>
<body class="login-container">
  <!-- Page container -->
  <div class="page-container">
    <!-- Page content -->
    <div class="page-content">
      <!-- Main content -->
      <div class="content-wrapper">
```

```

<!-- Content area -->
<div class="content">
  <!-- Simple login form -->
  >
  id="login">
    <form method="POST"
      <div
        class="panel panel-body login-form">
          <div
            class="text-center">
              <div class="icon-object border-slate-300 text-slate-
                300"><i class="icon-folder-plus2"></i></div>
              <h5 class="content-group">Login to your account
              <small class="display-block">Enter your credentials
                below</small></h5>
              </div>
              <div
                class="form-group has-feedback has-feedback-left">
                  <input name="username" type="text" class="form-
                    control" placeholder="Username" required >
                  <div class="form-control-feedback">
                    <i class="icon-user text-muted"></i>
                  </div>
                </div>
                <div
                  class="form-group has-feedback has-feedback-left">
                    <input name="password" type="password"
                      class="form-control" placeholder="Password" required>
                    <div class="form-control-feedback">
                      <i class="icon-lock2 text-muted"></i>
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

```

```
</div>
</div>
<div class="form-group">
  <button type="submit" class="btn bg-pink-400 btn-block">Sign in <i class="icon-circle-right2 position-right"></i></button>
</div>
<div
class="text-center">
  <a href="<?=base_url()?>auth/register">Register
Now</a>
</div>
</div>
</form>
<!-- /simple login form -->
>
<!-- Footer -->
<div class="footer text-
muted text-center">
  &copy;
  <?=date("Y")?>. <a href="#">Sistem Informasi Diagnosa
Kebutuhan Gizi</a> by <a
href="http://theforest.net/user/Kopyov"
target="_blank">Rosita Dewi</a>
</div>
<!-- /footer -->
</div>
<!-- /content area -->
</div>
<!-- /main content -->
</div>
<!-- /page content -->
```

```

</div>
<!-- /page container -->

<script type="text/javascript"
src="<?=base_url()?>appsources/js/core/libraries/jquery.min.js"></script>
<!-- /global stylesheets -->

<!-- Core JS files -->
<script type="text/javascript"
src="<?=base_url()?>appsources/js/plugins/loaders/pace.min.js"></script>
<script type="text/javascript"
src="<?=base_url()?>appsources/js/core/libraries/bootstrap.min.js"></script>
<script type="text/javascript"
src="<?=base_url()?>appsources/js/plugins/loaders/blockui.min.js"></script>
<!-- /core JS files -->

<!-- Theme JS files -->
<script type="text/javascript"
src="<?=base_url()?>appsources/js/core/app.js"></script>

<script type="text/javascript"
src="<?=base_url()?>appsources/js/plugins/ui/ripple.min.js">
</script>
<script type="text/javascript"
src="<?=base_url()?>appsources/js/default.js"></script>
<script type="text/javascript"
src="<?=base_url()?>appsources/js/auth.js"></script>
</body>
</html>

```

## 2. Dashboard User (Form Diagnosis) fungsi pada ketentuan status gizi

```

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

```

```

class Dashboard extends MX_Controller {

```

```

/**

```

- \* Index Page for this controller.
- \*
- \* Maps to the following URL
- \* `http://example.com/index.php/welcome`
- \* - or -
- \* `http://example.com/index.php/welcome/index`
- \* - or -
- \* Since this controller is set as the default controller in
- \* `config/routes.php`, it's displayed at `http://example.com/`
- \*
- \* So any other public methods not prefixed with an underscore

will

```

* map to /index.php/welcome/<method_name>
* @see https://codeigniter.com/user_guide/general/urls.html
*/
public function __construct()
{
    parent::__construct();
    // Your own constructor code
    if (!$this->session->userdata("username")){
        header("location:".base_url()."auth/login");
    }
}
public function front()
{
    $this->layout->content('front');
}
public function news()
{
    $this->layout->content('dashboard');
}
public function read($artikel_id = null)
{
    $data["artikel_id"] = $artikel_id;
    $this->layout->content('read',$data);
}

```

6.5

```

function statusGizi($imt = 0, $status_gizi = null){
    if((int)$imt < (int)17.5){
        $status_gizi = "Sangat Kurus";
    }
}

```

```

if((int)$imt >= (int)17.5 AND (int)$imt <= (int)18.5){
    $status_gizi = "Kurus";
}
if((int)$imt > (int)18.5 AND (int)$imt <= (int)25){
    $status_gizi = "Normal";
}
if((int)$imt > (int)25 AND (int)$imt <= (int)27){
    $status_gizi = "Gemuk (Overweight)";
}
if((int)$imt > (int)27){
    $status_gizi = "Obesitas";
}
return $status_gizi;
}

function hitung_umur($tanggal_lahir) {
    list($year,$month,$day) = explode("-", $tanggal_lahir);
    $year_diff = date("Y") - $year;
    $month_diff = date("m") - $month;
    $day_diff = date("d") - $day;
    if ($month_diff < 0) $year_diff--;
    elseif (($month_diff==0) && ($day_diff < 0))
$year_diff--;
    return $year_diff;
}

function getFaktorUsia($umur,$bmr){
    if($umur > 0 AND $umur < 40){
        $faktor_usia = ($bmr * 0)/100;
    }
    if($umur >= 40 AND $umur < 60){
        $faktor_usia = ($bmr * 5)/100;
    }
    if($umur >= 60 AND $umur < 70){
        $faktor_usia = ($bmr * 10)/100;
    }
    if($umur >= 70){
        $faktor_usia = ($bmr * 15)/100;
    }
}

```

```

        return $faktor_usia;
    }
}

function getFaktorAktifitas($aktifitas,$bmr){
    if($aktifitas == "bedrest"){
        $faktor_aktifitas = ($bmr * 10)/100;
    }
    if($aktifitas == "ringan"){
        $faktor_aktifitas = ($bmr * 20)/100;
    }
    if($aktifitas == "sedang"){
        $faktor_aktifitas = ($bmr * 30)/100;
    }
    if($aktifitas == "berat"){
        $faktor_aktifitas = ($bmr * 40)/100;
    }
    }
    return $faktor_aktifitas;
}

function penyamaanDietKalori($energi){
    if($energi < 1200){
        $kalori = 1100;
    }
    if($energi > 1200 AND $energi <= 1400){
        $kalori = 1300;
    }
    if($energi > 1400 AND $energi <= 1600){
        $kalori = 1500;
    }
    if($energi > 1600 AND $energi <= 1800){
        $kalori = 1700;
    }
    if($energi > 1800 AND $energi <= 2000){
        $kalori = 1900;
    }
    }
    if($energi > 2000 AND $energi <= 2200){
        $kalori = 2100;
    }
    }
    if($energi > 2200 AND $energi <= 2400){
        $kalori = 2300;
    }
    }
}

```

```

        if($energi > 2400){
            $kalori = 2500;
        }
        return $kalori;
    }

    function getTekananDarah($sistorik,$diatolik){
        if($sistorik<120 AND $diatolik <80){
            $tekananDarah = "Normal";
            $jenisDiet = "Diet Garam Rendah III";
        }

        if($sistorik >= 120 AND $sistorik < 140 OR $diatolik
        >= 80 AND $diatolik < 90){
            $tekananDarah = "Prehipertensi";
            $jenisDiet = "Diet Garam Rendah III";
        }

        if($sistorik >= 140 AND $sistorik < 160 OR $diatolik
        >= 90 AND $diatolik < 100){
            $tekananDarah = "Hipertensi stadium 1";
            $jenisDiet = "Diet Garam Rendah II";
        }

        if($sistorik >= 160 OR $diatolik >= 100){
            $tekananDarah = "Hipertensi stadium 2";
            $jenisDiet = "Diet Garam Rendah I";
        }

        return array($tekananDarah,$jenisDiet);
    }

    function hitungIMT(){
        $username = $this->session->userdata("username");

        list($fullname,$jenis_kelamin,$birth_dttm,$jenis_kelamin)=$this->
        ModelUsers->getUserData($username);
        if($_POST["tinggi"] != "" OR $_POST["berat"] != ""){
            $berat = $_POST["berat"];
            $tinggi = ($_POST["tinggi"]/100);
            $aktifitas = $_POST["aktifitas"];

```



```

    $umur = $this->hitung_umur($birth_dttm);

    if($jenis_kelamin == "pria"){
        $bbi = (($_POST["tinggi"] - 100) - (($_POST["tinggi"] - 100) * 10/100));
        $bmr = (int)30 * (int)$bbi;
    }

    if($jenis_kelamin == "wanita"){
        $bbi = (($_POST["tinggi"] - 100) - (($_POST["tinggi"] - 100) * 15/100));
        $bmr = (int)25 * (int)$bbi;
    }

    $faktor_usia = $this->getFaktorUsia($umur,$bmr);
    $faktor_aktifitas = $this->getFaktorAktifitas($aktifitas,$bmr);
    $energi = ($bmr+$faktor_aktifitas)-$faktor_usia;

    $imt = $berat / pow($tinggi,2);

    $status_gizi = $this->statusGizi($imt);

    $kalori = $this->penyamaanDietKalori($energi);
    $protein = ((15/100)*$kalori)/4;
    $lemak = ((25/100)*$kalori)/9;
    $karbohidrat = ((60/100)*$kalori)/4;
    $tekananDarah = "";
    if(isset($_POST["sistorik"])) AND
$_POST["diatolik"]){
        list($tekananDarah,$jenisDiet)=$this->getTekananDarah($_POST["sistorik"],$_POST["diatolik"]);
        $tekananDarah = "<tr><td
class='bg-blue'>Tekanan Darah</td><td style='text-
transform:capitalize'>".$tekananDarah."</td></tr>";
        $tekananDarah .= "<tr><td
class='bg-blue'>Jenis Diet</td><td style='text-
transform:capitalize'>".$jenisDiet."</td></tr>";
    }

```

```

$ret = '
<div class="col-lg-6">
  <div class="panel panel-flat">
    <div class="panel-
heading">
      <h5
class="panel-title text-bold">Hasil Perhitungan Kebutuhan Gizi</h5>
      <hr>
    </div>
    <div class="panel-body">
      <div
class="table-responsive">
        <table
class="table">
          <tbody>
            <tr>
              <td class="bg-
blue">Nama</td><td>'. $fullname.'</td>
            </tr>
            <tr>
              <td class="bg-blue">Usia</td><td>'. $umur.'
Tahun</td>
            </tr>
            <tr>
              <td class="bg-blue">Jenis Kelamin</td><td
style="text-transform:capitalize">'. $jenis_kelamin.'</td>
            </tr>
            <tr>
              <td class="bg-blue">StekananDarah.'
            </tr>
            <tr>
              <td class="bg-blue">Jenis Kelamin</td><td
style="text-transform:capitalize">'. $jenis_kelamin.'</td>
            </tr>
            <tr>

```

```
<td class="bg-
blue">IMT</td><td>'.number_format($imt,2).'
```

```
<td class="bg-blue">Status
Gizi</td><td>'. $status_gizi.'
```

```
<tr>
<td class="bg-
blue">BBI</td><td>'.number_format($bbi,2).'
```

```
<tr>
<td class="bg-blue">Kebutuhan
Energi</td><td>'.number_format($kalori).' kkal</td>
</tr>
<tr>
```

```
<td class="bg-blue">Kebutuhan
Protein</td><td>'.number_format($protein,2).' gram</td>
</tr>
<tr>
```

```
<td class="bg-blue">Kebutuhan
Lemak</td><td>'.number_format($lemak,2).' gram</td>
</tr>
<tr>
```

```

        <td class="bg-blue">Kebutuhan
        Karbohidrat</td><td>'<number_format($karbohidrat,2)'. gram</td>
    </tr>

```

```

        <tr><td colspan="2"><button type="button" class="btn
        btn-success" data-toggle="modal" data-target="#modal_large">Lihat Menu
        Diet</button>'

```

```

        . ' <button type="button" class="btn btn-warning" data-
        toggle="modal" data-target="#modal_large_2">Lihat Saran
        Makanan</button></td></tr>

```

```

</tbody>
</table>

```

```

</div>
</div>
</div>
</div>;
$sql = "SELECT a.*, b.waktu_name
FROM `menu_diet_item` as a
LEFT JOIN waktu as b on b.waktu_id =
a.waktu
WHERE a.jenis = '$_POST[jenis]";
$query = $this->db->query($sql);
$retwaktu = "";
if($query->num_rows(>0){
    $tmpwaktu = 0;
    foreach($query->result() as $row){
        $sql = "SELECT *
FROM `menu_diet` WHERE kalori = '$kalori' AND item_id = '$row-
>item_id' AND jenis = '$_POST[jenis]";
        $query = $this->db-
>query($sql);
        if($query-
>num_rows(>0){
            $row2 =
            $query->row();
            $porsi =
            $row2->porsi;
        }else{

```

```

        $porsi = "-";
    }
    if($tmpwaktu<>$row-
>waktu){
        $retwaktu .=
" <tr><th colspan='2' class='btn-primary'>$row->waktu_name</th><th
class='btn-primary'>Porsi</th></tr>";
        $tmpwaktu =
$row->waktu;
        $no = 1;
    }
    $retwaktu .=
" <tr><td>$no</td><td>$row->item_name</td><td>$porsi</td></tr>";
    $no++;
    }
} else{
    $retwaktu = "<table
class='table'><tbody><tr><td>Belum Di Set</td></tr></tbody></table>";
}
$sql = "";
$retbahanmakanan = '
<div id="modal_large" class="modal fade"
tabindex="-1"> modal-
<div class="modal-dialog
lg" class="modal-
content">
<div
class="modal-header">
<h5 class="modal-title">Saran Menu Diet</h5>
<button type="button" class="close" data-
dismiss="modal">&times;</button>
</div>
<div
class="table-responsive">
<table class="table">
<tbody>

```

```

        .$.retwaktu.'
    </tbody>
</table>
</div>

</div>
</div>
</div>';

$sql = " SELECT a.* FROM
saran_bahan_makanan as a "
        . " WHERE a.jenis =
'$_POST[jenis]'"
        . " order by saran_id asc";
$query = $this->db->query($sql);
$ret3 = "";
if($query->num_rows()>0){
    $no = 1;
    foreach($query->result() as $row){
        $ret3 .=
        "<tr><td>$no</td><td>$row->bahan_makanan</td>"
        . "<td>$row-
>dianjurkan</td>"
        . "<td>$row-
>tidak_dianjurkan</td>";
        $no++;
    }
}

$retsaran = '<div id="modal_large_2"
class="modal fade" tabindex="-1">
<div class="modal-dialog
modal-lg">
<div
class="modal-content">
<div
class="modal-header">

<h5 class="modal-title">Saran Menu Diet</h5>

```

```

<button type="button" class="close" data-
dismiss="modal">&times;</button>
</div>
class="table-responsive">

```

```

<table class="table">

```

```

<tbody>

```

```

<thead>

```

```

<th>No</th>

```

```

<th>Bahan Makanan</th>

```

```

<th>Dianjurkan</th>

```

```

<th>Tidak Dianjurkan</th>

```

```

</thead>

```

```

'.Sret3.'

```

```

</tbody>

```

```

</table>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

</div>;

```

```

echo $ret.$retbahanmakanan.$retsaran;

```

```

}else{

```

```

echo "";

```

```

}

```

```

return;

```

```

}

```

```

}

```

### 3. Front(depan) pada user form input diagnosis pada user

```
<div class="panel panel-flat col-lg-6">  
  <div class="panel-heading">  
    <h5 class="panel-title text-bold">Perhitungan  
    Kebutuhan Gizi</h5>  
  
    <hr>  
  
  </div>  
  
  <div class="panel-body">  
    <form class="form-horizontal"  
    method="POST" id="gizi">  
      <fieldset class="content-group">  
        <div class="form-group">  
          <label  
            class="control-label">Tinggi Badan (cm)</label>  
  
          <input  
            type="number" class="form-control" name="tinggi">  
  
        </div>  
  
        <div class="form-group">  
          <label  
            class="control-label">Berat Badan (Kg)</label>  
  
          <input  
            type="number" class="form-control" name="berat">  
  
        </div>  
      </fieldset>  
    </form>  
  </div>  
</div>
```



```
<div class="form-group">  
  <label>Jenis  
  Penyakit</label>  
  <select required  
  class="select" id="jenis" name="jenis"  
  onchange="cekJenis()">
```

```
<option value="Diabetes">Diabetes</option>
```

```
<option value="Hipertensi">Hipertensi</option>
```

```
</select>
```

```
</div>
```

```
<div
```

```
id="tensidarah"></div>
```

```
<div class="form-group">
```

```
<label>Aktifitas</label>
```

```
<select required  
class="select" id="aktifitas" name="aktifitas">
```

```
<option value="bedrest">Bedrest - Membutuhkan  
Istirahat</option>
```

```
<option value="ringan">Ringan - Tirah baring atau  
lumpuh (tidak melakukan aktifitas apapun) </option>
```

```
<option value="sedang">Sedang - Bisa melakukan  
aktivitas seperti biasa</option>
```

```
<option value="berat">Berat - Pekerja keras seperti kuli
bangunan</option>
</select>
```

```
</div>
```

```
<div class="form-group"
id="btngizi">
```

```
<button
type="submit" class="btn btn-primary">Submit <i
class="icon-arrow-right l4 position-right"></i></button>
```

```
</div>
```

```
</fieldset>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
<div id="resultajax">
```

```
</div>
```

```
<script>
```

```
function cekJenis(){
```

```
if($("#jenis").val() == "Hipertensi"){
```

```
$("#tensidarah").html('<div
class="row"><div class="form-group col-lg-5">'
```

```
+<label>Sistorik</label>'
```



```
defined('BASEPATH') OR exit('No direct script access allowed');
```

```
class Dashboard extends MX_Controller {  
    /**  
     * Index Page for this controller.  
     *  
     * Maps to the following URL  
     *  
     http://example.com/index.php/welcome  
     * - or -  
     *  
     http://example.com/index.php/welcome/index  
     * - or -  
     * Since this controller is set as the default controller in  
     * config/routes.php, it's displayed at  
     http://example.com/  
     *  
     * So any other public methods not prefixed with an  
     underscore will  
     * map to /index.php/welcome/<method_name>  
     * @see  
     https://codeigniter.com/user_guide/general/urls.html  
     */  
    public function __construct()  
    {  
        parent::__construct();  
        // Your own constructor code  
        if(!$this->session->userdata("useradmin")){  
            header("location:".base_url()."auth/login");  
        }  
        $this->load->helper(array('form', 'url'));  
        $this->load->library('form_validation');  
    }  
  
    public function front()  
    {  
        $this->layout->content('front');  
    }  
  
    public function artikel()  
    {  
        $this->load->helper(array('form', 'url'));  
        $this->load->library('form_validation');  
    }  
}
```

```

    {
        $this->layout->content('artikel');
    }

    public function menu()
    {
        $this->layout->content('menu');
    }

    function waktu(){
        $this->layout->content('waktu');
    }

    function saran(){
        $this->layout->content('saran');
    }

    function addartikel(){
        $this->layout->content('addartikel');
    }

    function deleteartikel($artikel_id = null){
        $select = "SELECT image FROM artikel
WHERE artikel_id = ?";
        $query2 = $this->db-
>query($select,array($artikel_id));
        $row = $query2->row();
        unlink(base_url()."appsources/images/".$row-
>image);
        $sql = "DELETE FROM artikel
WHERE artikel_id = ?";
        $query = $this->db-
>query($sql,array($artikel_id));
        header("location:".base_url()."dashboard/artikel");
    }

    function saveartikel(){
        if (isset($_POST['upload'])) {
            $config['upload_path'] =
'./appsources/images';
            $config['allowed_types'] =
'gif|jpg|png|pdf|doc';
        }
    }
}

```

```

$config['max_size']      = 1000;
$config['max_width']    =
1024;
$config['max_height']   = 768;

$this->load->library('upload', $config);

if ( !$this->upload-
>do_upload('image'))
{

    $this->form_validation-
>set_error_delimiters('<p class="error">', '</p>');
    $error = array('error' =>
$this->upload->display_errors());

    header("location:".base_url()."dashboard/artikel");
    }
    else
    {
        $data      =
array('upload_data' => $this->upload->data());
        $image     =
$data['upload_data']['file_name'];
        $query     = $this->db-
>query("INSERT INTO artikel (judul,isi,image) VALUE
('$_POST[judul]','$_POST[editor]','$image)");
        if($query){
            header("location:".base_url()."dashboard/artikel");
        }
    }
}
else{
    header("location:".base_url()."dashboard/artikel");
}
}

function editsaran($saran_id = null){
    $data["saran_id"] = $saran_id;
    $this->layout->content('editsaran',$data);
}

```

```

function deleteitem($item_id = null){
    $sql = "DELETE FROM
menu_diet_item WHERE item_id = '$item_id'";
    $query = $this->db->query($sql);
    if($query){

```

```

        header("location:".base_url()."dashboard/menu");
    }else{

```

```

        header("location:".base_url()."dashboard/menu");
    }
}

```

```

function addWaktu(){
    $waktu_id = $this->getWaktuId();
    $data = array(
        "waktu_id" => $waktu_id,
        "waktu_name" =>
$_POST["waktu"]
    );

    $query = $this->db->insert("waktu",$data);
    if($query){
        echo "sukses";
        return;
    }else{
        echo "error";
        return;
    }
}

```

```

function deleteWaktu(){
    $sql = "DELETE FROM waktu
WHERE waktu_id = ?";
    $query = $this->db->
query($sql,array($_POST["waktu_id"]));
    if($query){
        echo "sukses";
        return;
    }else{
        echo "error";
        return;
    }
}

```

```

    }
}

function updatesaran(){
    if(isset($_POST["saran_id"])){
        $data = array(

            "bahan_makanan"=>$_POST["bahan_makanan"],
                                "dianjurkan" =>
$_POST["dianjurkan"],
                                "tidak_dianjurkan" =>
$_POST["tidak_dianjurkan"]
        );

        $this->db-
>where("saran_id",$_POST["saran_id"]);
        $query = $this->db-
>update("saran_bahan_makanan", $data);
        if($query){
            echo "sukses";
            return;
        }else{
            echo "error";
            return;
        }
    }
}

```

```

function addsaran(){
    if(isset($_POST["bahan_makanan"])){
        $data = array();
        for($i=0;$i<count($_POST["bahan_makanan"]);$i++){
            $data[] = array(
                "saran_id"=>"",

                "bahan_makanan"=>$_POST["bahan_makanan"][$i],
                                "dianjurkan"
=> $_POST["dianjurkan"][$i],
                                "tidak_dianjurkan" =>
$_POST["tidak_dianjurkan"][$i],
                                "jenis" =>
$_POST["jenis"]
            );
        }
    }
}

```



```
);  
}  
$query = $this->db-  
>insert_batch("saran_bahan_makanan", $data);
```

```
if($query){  
    echo "sukses";  
    return;  
}  
else{  
    echo "error";  
    return;  
}  
}
```

```
function addItem(){  
    if(isset($_POST["makanan"])){  
        $data = array();  
  
        for($i=0;$i<count($_POST["makanan"]);$i++){  
            $data[] = array(  
                "item_id"=>"",  
  
                "item_name"=>$_POST["makanan"][$i],  
  
                "waktu" =>  
                $_POST["waktu"],  
  
                "jenis" =>  
                $_POST["jenis"]  
            );  
        }  
    }  
}
```

```
$query = $this->db-  
>insert_batch("menu_diet_item", $data);  
if($query){  
    echo "sukses";  
    return;  
}  
else{  
    echo "error";  
    return;  
}  
}
```

```

function formPorsi(){
    if(isset($_POST["kalori"]) AND
    isset($_POST["jenis"])){
        $sql = "SELECT * FROM
        menu_diet WHERE kalori = '$_POST[kalori]' AND jenis =
        '$_POST[jenis]'";
        $query = $this->db->query($sql);
        $armenu = array();
        if($query->num_rows()>0){
            foreach($query->result()
            as $row){
                $armenu[$row->
                item_id] = $row->porsi;
            }
        }
        $sql = " SELECT * FROM
        menu_diet_item as a "
        . " LEFT JOIN waktu as b on
        b.waktu_id = a.waktu"
        . " WHERE jenis =
        '$_POST[jenis]'"
        . " order by waktu asc";
        $query = $this->db->query($sql);
        $ret = "";
        if($query->num_rows()>0){
            $waktu_tmp = "";
            foreach($query->result()
            as $row){
                if($waktu_tmp<>$row->waktu){
                    $no =
                    0;
                    $ret .=
                    "<tr><th colspan='2'><b>$row-
                    >waktu_name</b></th></tr>"
                    .
                    "<tr><th>No</th><th>Menu</th><th>Porsi</th></tr>";
                    $waktu_tmp = $row->waktu;
                }
                if(isset($armenu[$row->item_id])){

```

```

    = $armenu[$row->item_id];
    }else{
    = "";
    }
    $no++;
    $ret .=

```

```

" <tr><th>$no</th><th>$row->item_name</th><th><input
name='porsi[' value='$porsi' width='70px' class='form-
control'/><input name='item_id[' value='$row->item_id'
width='70px' type='hidden'/></th></tr>";

```

```

    }
    }
    $table = '
        <div class="panel panel-flat">
            <div class="panel-
            heading">
                <h5
                class="panel-title text-bold">Menu Diet
                '$_POST["jenis"]'.</h5>
            <hr>
            </div>
            <div class="panel-body">
                <div
                class="table-responsive">

```

```

                <form
                id="postPorsi">

```

```

                    <input type="hidden" name="jenis"
                    value="$_POST["jenis"]."/>

```

```

                    <input type="hidden" name="kalori"
                    value="$_POST["kalori"]."/>

```

```

                    <table class="table table-striped">

```

```

                        <tbody>

```

```

                            $.ret.'

```

```

        <tr><td>
            <button class="btn btn-primary
            right">Simpan</button></td></tr>
    
```

```
</tbody>
```

```
</table>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<script>
```

```

    $("#postPorsi").submit(function(event) {
        event.preventDefault();
        var form =
        $("#postPorsi");
        $.ajax({
            type :
            "POST",
            url :
            toUrl+"/admin/dashboard/savePorsi",
            data :
            form.serialize(),
            //
            dataType: "json",
            success: function(data){
                alert(data);
                return;
            },
            error: function(xhr, ajaxOptions, thrownError){
                alert(xhr.responseText);
            }
        });
    });

```

```

</script>
,
echo $table;
}
function savePorsi(){
    if(count($_POST["item_id"]>0){
        $sql = "SELECT * FROM
menu_diet WHERE kalori = '$_POST[kalori]' AND jenis =
'$_POST[jenis]";
        $query = $this->db->query($sql);
        if($query->num_rows()>0){
            $this->db->where('kalori',
$_POST["kalori"]);
            $this->db->where('jenis',
$_POST["jenis"]);
            $this->db-
>delete('menu_diet');
        }
        $data = array();
        for($i=0;$i<count($_POST["item_id"]);$i++){
            $data[] = array(
                "diet_id" => "",
                "kalori" =>
$_POST["kalori"],
                "jenis" =>
$_POST["jenis"],
                "item_id" =>
$_POST["item_id"][$i],
                "porsti" =>
$_POST["porsti"][$i]
            );
        }
        $query = $this->db-
>insert_batch("menu_diet",$data);
        if($query){
            echo "sukses";
            return;
        }else{
            echo "error";
            return;
        }
    }
}

```

```

    }
}

function getWaktuId(){
    $iniatx = "WKT";
    $month = date("m");
    $day = date("d");
    $year = date("y");
    $sql = "SELECT left(a.waktu_id,2) as
fmonth, mid(a.waktu_id,3,2) as fday,"
        . " mid(a.waktu_id,5,2) as
fyear, mid(a.waktu_id,7,3) as iniat,"
        . " right(a.waktu_id,4) as
fno FROM waktu AS a"
        . " where
left(a.waktu_id,2) = '$month' and mid(a.waktu_id,3,2) =
'$day'"
        . " and
mid(a.waktu_id,5,2) = '$year' and mid(a.waktu_id,7,3)=
'$iniatx'"
        . " order by fmonth desc,
CAST(fno AS SIGNED) DESC LIMIT 1";

    $result = $this->db->query($sql);

    if($result->num_rows($result) > 0) {
        $row = $result->row();
        $iniat = $row->iniat;
        $fyear = $row->fyear;
        $fmonth = $row->fmonth;
        $fday = $row->fday;
        $fno = $row->fno;
        $fno++;
    } else {
        $iniat = $iniatx;
        $fyear = $year;
        $fmonth = $month;
        $fday = $day;
        $fno = 0;
        $fno++;
    }

    if (strlen($fno)==1){

```

```

        $strfno = "000".$fno;
    } else if (strlen($fno)==2){
        $strfno = "00".$fno;
    } else if (strlen($fno)==3){
        $strfno = "0".$fno;
    } else if (strlen($fno)==4){
        $strfno = $fno;
    }

```

```

        $waktu_id =
        $month.$day.$year.$initiat.$strfno;

```

```

        return $waktu_id;
    }
}

```

## 5. Edit Saran Bahan Makanan (admin)

```

<?php

```

```

    $sql = " SELECT a.* FROM
    saran_bahan_makanan as a "

```

```

        . " WHERE a.saran_id = '$saran_id'";

```

```

    $query = $this->db->query($sql);

```

```

    $bahan_makanan = "";

```

```

    $dianjurkan = "";

```

```

    $tidak_dianjurkan = "";

```

```

    if($query->num_rows()>0){

```

```

        $row = $query->row();

```

```

        $bahan_makanan = $row->bahan_makanan;

```

```

        $dianjurkan = $row->dianjurkan;

```

```

        $tidak_dianjurkan = $row->tidak_dianjurkan;

```

```

    }

```

```

?>

```

```
<div class="row">
  <div class="col-lg-7">
    <div class="panel panel-flat">
      <div class="panel-body">
        <form id="updatesaran">
          <div class="col-lg-12">
            <div class="form-group">
              <label>Bahan Makanan</label>
              <input class="form-control"
value="<?=$bahan_makanan?" type="text"
name="bahan_makanan" required/>
              <input class="form-control"
value="<?=$saran_id?" type="hidden" name="saran_id"
required/>
            </div>
          </div>
        </div>
      <div class="col-lg-12">
        <div class="form-group">
          <label>Yang Dianjurkan</label>
          <textarea class="form-control" type="text"
name="dianjurkan" required><?=$dianjurkan?></textarea>
        </div>
      </div>
    </div>
  </div>
</div>
```



```

<div class="col-lg-12">
    <div class="form-group">
        <label>Yang Tidak Dianjurkan</label>
        <textarea class="form-control" type="text"
name="tidak_dianjurkan"
required><?=$tidak_dianjurkan?></textarea>
    </div>
</div>
<button class="btn btn-
primary">Simpan</button>
<a href="<?=base_url()?>dashboard/saran"
class="btn btn-default">Back</a>
</form>
</div>
</div>
</div>
</div>

```

## 6. Ketentuan kalori (admin)

```

<?php
    $arrkalori = array(
        "1100"=>"1100 kkal",
        "1300"=>"1300 kkal",
        "1500"=>"1500 kkal",
        "1700"=>"1700 kkal",
        "1900"=>"1900 kkal",
        "2100"=>"2100 kkal",
        "2300"=>"2300 kkal",
        "2500"=>"2500 kkal");

```

```

$optwaktu = "<option value="">Pilih Kebutuhan Kalori</option>";
if(count($arrkalori)>0){
    $no = 0;
    foreach($arrkalori as $value =>$row){
        $no++;
        $optwaktu .= "<option value='$value'>$row</option>";
    }
}

$sql = " SELECT * FROM menu_diet_item as a "
      . " LEFT JOIN waktu as b on b.waktu_id =
a.waktu"
      . " WHERE jenis = 'Diabetes'"
      . " order by waktu asc";
$query = $this->db->query($sql);
$ret = "";
if($query->num_rows()>0){
    $waktu_tmp = "";
    foreach($query->result() as $row){
        if($waktu_tmp<>$row->waktu){
            $no = 0;
            $ret .= "<tr><th
colspan='2'><b>$row->waktu_name</b></th></tr>";
            $waktu_tmp = $row->waktu;
        }
        $no++;
        $ret .= "<tr><th>$no</th><th>$row-
>item_name</th></tr>";
    }
}
$sql = " SELECT * FROM menu_diet_item as a "
      . " LEFT JOIN waktu as b on b.waktu_id =
a.waktu"
      . " WHERE jenis = 'Hipertensi'"
      . " order by waktu asc";
$query = $this->db->query($sql);
$rethipe = "";
if($query->num_rows()>0){
    $waktu_tmp = "";
    foreach($query->result() as $row){
        if($waktu_tmp<>$row->waktu){
            $no = 0;

```

```

    $rethipe .= "<tr><th
colspan=2><b>$row->waktu_name</b></th></tr>";
    $waktu_tmp = $row->waktu;
    }
    $no++;
    $rethipe .= "<tr><th>$no</th><th>$row-
>item_name</th></tr>";
    }
    }
?>
<div class="row">
    <div class="col-lg-6">
        <div class="panel panel-flat">
            <div class="panel-heading">
                <h5 class="panel-title text-
bold">Set Menu Diet</h5>
                <hr>
            </div>
            <div class="panel-body">
                <div class="col-lg-6">
                    <div class="form-group">
                        <label>Kebutuhan Kalori</label>
                        <select
onChange="setPorsi()" class="form-control" id="kalori"
name="kalori"><?=$optwaktu?></select>
                    </div>
                </div>
                <div class="col-lg-6">
                    <div class="form-group">
                        <label>Jenis
Penyakit</label>
                        <select
onChange="setPorsi()" class="form-control" id="jenis" name="jenis"
required>
                            <option value="">Pilih Jenis Penyakit</option>
                            <option value="Diabetes">Diabetes</option>
                            <option value="Hipertensi">Hipertensi</option>
                        </select>
                    </div>
                </div>
            </div>
        </div>
    </div>

```



Universitas  
**Esa Unggul**

</div>

</div>

</div>

</div>

</div>

<div class="col-lg-6" id="porsiDiet">

</div>

</div>



Universitas  
**Esa Unggul**

