

OUTPUT SPSS

Analisis Univariat

1. Variabel TB Paru

TB Paru					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak tb paru	52	50.0	50.0	50.0
	tb paru	52	50.0	50.0	100.0
	Total	104	100.0	100.0	

2. Variabel Status Gizi

Status Gizi					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak berisiko	48	46.2	46.2	46.2
	berisiko	56	53.8	53.8	100.0
	Total	104	100.0	100.0	

3. Variabel Kebiasaan Merokok

Kebiasaan Merokok					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak merokok	55	52.9	52.9	52.9
	merokok	49	47.1	47.1	100.0
	Total	104	100.0	100.0	

4. Variabel Kontak Serumah

Kontak Serumah					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak	65	62.5	62.5	62.5
	ada	39	37.5	37.5	100.0
	Total	104	100.0	100.0	

5. Variabel Ventilasi

Ventilasi					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	memenuhi syarat	46	44.2	44.2	44.2
	tidak memenuhi syarat	58	55.8	55.8	100.0
	Total	104	100.0	100.0	

6. Variabel Kepadatan Hunian

Kepadatan Hunian

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak padat	47	45.2	45.2	45.2
padat	57	54.8	54.8	100.0
Total	104	100.0	100.0	

Analisis Bivariat

1. Crosstabs Status Gizi

Status Gizi * TB Paru Crosstabulation

		TB Paru		Total
		tidak tb paru	tb paru	
Status Gizi tidak berisiko	Count	21	27	48
	% within Status Gizi	43.8%	56.3%	100.0%
berisiko	Count	31	25	56
	% within Status Gizi	55.4%	44.6%	100.0%
Total	Count	52	52	104
	% within Status Gizi	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.393 ^a	1	.238		
Continuity Correction ^b	.967	1	.325		
Likelihood Ratio	1.396	1	.237		
Fisher's Exact Test				.325	.163
Linear-by-Linear Association	1.379	1	.240		
N of Valid Cases	104				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 24.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Status Gizi (tidak berisiko / berisiko)	.627	.289	1.363
For cohort TB Paru = tidak tb paru	.790	.531	1.176
For cohort TB Paru = tb paru	1.260	.858	1.850
N of Valid Cases	104		

2. Crosstabs Kebiasaan Merokok

Kebiasaan Merokok * TB Paru Crosstabulation

			TB Paru		Total
			0	1	
Kebiasaan Merokok	tidak merokok	Count	31	24	55
		% within Kebiasaan Merokok	56.4%	43.6%	100.0%
	merokok	Count	21	28	49
		% within Kebiasaan Merokok	42.9%	57.1%	100.0%
Total		Count	52	52	104
		% within Kebiasaan Merokok	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.891 ^a	1	.169		
Continuity Correction ^b	1.389	1	.239		
Likelihood Ratio	1.897	1	.168		
Fisher's Exact Test				.238	.119
Linear-by-Linear Association	1.873	1	.171		
N of Valid Cases	104				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 24.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kebiasaan Merokok (tidak merokok / merokok)	1.722	.792	3.747
For cohort TB Paru = 0	1.315	.883	1.959
For cohort TB Paru = 1	.764	.519	1.123
N of Valid Cases	104		

3. Crosstabs Kontak Serumah

Kontak Serumah * TB Paru Crosstabulation

			TB Paru		Total
			tidak tb paru	tb paru	
Kontak Serumah	tidak	Count	42	23	65
		% within Kontak Serumah	64.6%	35.4%	100.0%
	ada	Count	10	29	39
		% within Kontak Serumah	25.6%	74.4%	100.0%
Total		Count	52	52	104
		% within Kontak Serumah	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	14.810 ^a	1	.000		
Continuity Correction ^b	13.292	1	.000		
Likelihood Ratio	15.298	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	14.668	1	.000		
N of Valid Cases	104				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 19.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kontak Serumah (tidak / ada)	5.296	2.196	12.772
For cohort TB Paru = tidak tb paru	2.520	1.434	4.429
For cohort TB Paru = tb paru	.476	.327	.694
N of Valid Cases	104		

4. Crosstabs Ventilasi

Ventilasi * TB Paru Crosstabulation

			TB Paru		Total
			tidak tb paru	tb paru	
Ventilasi	memenuhi syarat	Count	24	22	46
		% within Ventilasi	52.2%	47.8%	100.0%
	tidak memenuhi syarat	Count	28	30	58
		% within Ventilasi	48.3%	51.7%	100.0%
Total		Count	52	52	104
		% within Ventilasi	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.156 ^a	1	.693		
Continuity Correction ^b	.039	1	.843		
Likelihood Ratio	.156	1	.693		
Fisher's Exact Test				.844	.422
Linear-by-Linear Association	.154	1	.694		
N of Valid Cases	104				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 23.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Ventilasi (memenuhi syarat / tidak memenuhi syarat)	1.169	.539	2.536
For cohort TB Paru = tidak tb paru	1.081	.736	1.587
For cohort TB Paru = tb paru	.925	.625	1.367
N of Valid Cases	104		

5. Crosstabs Kepadatan Hunian

Kepadatan Hunian * TB Paru Crosstabulation

			TB Paru		Total
			0	1	
Kepadatan Hunian	tidak padat	Count	31	16	47
		% within Kepadatan Hunian	66.0%	34.0%	100.0%
	padat	Count	21	36	57
		% within Kepadatan Hunian	36.8%	63.2%	100.0%
Total		Count	52	52	104
		% within Kepadatan Hunian	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	8.735 ^a	1	.003		
Continuity Correction ^b	7.609	1	.006		
Likelihood Ratio	8.866	1	.003		
Fisher's Exact Test				.006	.003
Linear-by-Linear Association	8.651	1	.003		
N of Valid Cases	104				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 23.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kepadatan Hunian (tidak padat / padat)	3.321	1.480	7.455
For cohort TB Paru = 0	1.790	1.203	2.663
For cohort TB Paru = 1	.539	.346	.841
N of Valid Cases	104		