

Frequencies

		Statistics					
		Risiko KEK	Pola Konsumsi Sumber Karbohidrat	Pola Konsumsi Lauk Hewani	Pola Konsumsi Lauk Nabati	Pola Konsumsi Sayur	Pola Konsumsi Buah
N	Valid	50	50	50	50	50	50
	Missing	0	0	0	0	0	0

Frequency Table

		Risiko KEK			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Risiko KEK	19	38.0	38.0	38.0
	Normal	31	62.0	62.0	100.0
	Total	50	100.0	100.0	

		Pola Konsumsi Sumber Karbohidrat			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Sesuai	21	42.0	42.0	42.0
	Sesuai	29	58.0	58.0	100.0
	Total	50	100.0	100.0	

		Pola Konsumsi Lauk Hewani			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Sesuai	32	64.0	64.0	64.0
	Sesuai	18	36.0	36.0	100.0
	Total	50	100.0	100.0	

		Pola Konsumsi Lauk Nabati			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Sesuai	29	58.0	58.0	58.0
	Sesuai	21	42.0	42.0	100.0
	Total	50	100.0	100.0	

Pola Konsumsi Sayur

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Sesuai	40	80.0	80.0	80.0
	Sesuai	10	20.0	20.0	100.0
Total		50	100.0	100.0	

Pola Konsumsi Buah

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Sesuai	33	66.0	66.0	66.0
	Sesuai	17	34.0	34.0	100.0
Total		50	100.0	100.0	

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pola Konsumsi Sumber Karbohidrat * Risiko KEK	50	100.0%	0	.0%	50	100.0%

Pola Konsumsi Sumber Karbohidrat * Risiko KEK Crosstabulation

			Risiko KEK		Total
			Risiko KEK	Normal	
Pola Konsumsi Sumber Karbohidrat	Tidak Sesuai	Count	15	6	21
		Expected Count	8.0	13.0	21.0
		% within Pola Konsumsi Sumber Karbohidrat	71.4%	28.6%	100.0%
	Sesuai	Count	4	25	29
		Expected Count	11.0	18.0	29.0
		% within Pola Konsumsi Sumber Karbohidrat	13.8%	86.2%	100.0%
Total		Count	19	31	50
		Expected Count	19.0	31.0	50.0
		% within Pola Konsumsi Sumber Karbohidrat	38.0%	62.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	17.173 ^a	1	.000		
Continuity Correction ^b	14.814	1	.000		
Likelihood Ratio	18.010	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	16.830	1	.000		
N of Valid Cases	50				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.98.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pola Konsumsi Sumber Karbohidrat (Tidak Sesuai / Sesuai)	15.625	3.785	64.505
For cohort Risiko KEK = Risiko KEK	5.179	2.004	13.380
For cohort Risiko KEK = Normal	.331	.166	.662
N of Valid Cases	50		

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pola Konsumsi Lauk Hewani * Risiko KEK	50	100.0%	0	.0%	50	100.0%

Pola Konsumsi Lauk Hewani * Risiko KEK Crosstabulation

			Risiko KEK		Total
			Risiko KEK	Normal	
Pola Konsumsi Lauk Hewani	Tidak Sesuai	Count	17	15	32
		Expected Count	12.2	19.8	32.0
		% within Pola Konsumsi Lauk Hewani	53.1%	46.9%	100.0%
	Sesuai	Count	2	16	18
		Expected Count	6.8	11.2	18.0
		% within Pola Konsumsi Lauk Hewani	11.1%	88.9%	100.0%
Total		Count	19	31	50
		Expected Count	19.0	31.0	50.0
		% within Pola Konsumsi Lauk Hewani	38.0%	62.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.631 ^a	1	.003		
Continuity Correction ^b	6.940	1	.008		
Likelihood Ratio	9.612	1	.002		
Fisher's Exact Test				.005	.003
Linear-by-Linear Association	8.458	1	.004		
N of Valid Cases	50				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.84.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pola Konsumsi Lauk Hewani (Tidak Sesuai / Sesuai)	9.067	1.784	46.076
For cohort Risiko KEK = Risiko KEK	4.781	1.244	18.380
For cohort Risiko KEK = Normal	.527	.352	.789
N of Valid Cases	50		

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pola Konsumsi Lauk Nabati * Risiko KEK	50	100.0%	0	.0%	50	100.0%

Pola Konsumsi Lauk Nabati * Risiko KEK Crosstabulation

			Risiko KEK		Total
			Risiko KEK	Normal	
Pola Konsumsi Lauk Nabati	Tidak Sesuai	Count	16	13	29
		Expected Count	11.0	18.0	29.0
		% within Pola Konsumsi Lauk Nabati	55.2%	44.8%	100.0%
Pola Konsumsi Lauk Nabati	Sesuai	Count	3	18	21
		Expected Count	8.0	13.0	21.0
		% within Pola Konsumsi Lauk Nabati	14.3%	85.7%	100.0%
Total		Count	19	31	50
		Expected Count	19.0	31.0	50.0
		% within Pola Konsumsi Lauk Nabati	38.0%	62.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.642 ^a	1	.003		
Continuity Correction ^b	6.994	1	.008		
Likelihood Ratio	9.290	1	.002		
Fisher's Exact Test				.004	.003
Linear-by-Linear Association	8.470	1	.004		
N of Valid Cases	50				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.98.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pola Konsumsi Lauk Nabati (Tidak Sesuai / Sesuai)	7.385	1.777	30.692
For cohort Risiko KEK = Risiko KEK	3.862	1.288	11.577
For cohort Risiko KEK = Normal	.523	.337	.812
N of Valid Cases	50		

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pola Konsumsi Sayur * Risiko KEK	50	100.0%	0	.0%	50	100.0%

Pola Konsumsi Sayur * Risiko KEK Crosstabulation

			Risiko KEK		Total
			Risiko KEK	Normal	
Pola Konsumsi Sayur	Tidak Sesuai	Count	15	25	40
		Expected Count	15.2	24.8	40.0
		% within Pola Konsumsi Sayur	37.5%	62.5%	100.0%
Pola Konsumsi Sayur	Sesuai	Count	4	6	10
		Expected Count	3.8	6.2	10.0
		% within Pola Konsumsi Sayur	40.0%	60.0%	100.0%
Total		Count	19	31	50
		Expected Count	19.0	31.0	50.0
		% within Pola Konsumsi Sayur	38.0%	62.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.021 ^a	1	.884	1.000	.579
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.021	1	.884		
Fisher's Exact Test					
Linear-by-Linear Association	.021	1	.885		
N of Valid Cases	50				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.80.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pola Konsumsi Sayur (Tidak Sesuai / Sesuai)	.900	.218	3.715
For cohort Risiko KEK = Risiko KEK	.938	.397	2.211
For cohort Risiko KEK = Normal	1.042	.595	1.824
N of Valid Cases	50		

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pola Konsumsi Buah * Risiko KEK	50	100.0%	0	.0%	50	100.0%

Pola Konsumsi Buah * Risiko KEK Crosstabulation

			Risiko KEK		Total
			Risiko KEK	Normal	
Pola Konsumsi Buah	Tidak Sesuai	Count	15	18	33
		Expected Count	12.5	20.5	33.0
		% within Pola Konsumsi Buah	45.5%	54.5%	100.0%
		Sesuai	Count	4	13
		Expected Count	6.5	10.5	17.0
		% within Pola Konsumsi Buah	23.5%	76.5%	100.0%
Total		Count	19	31	50
		Expected Count	19.0	31.0	50.0
		% within Pola Konsumsi Buah	38.0%	62.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.289 ^a	1	.130		
Continuity Correction ^b	1.453	1	.228		
Likelihood Ratio	2.382	1	.123		
Fisher's Exact Test				.218	.113
Linear-by-Linear Association	2.244	1	.134		
N of Valid Cases	50				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.46.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pola Konsumsi Buah (Tidak Sesuai / Sesuai)	2.708	.728	10.073
For cohort Risiko KEK = Risiko KEK	1.932	.758	4.920
For cohort Risiko KEK = Normal	.713	.474	1.073
N of Valid Cases	50		

Crosstabs

Pola Konsumsi Sayur * Pola Konsumsi Lauk Hewani Crosstabulation Pada Ibu Hamil Risiko KEK

			Pola Konsumsi Lauk Hewani		Total
			tdk sesuai	sesuai	
Pola Konsumsi Sayur	tdk sesuai	Count	14	1	15
		Expected Count	13.4	1.6	15.0
		% within Pola Konsumsi Sayur	93.3%	6.7%	100.0%
	sesuai	Count	3	1	4
		Expected Count	3.6	.4	4.0
		% within Pola Konsumsi Sayur	75.0%	25.0%	100.0%
Total	Count	17	2	19	
	Expected Count	17.0	2.0	19.0	
	% within Pola Konsumsi Sayur	89.5%	10.5%	100.0%	

Pola Konsumsi Sayur * Pola Konsumsi Lauk Hewani Crosstabulation Pada Ibu Hamil Tidak Risiko KEK

			Pola Konsumsi Lauk Hewani		Total
			tdk sesuai	sesuai	
Pola Konsumsi Sayur	tdk sesuai	Count	12	13	25
		Expected Count	12.1	12.9	25.0
		% within Pola Konsumsi Sayur	48.0%	52.0%	100.0%
	sesuai	Count	3	3	6
		Expected Count	2.9	3.1	6.0
		% within Pola Konsumsi Sayur	50.0%	50.0%	100.0%
Total	Count	15	16	31	
	Expected Count	15.0	16.0	31.0	
	% within Pola Konsumsi Sayur	48.4%	51.6%	100.0%	

Crosstabs

Pola Konsumsi Buah * Pola Konsumsi Lauk Hewani Crosstabulation Pada Ibu Hamil Risiko KEK

			Pola Konsumsi Lauk Hewani		Total
			tdk sesuai	sesuai	
Pola Konsumsi Buah	tdk sesuai	Count	14	1	15
		Expected Count	13.4	1.6	15.0
		% within Pola Konsumsi Buah	93.3%	6.7%	100.0%
	sesuai	Count	3	1	4
		Expected Count	3.6	.4	4.0
		% within Pola Konsumsi Buah	75.0%	25.0%	100.0%
Total	Count	17	2	19	
	Expected Count	17.0	2.0	19.0	
	% within Pola Konsumsi Buah	89.5%	10.5%	100.0%	

Pola Konsumsi Buah * Pola Konsumsi Lauk Hewani Crosstabulation Pada Ibu Hamil Tidak Risiko KEK

			Pola Konsumsi Lauk Hewani		Total
			tdk sesuai	sesuai	
Pola Konsumsi Buah	tdk sesuai	Count	9	9	18
		Expected Count	8.7	9.3	18.0
		% within Pola Konsumsi Buah	50.0%	50.0%	100.0%
	sesuai	Count	6	7	13
		Expected Count	6.3	6.7	13.0
		% within Pola Konsumsi Buah	46.2%	53.8%	100.0%
Total	Count	15	16	31	
	Expected Count	15.0	16.0	31.0	
	% within Pola Konsumsi Buah	48.4%	51.6%	100.0%	

