

DATASET ACTIVATE DataSet1.

```
SAVE OUTFILE='D:\$ SKRIPSI IBNU UEU\$$$ Proposal Skripsi Ibnu Fix print udah Rev '+
'(SKM)\1. Fix Proposal Lanjut Skripsi (Revisi Setelah Sidang)\$4. Skripsi Ibnu Terbaru.
Fix\1. '+
'Data penelitian lengkap.ok,fix.sav'
/COMPRESSED.
CROSSTABS
/TABLES=pengetahuan BY Prilaku
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ RISK
/CELLS=COUNT ROW
/COUNT ROUND CELL.
```

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pengetahuan * Perilaku	45	100,0%	0	0,0%	45	100,0%

pengetahuan * Perilaku Crosstabulation

			Perilaku		Total
			buruk	baik	
pengetahuan	buruk	Count	14	0	14
		% within pengetahuan	100,0%	0,0%	100,0%
	baik	Count	5	26	31
		% within pengetahuan	16,1%	83,9%	100,0%
Total		Count	19	26	45
		% within pengetahuan	42,2%	57,8%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	27,810 ^a	1	,000		
Continuity Correction ^b	24,478	1	,000		
Likelihood Ratio	33,898	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	27,192	1	,000		
N of Valid Cases	45				

- a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5,91.
- b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
For cohort Perilaku = buruk	6,200	2,778	13,836
N of Valid Cases	45		

CROSSTABS

```

/TABLES=sikap BY Prilaku
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ RISK
/CELLS=COUNT ROW
/COUNT ROUND CELL.

```

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
sikap * Perilaku	45	100,0%	0	0,0%	45	100,0%

sikap * Perilaku Crosstabulation

			Perilaku		Total
			buruk	baik	
sikap	negatif	Count	14	5	19
		% within sikap	73,7%	26,3%	100,0%
	positif	Count	5	21	26
		% within sikap	19,2%	80,8%	100,0%
Total		Count	19	26	45
		% within sikap	42,2%	57,8%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	13,343 ^a	1	,000		
Continuity Correction ^b	11,204	1	,001		
Likelihood Ratio	13,933	1	,000		
Fisher's Exact Test				,001	,000
Linear-by-Linear Association	13,047	1	,000		
N of Valid Cases	45				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 8,02.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for sikap (negatif / positif)	11,760	2,865	48,268
For cohort Perilaku = buruk	3,832	1,667	8,807
For cohort Perilaku = baik	,326	,150	,708
N of Valid Cases	45		

CROSSTABS

/TABLES=pelatihan BY Prilaku

/FORMAT=AVALUE TABLES

/STATISTICS=CHISQ RISK

/CELLS=COUNT ROW

/COUNT ROUND CELL.

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pelatihan * Perilaku	45	100,0%	0	0,0%	45	100,0%

pelatihan * Perilaku Crosstabulation

			Perilaku		Total
			buruk	baik	
pelatihan	tidak pernah	Count	4	8	12
		% within pelatihan	33,3%	66,7%	100,0%
	pernah	Count	15	18	33
		% within pelatihan	45,5%	54,5%	100,0%
Total		Count	19	26	45
		% within pelatihan	42,2%	57,8%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,530 ^a	1	,467		
Continuity Correction ^b	,150	1	,699		
Likelihood Ratio	,539	1	,463		
Fisher's Exact Test				,517	,353
Linear-by-Linear Association	,518	1	,472		
N of Valid Cases	45				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 5,07.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pelatihan (tidak pernah / pernah)	,600	,151	2,390
For cohort Perilaku = buruk	,733	,303	1,774
For cohort Perilaku = baik	1,222	,736	2,029
N of Valid Cases	45		

CROSSTABS

/TABLES=Kenyamanan BY Prilaku

/FORMAT=AVALUE TABLES

/STATISTICS=CHISQ RISK

/CELLS=COUNT ROW

/COUNT ROUND CELL.

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kenyamanan * Perilaku	45	100,0%	0	0,0%	45	100,0%

kenyamanan * Perilaku Crosstabulation

			Perilaku		Total
			buruk	baik	
kenyamanan	Tidak nyaman	Count	2	10	12
		% within kenyamanan	16,7%	83,3%	100,0%
	nyaman	Count	17	16	33
		% within kenyamanan	51,5%	48,5%	100,0%
Total		Count	19	26	45
		% within kenyamanan	42,2%	57,8%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4,381 ^a	1	,036		
Continuity Correction ^b	3,069	1	,080		
Likelihood Ratio	4,759	1	,029		
Fisher's Exact Test				,046	,037
Linear-by-Linear Association	4,283	1	,038		
N of Valid Cases	45				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 5,07.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kenyamanan (Tidak nyaman / nyaman)	,188	,036	,995
For cohort Perilaku = buruk	,324	,087	1,196
For cohort Perilaku = baik	1,719	1,114	2,651
N of Valid Cases	45		