

LAMPIRAN G

HASIL TABULASI SILANG

Crosstabs

1. JenisKelamin * psychologicalwellbeing

Crosstab				
Count		psychologicalwellbeing		Total
		rendah	tinggi	
JenisKelamin	Perempuan	30	36	66
	Laki-laki	18	16	34
Total		48	52	100

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.504 ^a	1	.478		
Continuity Correction ^b	.249	1	.618		
Likelihood Ratio	.504	1	.478		
Fisher's Exact Test				.530	.309
Linear-by-Linear Association	.499	1	.480		
N of Valid Cases ^b	100				

2. Usia * psychologicalwellbeing

Crosstab				
Count		psychologicalwellbeing		Total
		rendah	tinggi	
Usia	20-40	1	2	3
	40-60	28	27	55
	60-70	19	23	42

Crosstab				
Count		psychologicalwellbeing		Total
		rendah	tinggi	
Usia	20-40	1	2	3
	40-60	28	27	55
	60-70	19	23	42
Total		48	52	100

Chi-Square Tests			
	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.573 ^a	2	.751
Likelihood Ratio	.579	2	.748
Linear-by-Linear Association	.069	1	.793
N of Valid Cases	100		

3. Agama * psychologicalwellbeing

Crosstab				
Count		Psychologicalwellbeing		Total
		rendah	Tinggi	
Agama	islam	44	39	83
	kristen	4	13	17
Total		48	52	100

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.914 ^a	1	.027		
Continuity Correction ^b	3.804	1	.051		
Likelihood Ratio	5.158	1	.023		
Fisher's Exact Test				.034	.024
Linear-by-Linear Association	4.865	1	.027		
N of Valid Cases ^b	100				

4. Pendidikan * psychologicalwellbeing

Crosstab				
Count		psychologicalwellbeing		Total
		rendah	tinggi	
Pendidikan	sd	25	22	47
	smp	10	18	28
	sma	11	11	22
	s-1	2	1	3
Total		48	52	100

Chi-Square Tests			
	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.655 ^a	3	.448
Likelihood Ratio	2.689	3	.442
Linear-by-Linear Association	.040	1	.842
N of Valid Cases	100		

5. LamaMenderita * psychologicalwellbeing

Crosstab				
Count		psychologicalwellbeing		Total
		rendah	tinggi	
LamaMenderita	1 tahun	27	35	62
	2 tahun	16	17	33
	3 tahun	3	0	3
	4 tahun	2	0	2
Total		48	52	100

Chi-Square Tests			
	Value	df	Asymp. Sig. (2-sided)

Pearson Chi-Square	5.912 ^a	3	.116
Likelihood Ratio	7.837	3	.050
Linear-by-Linear Association	3.800	1	.051
N of Valid Cases	100		

6. TinggalBersama * psychologicalwellbeing

Crosstab				
Count		psychologicalwellbeing		Total
		rendah	tinggi	
TinggalBersama	anak	7	5	12
	anak dan istri	18	15	33
	anak dan suami	23	32	55
Total		48	52	100

Chi-Square Tests			
	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.922 ^a	2	.383
Likelihood Ratio	1.927	2	.381
Linear-by-Linear Association	1.760	1	.185
N of Valid Cases	100		

7. JumlahAnggotaKeluarga * psychologicalwellbeing

Crosstab				
Count		psychologicalwellbeing		Total
		rendah	tinggi	
JumlahAnggotaKeluarga	2 orang	3	0	3
	3 orang	22	33	55
	4 orang	19	16	35

	5 orang	4	3	7
Total		48	52	100

Chi-Square Tests			
	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.449 ^a	3	.142
Likelihood Ratio	6.615	3	.085
Linear-by-Linear Association	.326	1	.568
N of Valid Cases	100		

8. KeluargaYangMenderita * psychologicalwellbeing

Crosstab				
Count		psychologicalwellbeing		Total
		rendah	tinggi	
KeluargaYangMenderita	ada	10	18	28
	tidak ada	38	34	72
Total		48	52	100

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.352 ^a	1	.125		
Continuity Correction ^b	1.718	1	.190		
Likelihood Ratio	2.380	1	.123		
Fisher's Exact Test				.181	.095
Linear-by-Linear Association	2.328	1	.127		
N of Valid Cases ^b	100				