

HALAMAN IDENTITAS PENYUSUN

Data Pribadi

Nama : Anton Candra
Tempat, tanggal lahir : Jakarta, 23 Desember 1993
Jenis Kelamin : Laki-laki
Agama : Kristen
Alamat : Jl. Kp. Krendang No. 4B
RT 06 RW 07, Duri Utara,
Tambora, Jakarta Barat 11270
Kewarganegaraan : Indonesia
No. Telp : 08561668081
E-Mail : anton_chandra03@yahoo.co.id



Riwayat Pendidikan

1. Tahun 2007, Lulusan SDS Budi Jaya Jakarta
2. Tahun 2010, Lulusan SMP Budi Jaya Jakarta
3. Tahun 2013, Lulusan SMA Bhinneka Tunggal Ika Jakarta
4. Tahun 2013 – Sekarang, kuliah di Universitas Esa Unggul Jakarta, Program Studi Teknik Informatika Fakultas Ilmu Komputer

Riwayat Pekerjaan

1. Tahun 2013 – 2015, Staff Accounting CV. Anugrah Perdana
2. Tahun 2015 – 2017, Senior Programmer PT. Inovasi Mitra Sejati
3. Tahun 2018 – Sekarang, Koordinator IT Software Engineer PT. Perkasa Internusa Mandiri

SURAT PERMOHONAN PENELITIAN



Jakarta, 17 Oktober 2016

Nomor : 43/SP/KAPRODI-TIF/FASILKOM/EXT/X/2016
Lampiran : -
Perihal : Surat Permohonan Izin Untuk Penelitian

Kepada Yth.
HRD PT. Inovasi Mitra Sejaht
Jl. Cideng Timur Raya No. 86 A
Gambir, Jakarta Pusat 10160

Dengan hormat,

Sehubungan dengan mata kuliah Tugas Akhir (Skripsi) yang memerlukan data dan informasi bagi mahasiswa Fakultas Ilmu Komputer Program Studi Teknik Informatika, bersama ini kami sampaikan bahwa mahasiswa kami bermaksud untuk mencari beberapa data / informasi. Adapun nama mahasiswa tersebut adalah :

Nama : Anton Candra
NIM : 2013-81-225

Demikianlah atas perhatian dan kerjasamanya, kami ucapkan terima kasih.

Hormat kami,

Bambang Irawan, S.Kom, M.Kom
Ketua Program Studi Teknik Informatika

C.c : 1. Arsip.

SURAT KETERANGAN PENERIMAAN PERMOHONAN PENELITIAN



Nomor : 001/HRD/IMS/X/2016
Lampiran :
Perihal : **Balasan Surat Permohonan Ijin Untuk Penelitian**

Kepada Yth.
Ketua Program Studi Teknik Informatika
Bp. Bambang Irawan, S. Kom, M. Kom
Di Tempat

Dengan Hormat,

Yang bertanda tangan dibawah ini :

Nama : Eka Gautama

Jabatan : Komisaris

Menerangkan bahwa :

Nama : Anton Candra

NIM : 2013 – 81 – 225

Telah kami setuju untuk mengadakan penelitian di PT. Inovasi Mitra Sejati dengan permasalahan dan judul "*Perancangan Sistem Monitoring Project Berbasis Website*".

Demikian surat ini kami sampaikan, atas perhatian dan kerjasamanya kami ucapkan terima kasih.

Jakarta, 19 Oktober 2016

Hormat kami,

Eka Gautama
Komisaris

SOURCE CODE SISTEM USULAN

Berikut adalah *Source code* sistem usulan :

1. Default.aspx

```
<% @ Page Language="C#" AutoEventWireup="true"
CodeFile="Default.aspx.cs" Inherits="_Default" %>
<% @ Register Assembly="MPF23.XUI"
Namespace="MPF23.XUI.Control" TagPrefix="cc1" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" lang="en">
<head id="Head1" runat="server">
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-
scale=1">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>ProjMon</title>
  <!-- Bootstrap core CSS -->
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/bootstrap-reset.css" rel="stylesheet">
  <!--external css-->
  <!-- Custom styles for this template -->
  <link href="css/style.css" rel="stylesheet">
  <link href="css/style-responsive.css" rel="stylesheet" />
  <!-- Custom CSS -->
  <link href="css/sb-admin-2.css" rel="stylesheet">
  <!-- HTML5 shim and Respond.js IE8 support of HTML5 tooltipss and
media queries -->
  <!--[if lt IE 9]>
  <script src="js/html5shiv.js"></script>
  <script src="js/respond.min.js"></script>
  <![endif]-->

  <script src="js/jquery.js"></script>
  <script src="js/bootstrap.min.js"></script>
```

```

<script src="js/hris.js"></script>
</head>
<body class="login-body">
  <div class="container">
    <form id="Form1" class="form-signin" runat="server">
      <h2 class="form-signin-heading">SIGN IN</h2>
      <div class="login-wrap">
        <asp:TextBox ID="txtUID" runat="server" class="form-control"
placeholder="User ID" MaxLength="10"></asp:TextBox>
        <asp:TextBox ID="txtPassword" runat="server" class="form-
control"
placeholder="Password"
TextMode="Password"></asp:TextBox>
        <label class="checkbox">
          <%--<span class="pull-right">
            <a data-toggle="modal" href="#ModalForgetPassword">
Forgot Password?</a>
          </span>--%>
        </label>
        <asp:Button ID="btnSignIn" runat="server" Text="Login"
class="btn btn-lg btn-success-orange btn-block"
OnClick="btnSignIn_Click" />
      </div>
      <!-- Modal -->
      <div aria-hidden="true" aria-labelledby="myModalLabel"
role="dialog" tabindex="-1" id="ModalForgetPassword" class="modal
fade">
        <div class="modal-dialog">
          <div class="modal-content">
            <div class="modal-header">
              <button type="button" class="close" data-
dismiss="modal" aria-hidden="true">&times;</button>
              <h4 class="modal-title">Forgot Password ?</h4>
            </div>
            <div class="modal-body">
              <p>Enter your User ID to reset your password.</p>
              <asp:TextBox ID="txtResetUID" runat="server"
placeholder="User ID" autocomplete="off" class="form-control
placeholder-no-fix"></asp:TextBox>
            </div>
          </div>
        </div>
      </div>
    </form>
  </div>
</body>
</html>

```



```

    </div>
  </div>
</div>
<div class="modal fade" id="SuccessNotif" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel"
aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal"
aria-hidden="true">
          &times;</button>
        <h4 class="modal-title">
          Success</h4>
      </div>
      <div class="modal-body">
        <h4>
          <i class="icon-thumbs-up-alt"></i> Horayyy!
        </h4>
        <p>Your data is at the safe place now</p>
      </div>
      <div class="modal-footer">
        <button data-dismiss="modal" class="btn btn-default"
type="button">
          OK</button>
      </div>
    </div>
  </div>
</div>
<!-- modal -->
</form>
</div>
</body>
</html>

```

2. Projectmain.aspx

```

<% @
Page
Title=""
Language="C#"
MasterPageFile="~/imonitoring.master" AutoEventWireup="true"

```



```

        CodeFile="projectmain.aspx.cs"
        Inherits="module_commonmst_projectmain" %>
<% @
        Register
        Assembly="MPF23.XUI"
        Namespace="MPF23.XUI.Control" TagPrefix="cc1" %>
<asp:Content
        ID="Content1"
        ContentPlaceHolderID="cph"
        runat="Server">
</asp:Content>
<asp:Content
        ID="Content2"
        ContentPlaceHolderID="cpb"
        runat="Server">
    <section class="panel">
        <header class="panel-heading">
            <span>Project Main Info</span>
        </header>
        <div class="panel-heading">
            <div class="row">
                <div class="col-sm-12">
                    <asp:LinkButton
                        ID="btnSave"
                        runat="server"
                        CssClass="btn btn-primary"
                        OnClick="btnSave_Click"><i class="icon-save"></i> Save</asp:LinkButton>
                    <asp:LinkButton
                        ID="btnGoLive"
                        runat="server"
                        CssClass="btn btn-primary"
                        OnClick="btnGoLive_Click"
                        CausesValidation="false"> Go Live</asp:LinkButton>
                    <asp:LinkButton
                        ID="btnCancel"
                        runat="server"
                        CssClass="btn btn-danger"
                        OnClick="btnCancel_Click"
                        CausesValidation="false"><i class="icon-remove"></i>
                        Cancel</asp:LinkButton>
                </div>
            </div>
        </div>
        <div class="panel-body form-horizontal">
            <asp:UpdatePanel
                ID="updProjMain"
                runat="server"
                UpdateMode="Conditional">
                <ContentTemplate>
                    <div class="row">
                        <div class="col-sm-6">
                            <div class="form-group">
                                <label class="col-sm-3">Code</label>

```

```

        <asp:RequiredFieldValidator ID="rfvCode"
runat="server" ErrorMessage="*" ControlToValidate="txtCode"
Display="Dynamic"></asp:RequiredFieldValidator>
        <div class="col-sm-9">
            <cc1:XUITextBox ID="txtCode" runat="server"
CssClass="form-control" placeholder="Code"
DBCColumnName="CODE" SPPParameterName="p_code"
MaxLength="10" DataType="String"
BindType="Both"></cc1:XUITextBox>
        </div>
    </div>
</div>
<div class="col-sm-6">
    <div class="form-group">
        <label class="col-sm-3">Name</label>
        <asp:RequiredFieldValidator ID="rfvName"
runat="server" ErrorMessage="*" ControlToValidate="txtName"
Display="Dynamic"></asp:RequiredFieldValidator>
        <div class="col-sm-9">
            <cc1:XUITextBox ID="txtName" runat="server"
CssClass="form-control" placeholder="Name"
DBCColumnName="NAME" SPPParameterName="p_name"
MaxLength="60" DataType="String"
BindType="Both"></cc1:XUITextBox>
        </div>
    </div>
</div>
</div>
<div class="row">
    <div class="col-sm-6">
        <div class="form-group">
            <label class="col-sm-3">Manager</label>
            <asp:RequiredFieldValidator ID="rfvManager"
runat="server" ErrorMessage="*" ControlToValidate="txtManager"
Display="Dynamic"></asp:RequiredFieldValidator>
            <div class="col-sm-9">
                <asp:LinkButton ID="btnLookUpEmpCode"
runat="server" class="btn btn-primary" data-toggle="modal"

```

```

CausesValidation="false"><i class = "icon-
table"></i></asp:LinkButton>
    <cc1:XUITextBox ID="txtManager" runat="server"
    CssClass="form-control" placeholder="Manager"
    DBColumnName="MANAGER" SPPparameterName="p_manager"
    MaxLength="10" DataType="String" BindType="Both"
    style="display:none"></cc1:XUITextBox>
        <cc1:XUILabel ID="lblCode" runat="server"
        DBColumnName="EMP_CODE" DataType="String"
        BindType="DBToUIOnly" style="display:none"></cc1:XUILabel>
            <cc1:XUILabel ID="lblName" runat="server"
            DBColumnName="EMP_NAME" DataType="String"
            BindType="DBToUIOnly"></cc1:XUILabel>
        </div>
    </div>
</div>
<div class="col-sm-6">
    <div class="form-group">
        <label class="col-sm-3 ">Notes</label>
        <div class="col-sm-9">
            <cc1:XUITextBox ID="txtNotes" runat="server"
            CssClass="form-control" placeholder="Notes"
            DBColumnName="NOTES" SPPparameterName="p_notes"
            MaxLength="200" DataType="String"
            BindType="Both"></cc1:XUITextBox>
        </div>
    </div>
</div>
</div>
<div class="row">
    <div class="col-sm-6">
        <div class="form-group">
            <label class="col-sm-3">Client</label>
            <asp:RequiredFieldValidator ID="rfvClientCode"
            runat="server" ErrorMessage="*" ControlToValidate="txtClientCode"
            Display="Dynamic"></asp:RequiredFieldValidator>
            <div class="col-sm-9">
                <asp:LinkButton ID="btnLookUpClient"
                runat="server" class="btn btn-primary" data-toggle="modal"

```

```

CausesValidation="false"><i class = "icon-
table"></i></asp:LinkButton>
    <cc1:XUITextBox ID="txtClientCode"
runat="server" CssClass="form-control" placeholder="Client Code"
DBCColumnName="CLIENT_CODE"
SPPParameterName="p_client_code" MaxLength="10"
DataType="String" BindType="Both"
style="display:none"></cc1:XUITextBox>
    <cc1:XUILabel ID="lblClientCode" runat="server"
DBCColumnName="CLIENT_CODE" DataType="String"
BindType="DBToUIOnly" style="display:none"></cc1:XUILabel>
    <cc1:XUILabel ID="lblClientName" runat="server"
DBCColumnName="CLIENT_NAME" DataType="String"
BindType="DBToUIOnly"></cc1:XUILabel>
</div>
</div>
</div>
<div class="col-sm-6">
    <div class="form-group">
        <label class="col-sm-3">Client PIC</label>
        <asp:RequiredFieldValidator ID="rfvClientPICID"
runat="server" ErrorMessage="*" ControlToValidate="txtClientCode"
Display="Dynamic"></asp:RequiredFieldValidator>
        <div class="col-sm-9">
            <asp:LinkButton ID="btnLookUpClientPIC"
runat="server" class="btn btn-primary" data-togel="modal"
CausesValidation="false"><i class = "icon-
table"></i></asp:LinkButton>
            <cc1:XUITextBox ID="txtClientPICID"
runat="server" CssClass="form-control" placeholder="Client PIC ID"
DBCColumnName="CLIENT_PIC_ID"
SPPParameterName="p_client_pic_id" MaxLength="10"
DataType="String" BindType="Both"
style="display:none"></cc1:XUITextBox>
            <cc1:XUILabel ID="lblClientPICID" runat="server"
DBCColumnName="CLIENT_PIC_ID" DataType="String"
BindType="DBToUIOnly" style="display:none"></cc1:XUILabel>

```

```

        <cc1:XUILabel ID="lblClientPICName"
runat="server" DBColumnName="CLIENT_PIC_NAME"
DataType="String" BindType="DBToUIOnly"></cc1:XUILabel>
    </div>
</div>
</div>
</div>
<div class="row">
    <div class="col-sm-6">
        <div class="form-group">
            <label class="col-sm-3 ">Kick Off Date</label>
            <asp:RequiredFieldValidator ID="rfvKickOffDate"
runat="server" ErrorMessage="*" ControlToValidate="txtKickOffDate"
Display="Dynamic"></asp:RequiredFieldValidator>
            <div class="col-sm-4">
                <cc1:XUITextBox ID="txtKickOffDate"
runat="server" CssClass="form-control default-date-picker"
placeholder="Kick Off Date" DBColumnName="KICKOFF_DATE"
SPPParameterName="p_kickoff_date" DataType="DateTime"
Format="dd/MM/yyyy" BindType="Both"></cc1:XUITextBox>
            </div>
        </div>
    </div>
    <div class="col-sm-6">
        <div class="form-group">
            <label class="col-sm-3 ">Deadline Date</label>
            <asp:RequiredFieldValidator ID="rfvDeadlineDate"
runat="server" ErrorMessage="*" ControlToValidate="txtDeadlineDate"
Display="Dynamic"></asp:RequiredFieldValidator>
            <div class="col-sm-4">
                <cc1:XUITextBox ID="txtDeadlineDate"
runat="server" CssClass="form-control default-date-picker"
placeholder="Deadline Date" DBColumnName="DEADLINE_DATE"
SPPParameterName="p_deadline_date" DataType="DateTime"
Format="dd/MM/yyyy" BindType="Both"></cc1:XUITextBox>
            </div>
        </div>
    </div>
</div>

```

```

<div class="row">
  <div class="col-sm-6">
    <div class="form-group">
      <label class="col-sm-3 ">No of Members</label>
      <div class="col-sm-4">
        <cc1:XUILabel ID="lblMembers" runat="server"
DBColumnName="MEMBERS"           DataType="Integer"
BindType="DBToUIOnly"></cc1:XUILabel>
      </div>
    </div>
  </div>
  <div class="col-sm-6">
    <div class="form-group">
      <label class="col-sm-3 ">No Of Tasklist</label>
      <div class="col-sm-4">
        <cc1:XUILabel ID="lblNoOfTasklist"
runat="server"           DBColumnName="NO_OF_TASKLIST"
DataType="Integer" BindType="DBToUIOnly"></cc1:XUILabel>
      </div>
    </div>
  </div>
</div>
<div class="row">
  <div class="col-sm-6">
    <div class="form-group">
      <label class="col-sm-3 ">Completed Tasklist</label>
      <div class="col-sm-4">
        <cc1:XUILabel ID="lblCompletedTasklist"
runat="server"           DBColumnName="COMPLETED_TASKLIST"
DataType="Integer" BindType="DBToUIOnly"></cc1:XUILabel>
      </div>
    </div>
  </div>
  <div class="col-sm-6">
    <div class="form-group">
      <label class="col-sm-3 ">Progress</label>
      <div class="col-sm-4">

```

```
<cc1:XUILabel ID="lblProgress" runat="server"
DBColumnName="PROGRESS" DataType="Number"
BindType="DBToUIOnly"></cc1:XUILabel>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-sm-6">
```

```
<div class="form-group">
```

```
<label class="col-sm-3">Go Live Date</label>
```

```
<div class="col-sm-4">
```

```
<cc1:XUILabel ID="lblGoLiveDate" runat="server"
DBColumnName="GOLIVE_DATE" DataType="DateTime"
Format="dd/MM/yyyy" BindType="DBToUIOnly"></cc1:XUILabel>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</ContentTemplate>
```

```
</asp:UpdatePanel>
```

```
</div>
```

```
</section>
```

```
<section class="panel">
```

```
<header class="panel-heading tab-bg-dark-navy-blue">
```

```
<ul class="nav nav-tabs nav-justified">
```

```
<li class="active">
```

```
<a href="#Member" data-toggle="tab">
```

```
Member
```

```
</a>
```

```
</li>
```

```
<li class="">
```

```
<a href="#Task" data-toggle="tab">
```

```
Task
```

```
</a>
```

```
</li>
```

```
</ul>
```

```
</header>
```

```
<div class="panel-body">
```

```

<div class="tab-content tab-content">
  <div class="tab-pane active" id="Member">
    <div class="panel-heading">
      <div class="row">
        <div class="col-sm-8">
          <asp:LinkButton ID="btnAddMember"
runat="server"           CssClass="btn btn-primary"
OnClick="btnAddMember_Click" CausesValidation="false"><i
class="icon-plus"></i> Create</asp:LinkButton>
          <asp:LinkButton ID="btnDeleteMember"
runat="server"           CssClass="btn btn-danger"
OnClick="btnDeleteMember_Click" CausesValidation="false"><i
class="icon-trash"></i> Delete</asp:LinkButton>
        </div>
        <div class="col-sm-4">
          <asp:Panel ID="pnlSearch" runat="server"
DefaultButton="btnSearchMember" class="input-group">
            <asp:TextBox ID="txtSearchMember"
runat="server"           CssClass="form-control"
placeholder="Keywords"></asp:TextBox>
            <div class="input-group-btn">
              <asp:LinkButton
ID="btnSearchMember" runat="server" CssClass="btn btn-info"
OnClick="btnSearchMember_Click" CausesValidation="false"><i
class="icon-search"></i> Search</asp:LinkButton>
            </div>
          </asp:Panel>
        </div>
      </div>
      <div class="panel-body">
        <asp:UpdatePanel ID="updMember"
runat="server">
          <ContentTemplate>
            <asp:GridView ID="gvwListMember"
runat="server" AutoGenerateColumns="false" CssClass="display table
table-bordered table-striped"
AllowPaging="true" PageSize="10"
DataKeyNames="PROJECT_CODE, EMP_CODE"

```



```

OnPageIndexChanging="gvwListMember_PageIndexChanging"
onselectedindexchanged="gvwListMember_SelectedIndexChanged"
EmptyDataText="There Is No Data">
    <Columns>
        <asp:TemplateField>
            <HeaderTemplate>
                <span>No</span>
            </HeaderTemplate>
            <ItemTemplate>
                <%# Container.DataItemIndex + 1 %>
            </ItemTemplate>
        </asp:TemplateField>
        <asp:TemplateField>
            <HeaderTemplate>
                <asp:CheckBox runat="server"
ID="chbCheckedAllMember" AutoPostBack="true"
OnCheckedChanged="chbCheckedAllMember_CheckedChanged"/>
            </HeaderTemplate>
            <ItemTemplate>
                <asp:CheckBox runat="server"
ID="chbChecked"/>
            </ItemTemplate>
        </asp:TemplateField>
        <asp:BoundField DataField="EMP_NAME"
HeaderText="Name">
            <ItemStyle Width="25%"
HorizontalAlign="Left"/>
        </asp:BoundField>
        <asp:BoundField
DataField="POSITION_NAME" HeaderText="Position">
            <ItemStyle Width="25%"
HorizontalAlign="left"/>
        </asp:BoundField>
        <asp:BoundField
DataField="HANDPHONE_NO" HeaderText="Mobile No">
            <ItemStyle Width="15%"
HorizontalAlign="left"/>

```

```

        </asp:BoundField>
        <asp:BoundField          DataField="EMAIL"
        HeaderText="E-mail">
            <ItemStyle          Width="25%"
            HorizontalAlign="left"/>
        </asp:BoundField>
        <asp:BoundField
        DataField="TOTAL_POINT" HeaderText="Point">
            <ItemStyle          Width="10%"
            HorizontalAlign="Right"/>
        </asp:BoundField>
    </Columns>
</asp:GridView>
</ContentTemplate>
<Triggers>
    <asp:AsyncPostBackTrigger
    ControlID="btnSearchMember" EventName="Click" />
    <asp:AsyncPostBackTrigger
    ControlID="btnDeleteMember" EventName="Click" />
</Triggers>
</asp:UpdatePanel>
</div>
</div>
<div class="tab-pane" id="Task">
    <div class="panel-heading">
        <div class="row">
            <div class="col-sm-8">
                <asp:LinkButton          ID="btnAddTask"
                runat="server"          CssClass="btn          btn-primary"
                OnClick="btnAddTask_Click" CausesValidation="false"><i
                class="icon-plus"></i> Create</asp:LinkButton>
                <asp:LinkButton          ID="btnDeleteTask"
                runat="server"          CssClass="btn          btn-danger"
                OnClick="btnDeleteTask_Click" CausesValidation="false"><i
                class="icon-trash"></i> Delete</asp:LinkButton>
            </div>
            <div class="col-sm-4">
                <asp:Panel          ID="Panel1"          runat="server"
                DefaultButton="btnSearchTask" class="input-group">

```

```

        <asp:TextBox ID="txtSearchTask"
runat="server" CssClass="form-control"
placeholder="Keywords"></asp:TextBox>
        <div class="input-group-btn">
            <asp:LinkButton ID="btnSearchTask"
runat="server" CssClass="btn btn-info"
OnClick="btnSearchTask_Click" CausesValidation="false"><i
class="icon-search"></i> Search</asp:LinkButton>
        </div>
    </asp:Panel>
</div>
</div>
</div>
<div class="panel-body">
    <asp:UpdatePanel ID="updTask" runat="server">
        <ContentTemplate>
            <asp:GridView ID="gvwListTask"
runat="server" AutoGenerateColumns="false" CssClass="display table
table-bordered table-striped"
                AllowPaging="true" PageSize="10"
                DataKeyNames="ID"
                OnPageIndexChanging="gvwListTask_PageIndexChanging"
                onselectedindexchanged="gvwListTask_SelectedIndexChanged"
                EmptyDataText="There Is No Data">
                <Columns>
                    <asp:TemplateField>
                        <HeaderTemplate>
                            <span>No</span>
                        </HeaderTemplate>
                        <ItemTemplate>
                            <%# Container.DataItemIndex + 1
%>
                        </ItemTemplate>
                    </asp:TemplateField>
                    <asp:TemplateField>
                        <HeaderTemplate>

```

```

                                <asp:CheckBox      runat="server"
ID="chbCheckedAllTask"                                AutoPostBack="true"
OnCheckedChanged="chbCheckedAllTask_CheckedChanged"/>
                                </HeaderTemplate>
                                <ItemTemplate>
                                <asp:CheckBox      runat="server"
ID="chbChecked"/>
                                </ItemTemplate>
                                </asp:TemplateField>
                                <asp:BoundField    DataField="TITLE"
HeaderText="Title">
                                <ItemStyle                Width="15%"
HorizontalAlign="Left"/>
                                </asp:BoundField>
                                <asp:BoundField
DataField="DESCRIPTION" HeaderText="Description">
                                <ItemStyle                Width="40%"
HorizontalAlign="Left"/>
                                </asp:BoundField>
                                <asp:BoundField
DataField="EMP_NAME" HeaderText="Assign To">
                                <ItemStyle                Width="15%"
HorizontalAlign="left"/>
                                </asp:BoundField>
                                <asp:BoundField
DataField="START_DATE"    HeaderText="Start        Date"
DataFormatString="{0:dd/MM/yyyy}">
                                <ItemStyle                Width="10%"
HorizontalAlign="Center"/>
                                </asp:BoundField>
                                <asp:BoundField
DataField="DEADLINE_DATE" HeaderText="DeadLine    Date"
DataFormatString="{0:dd/MM/yyyy}">
                                <ItemStyle                Width="10%"
HorizontalAlign="Center"/>
                                </asp:BoundField>
                                <asp:BoundField
DataField="POINT" HeaderText="Point">

```

```

        <ItemStyle                                Width="5%"
HorizontalAlign="Right"/>
    </asp:BoundField>
    <asp:BoundField
DataField="LAST_STATUS" HeaderText="Status">
        <ItemStyle                                Width="5%"
HorizontalAlign="Left"/>
    </asp:BoundField>
    <asp:CommandField
ShowSelectButton="true" />
</Columns>
</asp:GridView>
</ContentTemplate>
<Triggers>
    <asp:AsyncPostBackTrigger
ControlID="btnSearchTask" EventName="Click" />
    <asp:AsyncPostBackTrigger
ControlID="btnDeleteTask" EventName="Click" />
</Triggers>
</asp:UpdatePanel>
</div>
</div>
</section>
</asp:Content>

```

3. Supporttask.aspx

```

<% @ Page Language="C#" MasterPageFile="~/imonitoring.master"
AutoEventWireup="true"
CodeFile="supporttask.aspx.cs"
Inherits="module_support_supporttask" Title="Untitled Page" %>
<% @ Register                                Assembly="MPF23.XUI"
Namespace="MPF23.XUI.Control" TagPrefix="cc1" %>
<asp:Content ID="Content1" ContentPlaceHolderID="cph"
runat="Server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="cpb"
runat="Server">
    <section class="panel">
        <header class="panel-heading">

```

```

<span>Support Task Info</span>
</header>
<div class="panel-heading">
  <div class="row">
    <div class="col-sm-12">
      <asp:LinkButton ID="btnSave" runat="server"
        CssClass="btn btn-primary" OnClick="btnSave_Click"><i class="icon-
        save"></i> Save</asp:LinkButton>
      <asp:LinkButton ID="btnClose" runat="server"
        CssClass="btn btn-primary" OnClick="btnClose_Click"></i>
        Close</asp:LinkButton>
      <asp:LinkButton ID="btnCancel" runat="server"
        CssClass="btn btn-danger" OnClick="btnCancel_Click"
        CausesValidation="false"><i class="icon-remove"></i>
        Cancel</asp:LinkButton>
    </div>
  </div>
</div>
<div class="panel-body form-horizontal">
  <cc1:XUILabel ID="lblID" runat="server" CssClass="form-
  control" DBColumnName="ID" SPPParameterName="p_id"
  DataType="Integer" BindType="Both" style="display:none"
  Text="0"></cc1:XUILabel>
  <cc1:XUILabel ID="lblProjectCode" runat="server"
  DBColumnName="PROJECT_CODE"
  SPPParameterName="p_project_code" DataType="String"
  BindType="DBToUIOnly" style="display:none"></cc1:XUILabel>
  <div class="row">
    <div class="col-sm-6">
      <div class="form-group">
        <label class="col-sm-3">Ticket</label>
        <div class="col-sm-9">
          <cc1:XUILabel ID="lblTicketNo" runat="server"
            DBColumnName="TICKET_NO" DataType="String"
            BindType="DBToUIOnly"></cc1:XUILabel>
        </div>
      </div>
    </div>
  </div>
</div>
<div class="col-sm-6">

```

```

<div class="form-group">
  <label class="col-sm-3">Last Status</label>
  <div class="col-sm-9">
    <cc1:XUILabel ID="lblLastStatus" runat="server"
      DBColumnName="LAST_STATUS"
      SPPParameterName="p_last_status" MaxLength="50" DataType="String"
      BindType="Both"></cc1:XUILabel>
  </div>
</div>
</div>
</div>
<div class="row">
  <div class="col-sm-6">
    <div class="form-group">
      <label class="col-sm-3">Project</label>
      <div class="col-sm-9">
        <cc1:XUIDropDownList ID="ddlProjectCode"
          runat="server" CssClass="form-control" input-sm"
          DBColumnName="PROJECT_CODE"
          SPPParameterName="p_project_code" DataType="String"
          BindType="Both"></cc1:XUIDropDownList>
        <cc1:XUITextBox ID="txtClientCode" runat="server"
          DBColumnName="CLIENT_CODE" DataType="String"
          BindType="DBToUIOnly" style="display:none"></cc1:XUITextBox>
      </div>
    </div>
  </div>
  <div class="col-sm-6">
    <div class="form-group">
      <label class="col-sm-3">Client Close Date</label>
      <div class="col-sm-9">
        <cc1:XUILabel ID="lblCompleteDate" runat="server"
          DBColumnName="COMPLETE_DATE" DataType="DateTime"
          BindType="DBToUIOnly" Format="dd/MM/yyyy"></cc1:XUILabel>
      </div>
    </div>
  </div>
</div>
</div>
<div class="row">

```

```

<div class="col-sm-6">
  <div class="form-group">
    <label class="col-sm-3">Issue Date</label>
    <asp:RequiredFieldValidator ID="rfvIssueDate"
runat="server" ErrorMessage="*" ControlToValidate="txtIssueDate"
Display="Dynamic"></asp:RequiredFieldValidator>
    <div class="col-sm-4">
      <cc1:XUITextBox ID="txtIssueDate" runat="server"
CssClass="form-control default-date-picker input-sm"
placeholder="Issue Date" DBColumnName="ISSUE_DATE"
SPPParameterName="p_issue_date" MaxLength="10"
DataType="DateTime" BindType="Both"
Format="dd/MM/yyyy"></cc1:XUITextBox>
    </div>
  </div>
</div>
<div class="col-sm-6">
  <div class="form-group">
    <label class="col-sm-3">Issue By</label>
    <asp:RequiredFieldValidator ID="rfvIssueByID"
runat="server" ErrorMessage="*" ControlToValidate="txtIssueByID"
Display="Dynamic"></asp:RequiredFieldValidator>
    <div class="col-sm-9">
      <asp:LinkButton ID="btnLookUpIssueBy"
runat="server" class="btn btn-primary" data-togel="modal"
CausesValidation="false"><i class="icon-table"></i>
</asp:LinkButton>
      <cc1:XUITextBox ID="txtIssueByID" runat="server"
CssClass="form-control input-sm" placeholder="Issue By"
DBColumnName="ISSUE_BY_ID"
SPPParameterName="p_issue_by_id" DataType="String"
BindType="Both" style="display:none"></cc1:XUITextBox>
      <cc1:XUILabel ID="lblCode" runat="server"
DBColumnName="PIC_CODE" DataType="String"
BindType="DBToUIOnly" style="display:none;"></cc1:XUILabel>
      <cc1:XUILabel ID="lblName" runat="server"
DBColumnName="PIC_NAME" DataType="String"
BindType="DBToUIOnly"></cc1:XUILabel>
    </div>
  </div>
</div>

```



```

</div>
</div>
</div>
<div class="row">
  <div class="col-sm-6">
    <div class="form-group">
      <label class="col-sm-3">Support Type</label>
      <div class="col-sm-9">
        <cc1:XUIDropDownList ID="ddlSupportType"
runat="server" CssClass="form-control input-sm" placeholder="Urgency
Type" DBColumnName="URGENCY_TYPE"
SPPParameterName="p_support_type" DataType="String"
BindType="Both">
          </cc1:XUIDropDownList>
        </div>
      </div>
    </div>
    <div class="col-sm-6">
      <div class="form-group">
        <label class="col-sm-3">Urgent Type</label>
        <div class="col-sm-9">
          <cc1:XUIDropDownList ID="ddlUrgencyType"
runat="server" CssClass="form-control input-sm" placeholder="Urgency
Type" DBColumnName="URGENCY_TYPE"
SPPParameterName="p_urgency_type" DataType="String"
BindType="Both">
            </cc1:XUIDropDownList>
          </div>
        </div>
      </div>
    </div>
  </div>
  <div class="row">
    <div class="col-sm-6">
      <div class="form-group">
        <label class="col-sm-3">Short Description</label>
        <div class="col-sm-9">
          <cc1:XUITextBox ID="txtNotes" runat="server"
CssClass="form-control input-sm" placeholder="Short Description"
DBColumnName="NOTES" SPPParameterName="p_notes"

```

```
MaxLength="1000"      DataType="String"      BindType="Both"
TextMode="MultiLine"></cc1:XUITextBox>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-sm-6">
```

```
<div class="form-group">
```

```
<label class="col-sm-3">Issue Description</label>
```

```
<div class="col-sm-9">
```

```
<cc1:XUITextBox ID="txtDescription" runat="server"
```

```
CssClass="form-control input-sm" placeholder="Description"
```

```
DBColumnName="ISSUE_DESCRIPTION"
```

```
SPPParameterName="p_issue_description"      MaxLength="2000"
```

```
DataType="String"      BindType="Both"
```

```
TextMode="MultiLine"></cc1:XUITextBox>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-sm-6">
```

```
<div class="form-group">
```

```
<label class="col-sm-3">Module</label>
```

```
<div class="col-sm-9">
```

```
<cc1:XUITextBox ID="txtModule" runat="server"
```

```
CssClass="form-control input-sm" placeholder="Module"
```

```
DBColumnName="MODULE"      SPPParameterName="p_module"
```

```
MaxLength="2000"      DataType="String"      BindType="Both"
```

```
TextMode="MultiLine"></cc1:XUITextBox>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-sm-6">
```

```
<div class="form-group">
```

```
<label class="col-sm-3">Error Message</label>
```

```
<div class="col-sm-9">
```

```
<cc1:XUITextBox ID="txtErrorMessage"
```

```
runat="server" CssClass="form-control input-sm" placeholder="Error  
Message"      DBColumnName="ERROR_MESSAGE"
```

```

SPPParameterName="p_error_message"           MaxLength="2000"
DataType="String"                             BindType="Both"
TextMode="MultiLine"></cc1:XUITextBox>
</div>
</div>
</div>
</div>
<div class="row">
<div class="col-sm-6">
<div class="form-group">
<label class="col-sm-3">Action</label>
<div class="col-sm-9">
<cc1:XUITextBox ID="txtAction" runat="server"
CssClass="form-control input-sm" placeholder="Action"
DBColumnName="ACTION" SPPParameterName="p_action"
MaxLength="2000" DataType="String" BindType="Both"
TextMode="MultiLine"></cc1:XUITextBox>
</div>
</div>
</div>
<div class="col-sm-6">
<div class="form-group">
<label class="col-sm-3">Browser</label>
<div class="col-sm-9">
<cc1:XUITextBox ID="txtBrowser" runat="server"
CssClass="form-control input-sm" placeholder="Browser"
DBColumnName="BROWSER" SPPParameterName="p_browser"
MaxLength="2000" DataType="String" BindType="Both"
TextMode="MultiLine"></cc1:XUITextBox>
</div>
</div>
</div>
</div>
<div class="row">
<div class="col-sm-6">
<div class="form-group">
<label class="col-sm-3">External Ref No</label>
<asp:RequiredFieldValidator ID="rfvExternalRefNo"
runat="server" ErrorMessage="*"

```

```

ControlToValidate="txtExternalRefNo"
Display="Dynamic"></asp:RequiredFieldValidator>
    <div class="col-sm-9">
        <cc1:XUITextBox ID="txtExternalRefNo"
runat="server" CssClass="form-control input-sm" placeholder="External
Ref No" DBColumnName="EXTERNAL_REF_NO"
SPPParameterName="p_external_ref_no" MaxLength="10"
DataType="String" BindType="Both"></cc1:XUITextBox>
    </div>
</div>
</div>
</div>
</div>
</div>
</section>
<section class="panel">
    <header class="panel-heading tab-bg-dark-navy-blue">
        <ul class="nav nav-tabs nav-justified">
            <li class="active">
                <a href="#Assignment" data-toggle="tab">
                    Assignment
                </a>
            </li>
            <li class="">
                <a href="#Document" data-toggle="tab">
                    Document
                </a>
            </li>
            <li class="">
                <a href="#Comment" data-toggle="tab">
                    Comment
                </a>
            </li>
            <li class="">
                <a href="#Log" data-toggle="tab">
                    Log
                </a>
            </li>
        </ul>
    </header>

```



```

AllowPaging="true"
DataKeyNames="ID, LAST_STATUS"
OnPageIndexChanging="gvwListAssignment_PageIndexChanging"
onselectedindexchanged="gvwListAssignment_SelectedIndexChanged"
EmptyDataText="There Is No Data">
    <Columns>
        <asp:TemplateField>
            <HeaderTemplate>
                <span>No</span>
            </HeaderTemplate>
            <ItemTemplate>
                <%# Container.DataItemIndex + 1 %>
            </ItemTemplate>
        </asp:TemplateField>
        <asp:TemplateField>
            <HeaderTemplate>
                <asp:CheckBox
                    ID="chbCheckedAllAssignment"
                    OnCheckedChanged="chbCheckedAllAssignment_CheckedChanged"/>
            </HeaderTemplate>
            <ItemTemplate>
                <asp:CheckBox
                    ID="chbChecked"/>
            </ItemTemplate>
        </asp:TemplateField>
        <asp:BoundField DataField="ASSIGN_DATE"
            HeaderText="Assign Date" DataFormatString="{0:dd/MM/yyyy}">
            <ItemStyle
                HorizontalAlign="Center"/>
        </asp:BoundField>
        <asp:BoundField
            DataField="DEADLINE_DATE" HeaderText="Deadline Date"
            DataFormatString="{0:dd/MM/yyyy}">
            <ItemStyle
                HorizontalAlign="Center"/>
        </asp:BoundField>
        <asp:BoundField
            HeaderText="Assign To">

```

```

                                <ItemStyle                                Width="30%"
HorizontalAlign="Left"/>
                                </asp:BoundField>
                                <asp:BoundField DataField="LAST_STATUS"
HeaderText="Last Status">
                                <ItemStyle                                Width="20%"
HorizontalAlign="Center"/>
                                </asp:BoundField>
                                <asp:CommandField ShowSelectButton="true"
/>

                                </Columns>
                                </asp:GridView>
                                </ContentTemplate>
                                <Triggers>
                                <asp:AsyncPostBackTrigger
ControlID="btnSearchAssignment" EventName="Click" />
                                <asp:AsyncPostBackTrigger
ControlID="btnDeleteAssignment" EventName="Click" />
                                </Triggers>
                                </asp:UpdatePanel>
                                </div>
                                </div>
                                <div class="tab-pane" id="Document">
                                <div class="panel-heading">
                                <div class="row">
                                <div class="col-sm-8">
                                <asp:LinkButton                                ID="btnAddDocument"
runat="server"                                CssClass="btn                                btn-primary"
OnClick="btnAddDocument_Click"                                CausesValidation="false"><i
class="icon-plus"></i> Create</asp:LinkButton>
                                <asp:LinkButton                                ID="btnDeleteDocument"
runat="server"                                CssClass="btn                                btn-danger"
OnClick="btnDeleteDocument_Click"                                CausesValidation="false"><i
class="icon-trash"></i> Delete</asp:LinkButton>
                                </div>
                                <div class="col-sm-4">
                                <asp:Panel ID="pnlSearchDocument" runat="server"
DefaultButton="btnSearchDocument" class="input-group">

```

```

        <asp:TextBox ID="txtSearchDocument"
runat="server" CssClass="form-control"
placeholder="Keywords"></asp:TextBox>
        <div class="input-group-btn">
            <asp:LinkButton ID="btnSearchDocument"
runat="server" CssClass="btn btn-info"
OnClick="btnSearchDocument_Click" CausesValidation="false"><i
class="icon-search"></i> Search</asp:LinkButton>
        </div>
    </asp:Panel>
</div>
</div>
</div>
<div class="panel-body">
    <asp:UpdatePanel ID="updDocument" runat="server">
        <ContentTemplate>
            <asp:GridView ID="gvwListDocument"
runat="server" AutoGenerateColumns="false" CssClass="display table
table-bordered table-striped"
                AllowPaging="true" PageSize="10"
                DataKeyNames="ID"
                OnPageIndexChanging="gvwListDocument_PageIndexChanging"
                onselectedindexchanged="gvwListDocument_SelectedIndexChanged"
                EmptyDataText="There Is No Data">
                <Columns>
                    <asp:TemplateField>
                        <HeaderTemplate>
                            <span>No</span>
                        </HeaderTemplate>
                        <ItemTemplate>
                            <%# Container.DataItemIndex + 1 %>
                        </ItemTemplate>
                    </asp:TemplateField>
                    <asp:TemplateField>
                        <HeaderTemplate>
                            <asp:CheckBox runat="server"
ID="chbCheckedAllDocument" AutoPostBack="true"
OnCheckedChanged="chbCheckedAllDocument_CheckedChanged"/>
                        </HeaderTemplate>

```



```

        <ItemTemplate>
            <asp:CheckBox runat="server"
ID="chbChecked"/>
        </ItemTemplate>
    </asp:TemplateField>
    <asp:BoundField DataField="FILE_NAME"
HeaderText="Filename">
        <ItemStyle Width="65%"
HorizontalAlign="Left"/>
    </asp:BoundField>
    <asp:BoundField DataField="FILE_TYPE"
HeaderText="File Type">
        <ItemStyle Width="35%"
HorizontalAlign="left"/>
    </asp:BoundField>
    <asp:TemplateField>
        <ItemTemplate>
            <asp:LinkButton runat="server"
CausesValidation="false" Text="View/Download" OnClientClick='<%=
Eval("FULLPATH", "javascript:window.open(\"{0}\", \"Report\",
\"fullscreen=0,menubar=0,status=0,scrollbars=0,resizable=1,toolbar=0,w
idth=600,height=400\");") %>'></asp:LinkButton>
        </ItemTemplate>
    </asp:TemplateField>
</Columns>
</asp:GridView>
</ContentTemplate>
<Triggers>
    <asp:AsyncPostBackTrigger
ControlID="btnSearchDocument" EventName="Click" />
    <asp:AsyncPostBackTrigger
ControlID="btnDeleteDocument" EventName="Click" />
</Triggers>
</asp:UpdatePanel>
</div>
</div>
<div class="tab-pane" id="Comment">
    <div class="panel-heading">
        <div class="row">

```

```

<div class="col-sm-8">
    <asp:LinkButton ID="btnAddComment"
runat="server"          CssClass="btn btn-primary"
OnClick="btnAddComment_Click" CausesValidation="false"><i
class="icon-plus"></i> Create</asp:LinkButton>
    <asp:LinkButton ID="btnDeleteComment"
runat="server"          CssClass="btn btn-danger"
OnClick="btnDeleteComment_Click" CausesValidation="false"><i
class="icon-trash"></i> Delete</asp:LinkButton>
</div>
<div class="col-sm-4">
    <asp:Panel ID="pnlSearchComment" runat="server"
DefaultButton="btnSearchComment" class="input-group">
        <asp:TextBox ID="txtSearchComment"
runat="server"          CssClass="form-control"
placeholder="Keywords"></asp:TextBox>
        <div class="input-group-btn">
            <asp:LinkButton ID="btnSearchComment"
runat="server"          CssClass="btn btn-info"
OnClick="btnSearchComment_Click" CausesValidation="false"><i
class="icon-search"></i> Search</asp:LinkButton>
        </div>
    </asp:Panel>
</div>
</div>
</div>
<div class="panel-body">
    <asp:UpdatePanel ID="updComment" runat="server">
        <ContentTemplate>
            <asp:GridView ID="gvwListComment"
runat="server" AutoGenerateColumns="false" CssClass="display table
table-bordered table-striped"
AllowPaging="true"          PageSize="10"
DataKeyNames="ID"
OnPageIndexChanging="gvwListComment_PageIndexChanging"
onselectedindexchanged="gvwListComment_SelectedIndexChanged"
EmptyDataText="There Is No Data">
                <Columns>
                    <asp:TemplateField>

```

```

<HeaderTemplate>
    <span>No</span>
</HeaderTemplate>
<ItemTemplate>
    <%# Container.DataItemIndex + 1 %>
</ItemTemplate>
</asp:TemplateField>
<asp:TemplateField>
<HeaderTemplate>
    <asp:CheckBox                runat="server"
ID="chbCheckedAllComment"      AutoPostBack="true"
OnCheckedChanged="chbCheckedAllComment_CheckedChanged"/>
</HeaderTemplate>
<ItemTemplate>
    <asp:CheckBox                runat="server"
ID="chbChecked"/>
</ItemTemplate>
</asp:TemplateField>
<asp:BoundField
DataField="COMMENT_NAME" HeaderText="Comment By">
    <ItemStyle                Width="35%"
HorizontalAlign="Left"/>
</asp:BoundField>
<asp:BoundField    DataField="COMMENT"
HeaderText="Comment">
    <ItemStyle                Width="65%"
HorizontalAlign="Left"/>
</asp:BoundField>
<asp:CommandField ShowSelectButton="true"
/>
</Columns>
</asp:GridView>
</ContentTemplate>
<Triggers>
    <asp:AsyncPostBackTrigger
ControlID="btnSearchComment" EventName="Click" />
    <asp:AsyncPostBackTrigger
ControlID="btnDeleteComment" EventName="Click" />
</Triggers>

```

```

</asp:UpdatePanel>
</div>
</div>
<div class="tab-pane" id="Log">
<div class="panel-heading">
<div class="row">
<div class="col-sm-8">
</div>
<div class="col-sm-4">
<asp:Panel ID="pnlSearchLog" runat="server"
DefaultButton="btnSearchLog" class="input-group">
<asp:TextBox ID="txtSearchLog" runat="server"
CssClass="form-control" placeholder="Keywords"></asp:TextBox>
<div class="input-group-btn">
<asp:LinkButton ID="btnSearchLog"
runat="server" CssClass="btn btn-info" OnClick="btnSearchLog_Click"
CausesValidation="false"><i class="icon-search"></i>
Search</asp:LinkButton>
</div>
</asp:Panel>
</div>
</div>
</div>
<div class="panel-body">
<asp:UpdatePanel ID="updLog" runat="server">
<ContentTemplate>
<asp:GridView ID="gvwListLog" runat="server"
AutoGenerateColumns="false" CssClass="display table table-bordered
table-striped"
AllowPaging="true" PageSize="10"
DataKeyNames="ID"
OnPageIndexChanging="gvwListLog_PageIndexChanging"
onselectedindexchanged="gvwListLog_SelectedIndexChanged"
EmptyDataText="There Is No Data">
<Columns>
<asp:TemplateField>
<HeaderTemplate>
<span>No</span>
</HeaderTemplate>

```

```

<ItemTemplate>
    <%# Container.DataItemIndex + 1 %>
</ItemTemplate>
</asp:TemplateField>
<asp:BoundField      DataField="LOG_DATE"
HeaderText="Log      Date"      DataFormatString="{0:dd/MM/yyyy
HH:mm:ss}">

        <ItemStyle                                Width="15%"
HorizontalAlign="Center"/>
</asp:BoundField>
<asp:BoundField
DataField="MOD_BY_NAME" HeaderText="Log By">
    <ItemStyle Width="15%"/>
</asp:BoundField>
<asp:BoundField
DataField="LOG_DESCRIPTION" HeaderText="Log Description">
    <ItemStyle Width="70%"/>
</asp:BoundField>
</Columns>
</asp:GridView>
</ContentTemplate>
<Triggers>
    <asp:AsyncPostBackTrigger
ControlID="btnSearchLog" EventName="Click" />
</Triggers>
</asp:UpdatePanel>
</div>
</div>
</div>
</div>
</section>
</asp:Content>

```