

LAMPIRAN I

LAMPIRAN OUTPUT SPSS

• Uji Normalitas

One-Sample Kolmogorov-Smirnov Test

		Usia	Pendidikan	TDS	TDD	Hemoglobin	Berat Badan Lahir
N		710	710	710	710	710	710
Normal Parameters ^{a,b}	Mean	28.71	3.02	123.12	75.00	11.832	3026.19
	Std. Deviation	5.553	.744	9.617	6.107	1.5928	378.445
Most Extreme Differences	Absolute	.094	.417	.157	.148	.102	.053
	Positive	.094	.417	.138	.148	.071	.053
	Negative	-.049	-.384	-.157	-.136	-.102	-.048
Kolmogorov-Smirnov Z		2.506	11.110	4.192	3.954	2.720	1.405
Asymp. Sig. (2-tailed)		.000	.000	.000	.000	.000	.039

a. Test distribution is Normal.

b. Calculated from data.

One-Sample Kolmogorov-Smirnov Test

		Jarak Kelahiran (tahun)
N		642
Normal Parameters ^{a,b}	Mean	3.590
	Std. Deviation	1.7849
Most Extreme Differences	Absolute	.209
	Positive	.209
	Negative	-.176
Kolmogorov-Smirnov Z		5.294
Asymp. Sig. (2-tailed)		.000

a. Test distribution is Normal.

b. Calculated from data.

➤ Univariat

1. Karakteristik Responden

a. Usia

Statistics

Usia		
N	Valid	710
	Missing	0
Mean		28,68
Median		28,00
Std. Deviation		5,483
Minimum		15
Maximum		42

b. Jarak Kelahiran**Statistics**

Jarak Kelahiran (tahun)

N	Valid	642
	Missing	68
Mean		3,590
Median		3,000
Std. Deviation		1,7849
Range		10,0
Minimum		1,0
Maximum		11,0

c. Pendidikan**Pendidikan**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	SD	31	4.4	4.4	4.4
	SMP	43	6.1	6.1	10.4
	SMA/SMK	569	80.1	80.1	90.6
	Diploma (D1-D3)	14	2.0	2.0	92.5
	S1	53	7.5	7.5	100.0
	Total	710	100.0	100.0	

2. Berat Badan Lahir Bayi**BBL_Kategori**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	BBLR	24	3.4	3.4	3.4
	Normal	686	96.6	96.6	100.0
	Total	710	100.0	100.0	

3. Tekanan Darah Sistolik**Statistics**

TDS

N	Valid	710
	Missing	0
Mean		123,12
Median		120,00
Std. Deviation		9,617
Range		57
Minimum		90
Maximum		147

4. Tekanan Darah Diastolik

Statistics

TDD		
N	Valid	710
	Missing	0
Mean		75,09
Median		75,00
Std. Deviation		5,549
Minimum		60
Maximum		100

5. Kadar Hemoglobin

Statistics

Hemoglobin		
N	Valid	710
	Missing	0
Mean		11,832
Median		12,000
Std. Deviation		1,5928
Range		9,0
Minimum		7,5
Maximum		16,5

➤ Bivariat

1. Perbedaan Tekanan Darah pada Kehamilan Trimester III Berdasarkan Status Berat Badan Lahir Bayi

Ranks

	BBL_Kategori	N	Mean Rank	Sum of Ranks
TDS	BBLR	24	542.08	13010.00
	Normal	686	348.97	239395.00
	Total	710		

Test Statistics^a

	TDS
Mann-Whitney U	3754.000
Wilcoxon W	239395.000
Z	-4.624
Asymp. Sig. (2-tailed)	.000

Ranks

	BBL_Kategori	N	Mean Rank	Sum of Ranks
	BBLR	24	471.54	11317.00
	TDD Normal	686	351.44	241088.00
	Total	710		

Test Statistics^a

	TDD
Mann-Whitney U	5447.000
Wilcoxon W	241088.000
Z	-2.867
Asymp. Sig. (2-tailed)	.004

a. Grouping Variable:
BBL_Kategori

2. Perbedaan Kadar Hemoglobin pada Kehamilan Trimester III Berdasarkan Status Berat Badan Lahir Bayi

Ranks

	BBL_Kategori	N	Mean Rank	Sum of Ranks
	BBLR	24	75.81	1819.50
	Hemoglobin Normal	686	365.28	250585.50
	Total	710		

Test Statistics^a

	Hemoglobin
Mann-Whitney U	1519.500
Wilcoxon W	1819.500
Z	-6.806
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable:
BBL_Kategori