

## Hasil Uji Statistik

### 1. Uji Validitas

#### Correlations

	PIB1	PIB2	PIB3	PIB4	PIB5	PIB6	PIB7	PIB8	PIB9	PIB10	PIB11	PIB12	DS1	DS2	DS3	DS4	DS5	DS6	DS7	DS8	DS9	DS10	DS11	DS12	Total Jawaban Benar
<b>PIB1</b>																									
Pearson Correlation	1	.623**	.532**	.477**	1.000**	.532**	.477**	.623**	1.000**	.532**	.551**	.477**	1.000**	.551**	.532**	.477**	1.000**	.551**	.623**	.551**	.532**	.477**	.551**	.623**	.814**
Sig. (2-tailed)		.000	.001	.004	.000	.001	.004	.000	.000	.001	.001	.004	.000	.001	.001	.004	.000	.001	.000	.001	.001	.004	.001	.000	.000
N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
<b>PIB2</b>																									
Pearson Correlation	.623**	1	.750**	.420*	.623**	.750**	.420*	1.000**	.623**	.750**	.681**	.420*	.623**	.681**	.750**	.420*	.623**	.681**	1.000**	.681**	.750**	.420*	.681**	1.000**	.890**
Sig. (2-tailed)	.000		.000	.012	.000	.000	.012	.000	.000	.000	.000	.012	.000	.000	.000	.012	.000	.000	.000	.000	.000	.012	.000	.000	.000
N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
<b>PIB3</b>																									
Pearson Correlation	.532**	.750**	1	-.053	.532**	1.000**	-.053	.750**	.532**	1.000**	.673**	-.053	.532**	.673**	1.000**	-.053	.532**	.673**	.750**	.673**	1.000**	-.053	.673**	.750**	.792**
Sig. (2-tailed)	.001	.000		.764	.001	.000	.764	.000	.001	.000	.000	.764	.001	.000	.000	.764	.001	.000	.000	.000	.000	.764	.000	.000	.000
N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
<b>PIB4</b>																									
Pearson Correlation	.477**	.420*	-.053	1	.477**	-.053	1.000**	.420*	.477**	-.053	.377*	1.000**	.477**	.377*	-.053	1.000**	.477**	.377*	.420*	.377*	-.053	1.000**	.377*	.420*	.494**
Sig. (2-tailed)	.004	.012	.764		.004	.764	.000	.012	.004	.764	.026	.000	.004	.026	.764	.000	.004	.026	.012	.026	.764	.000	.026	.012	.003
N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
<b>PIB5</b>																									
Pearson Correlation	1.000**	.623**	.532**	.477**	1	.532**	.477**	.623**	1.000**	.532**	.551**	.477**	1.000**	.551**	.532**	.477**	1.000**	.551**	.623**	.551**	.532**	.477**	.551**	.623**	.814**
Sig. (2-tailed)	.000	.000	.001	.004		.001	.004	.000	.000	.001	.001	.004	.000	.001	.001	.004	.000	.001	.000	.001	.001	.004	.001	.000	.000
N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
<b>PIB6</b>																									
Pearson Correlation	.532**	.750**	1.000**	-.053	.532**	1	-.053	.750**	.532**	1.000**	.673**	-.053	.532**	.673**	1.000**	-.053	.532**	.673**	.750**	.673**	1.000**	-.053	.673**	.750**	.792**
Sig. (2-tailed)	.001	.000	.000	.764	.001		.764	.000	.001	.000	.000	.764	.001	.000	.000	.764	.001	.000	.000	.000	.000	.764	.000	.000	.000
N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
<b>PIB7</b>																									
Pearson Correlation	.477**	.420*	-.053	1.000**	.477**	-.053	1	.420*	.477**	-.053	.377*	1.000**	.477**	.377*	-.053	1.000**	.477**	.377*	.420*	.377*	-.053	1.000**	.377*	.420*	.494**
Sig. (2-tailed)	.004	.012	.764	.000	.004	.764		.012	.004	.764	.026	.000	.004	.026	.764	.000	.004	.026	.012	.026	.764	.000	.026	.012	.003
N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35

PIB8	Pearson Correlation	.623**	1.000**	.750**	.420*	.623**	.750**	.420*	1	.623**	.750**	.681**	.420*	.623**	.681**	.750**	.420*	.623**	.681**	1.000**	.681**	.750**	.420*	.681**	1.000**	.890**
	Sig. (2-tailed)	.000	.000	.000	.012	.000	.000	.012	.000	.000	.000	.012	.000	.000	.000	.012	.000	.000	.000	.000	.000	.012	.000	.000	.000	.000
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
PIB9	Pearson Correlation	1.000**	.623**	.532**	.477**	1.000**	.532**	.477**	.623**	1	.532**	.551**	.477**	1.000**	.551**	.532**	.477**	1.000**	.551**	.623**	.551**	.532**	.477**	.551**	.623**	.814**
	Sig. (2-tailed)	.000	.000	.001	.004	.000	.001	.004	.000	.000	.001	.001	.004	.000	.001	.001	.004	.000	.001	.000	.001	.001	.001	.004	.001	.000
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
PIB10	Pearson Correlation	.532**	.750**	1.000**	-.053	.532**	1.000**	-.053	.750**	.532**	1	.673**	-.053	.532**	.673**	1.000**	-.053	.532**	.673**	.750**	.673**	1.000**	-.053	.673**	.750**	.792**
	Sig. (2-tailed)	.001	.000	.000	.764	.001	.000	.764	.000	.001	.000	.000	.764	.001	.000	.000	.764	.001	.000	.000	.000	.000	.764	.000	.000	.000
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
PIB11	Pearson Correlation	.551**	.681**	.673**	.377*	.551**	.673**	.377*	.681**	.551**	.673**	1	.377*	.551**	1.000**	.673**	.377*	.551**	1.000**	.681**	1.000**	.673**	.377*	1.000**	.681**	.872**
	Sig. (2-tailed)	.001	.000	.000	.026	.001	.000	.026	.000	.001	.000	.026	.001	.000	.000	.000	.026	.001	.000	.000	.000	.026	.000	.000	.000	.000
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
PIB12	Pearson Correlation	.477**	.420*	-.053	1.000**	.477**	-.053	1.000**	.420*	.477**	-.053	.377*	1	.477**	.377*	-.053	1.000**	.477**	.377*	.420*	.377*	-.053	1.000**	.377*	.420*	.494**
	Sig. (2-tailed)	.004	.012	.764	.000	.004	.764	.000	.012	.004	.764	.026	.004	.026	.764	.000	.004	.026	.012	.026	.764	.000	.026	.012	.026	.003
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
DS1	Pearson Correlation	1.000**	.623**	.532**	.477**	1.000**	.532**	.477**	.623**	1.000**	.532**	.551**	.477**	1	.551**	.532**	.477**	1.000**	.551**	.623**	.551**	.532**	.477**	.551**	.623**	.814**
	Sig. (2-tailed)	.000	.000	.001	.004	.000	.001	.004	.000	.000	.001	.001	.004	.000	.001	.001	.004	.000	.001	.000	.001	.001	.004	.001	.000	.000
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
DS2	Pearson Correlation	.551**	.681**	.673**	.377*	.551**	.673**	.377*	.681**	.551**	.673**	1.000**	.377*	.551**	1	.673**	.377*	.551**	1.000**	.681**	1.000**	.673**	.377*	1.000**	.681**	.872**
	Sig. (2-tailed)	.001	.000	.000	.026	.001	.000	.026	.000	.001	.000	.000	.026	.001	.000	.000	.026	.001	.000	.000	.000	.026	.000	.000	.000	.000
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
DS3	Pearson Correlation	.532**	.750**	1.000**	-.053	.532**	1.000**	-.053	.750**	.532**	1.000**	.673**	-.053	.532**	.673**	1	-.053	.532**	.673**	.750**	.673**	1.000**	-.053	.673**	.750**	.792**
	Sig. (2-tailed)	.001	.000	.000	.764	.001	.000	.764	.000	.001	.000	.000	.764	.001	.000	.764	.001	.000	.000	.000	.000	.764	.000	.000	.000	.000
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
DS4	Pearson Correlation	.477**	.420*	-.053	1.000**	.477**	-.053	1.000**	.420*	.477**	-.053	.377*	1.000**	.477**	.377*	-.053	1	.477**	.377*	.420*	.377*	-.053	1.000**	.377*	.420*	.494**
	Sig. (2-tailed)	.004	.012	.764	.000	.004	.764	.000	.012	.004	.764	.026	.000	.004	.026	.764	.004	.026	.012	.026	.764	.000	.026	.012	.026	.003
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
DS5	Pearson Correlation	1.000**	.623**	.532**	.477**	1.000**	.532**	.477**	.623**	1.000**	.532**	.551**	.477**	1.000**	.551**	.532**	.477**	1	.551**	.623**	.551**	.532**	.477**	.551**	.623**	.814**

	Sig. (2-tailed)	.000	.000	.001	.004	.000	.001	.004	.000	.000	.001	.001	.004	.000	.001	.001	.004		.001	.000	.001	.001	.004	.001	.000	.000	.000
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
DS6	Pearson Correlation	.551**	.681**	.673**	.377*	.551**	.673**	.377*	.681**	.551**	.673**	1.000**	.377*	.551**	1.000**	.673**	.377*	.551**	1	.681**	1.000**	.673**	.377*	1.000**	.681**	.872**	
	Sig. (2-tailed)	.001	.000	.000	.026	.001	.000	.026	.000	.001	.000	.000	.026	.001	.000	.000	.026	.001		.000	.000	.000	.026	.000	.000	.000	
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	
DS7	Pearson Correlation	.623**	1.000**	.750**	.420*	.623**	.750**	.420*	1.000**	.623**	.750**	.681**	.420*	.623**	.681**	.750**	.420*	.623**	.681**	1	.681**	.750**	.420*	.681**	1.000**	.890**	
	Sig. (2-tailed)	.000	.000	.000	.012	.000	.000	.012	.000	.000	.000	.000	.012	.000	.000	.000	.012	.000	.000		.000	.000	.012	.000	.000	.000	
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	
DS8	Pearson Correlation	.551**	.681**	.673**	.377*	.551**	.673**	.377*	.681**	.551**	.673**	1.000**	.377*	.551**	1.000**	.673**	.377*	.551**	1.000**	.681**	1	.673**	.377*	1.000**	.681**	.872**	
	Sig. (2-tailed)	.001	.000	.000	.026	.001	.000	.026	.000	.001	.000	.000	.026	.001	.000	.000	.026	.001	.000	.000		.000	.026	.000	.000	.000	
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	
DS9	Pearson Correlation	.532**	.750**	1.000**	-.053	.532**	1.000**	-.053	.750**	.532**	1.000**	.673**	-.053	.532**	.673**	1.000**	-.053	.532**	.673**	.750**	.673**	1	-.053	.673**	.750**	.792**	
	Sig. (2-tailed)	.001	.000	.000	.764	.001	.000	.764	.000	.001	.000	.000	.764	.001	.000	.000	.764	.001	.000	.000	.000		.764	.000	.000	.000	
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	
DS10	Pearson Correlation	.477**	.420*	-.053	1.000**	.477**	-.053	1.000**	.420*	.477**	-.053	.377*	1.000**	.477**	.377*	-.053	1.000**	.477**	.377*	.420*	.377*	-.053	1	.377*	.420*	.494**	
	Sig. (2-tailed)	.004	.012	.764	.000	.004	.764	.000	.012	.004	.764	.026	.000	.004	.026	.764	.000	.004	.026	.012	.026	.012	.764	.026	.012	.003	
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	
DS11	Pearson Correlation	.551**	.681**	.673**	.377*	.551**	.673**	.377*	.681**	.551**	.673**	1.000**	.377*	.551**	1.000**	.673**	.377*	.551**	1.000**	.681**	1.000**	.673**	.377*	1	.681**	.872**	
	Sig. (2-tailed)	.001	.000	.000	.026	.001	.000	.026	.000	.001	.000	.000	.026	.001	.000	.000	.026	.001	.000	.000	.000	.000	.026	.000	.000	.000	
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	
DS12	Pearson Correlation	.623**	1.000**	.750**	.420*	.623**	.750**	.420*	1.000**	.623**	.750**	.681**	.420*	.623**	.681**	.750**	.420*	.623**	.681**	1.000**	.681**	.750**	.420*	.681**	1	.890**	
	Sig. (2-tailed)	.000	.000	.000	.012	.000	.000	.012	.000	.000	.000	.000	.012	.000	.000	.000	.012	.000	.000	.000	.000	.000	.012	.000		.000	
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	
Total Jawaban Benar	Pearson Correlation	.814**	.890**	.792**	.494**	.814**	.792**	.494**	.890**	.814**	.792**	.872**	.494**	.814**	.872**	.792**	.494**	.814**	.872**	.890**	.872**	.792**	.494**	.872**	.890**	1	
	Sig. (2-tailed)	.000	.000	.000	.003	.000	.000	.003	.000	.000	.000	.000	.003	.000	.000	.000	.003	.000	.000	.000	.000	.000	.003	.000	.000		
	N	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	

\*\* .Correlation is significant at the 0.01 level (2-tailed).

\* .Correlation is significant at the 0.05 level (2-tailed).

## 2. Uji Normalitas

Statistics

		Pengetahuan Ibu Bersalin	Dukungan Suami
N	Valid	135	135
	Missing	0	0
Mean		6.3778	7.1852
Median		6.0000	7.0000
Std. Deviation		3.35214	3.09835
Minimum		1.00	1.00
Maximum		12.00	12.00

One-Sample Kolmogorov-Smirnov Test

		Pengetahuan	Dukungan Suami
N		135	135
Normal Parameters <sup>a,b</sup>	Mean	6,3778	7,1852
	Std. Deviation	3,35214	3,09835
Most Extreme Differences	Absolute	,075	,073
	Positive	,075	,070
	Negative	-,075	-,073
Test Statistic		,075	,073
Asymp. Sig. (2-tailed)		,061 <sup>c</sup>	,073 <sup>c</sup>

- a. Test distribution is Normal.
- b. Calculated from data.
- c. Lilliefors Significance Correction.

### 3. Uji Univariat

Usia Responden

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Beresiko (Usia < 21 - > 35Th)	75	55.6	55.6	55.6
Tidak Beresiko (Usia 21 - 35th)	60	44.4	44.4	100.0
Total	135	100.0	100.0	

Pendidikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Rendah	75	55.6	55.6	55.6
Tinggi	60	44.4	44.4	100.0
Total	135	100.0	100.0	

Pekerjaan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Bekerja	52	38.5	38.5	38.5
Bekerja	83	61.5	61.5	100.0
Total	135	100.0	100.0	

**Paritas**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Multipara (> 2 anak)	51	37.8	37.8	37.8
Primipara (< 2 anak)	84	62.2	62.2	100.0
Total	135	100.0	100.0	

**Pengetahuan Ibu Bersalin**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kurang Baik	72	53.3	53.3	53.3
Baik	63	46.7	46.7	100.0
Total	135	100.0	100.0	

**Dukungan Suami**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Mendukung	73	54.1	54.1	54.1
Mendukung	62	45.9	45.9	100.0
Total	135	100.0	100.0	

#### 4. Uji Bivariat

##### a. Usia Responden \* Metode Kontrasepsi Jangka Panjang

Crosstab

			Metode Kontrasepsi Jangka Panjang		Total
			Non MKJP	MKJP	
Usia Responden	Beresiko (Usia < 21 atau > 35th)	Count	35	40	75
		% within Usia Responden	46.7%	53.3%	100.0%
		% within Metode Kontrasepsi Jangka Panjang	44.9%	70.2%	55.6%
		% of Total	25.9%	29.6%	55.6%
	Tidak Beresiko (Usia 21 - 35th)	Count	43	17	60
		% within Usia Responden	71.7%	28.3%	100.0%
		% within Metode Kontrasepsi Jangka Panjang	55.1%	29.8%	44.4%
		% of Total	31.9%	12.6%	44.4%
Total		Count	78	57	135
		% within Usia Responden	57.8%	42.2%	100.0%
		% within Metode Kontrasepsi Jangka Panjang	100.0%	100.0%	100.0%
		% of Total	57.8%	42.2%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.540 <sup>a</sup>	1	.003		
Continuity Correction <sup>b</sup>	7.546	1	.006		
Likelihood Ratio	8.702	1	.003		
Fisher's Exact Test				.005	.003
Linear-by-Linear Association	8.477	1	.004		
N of Valid Cases	135				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 25.33.

b. Computed only for a 2x2 table

**Symmetric Measures**

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.244	.003
N of Valid Cases		135	



**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia Responden (Beresiko (Usia < 21 atau > 35Th) / Tidak Beresiko (Usia 21 - 35th))	.346	.168	.712
For cohort Metode Kontrasepsi Jangka Panjang = Non MKJP	.651	.487	.870
For cohort Metode Kontrasepsi Jangka Panjang = MKJP	1.882	1.195	2.966
N of Valid Cases	135		

**b. Pendidikan \* Metode Kontrasepsi Jangka Panjang**

**Crosstab**

			Metode Kontrasepsi Jangka Panjang		Total
			Non MKJP	MKJP	
Pendidikan Rendah	Count	32	43	75	
	% within Pendidikan	42.7%	57.3%	100.0%	
	% within Metode Kontrasepsi Jangka Panjang	41.0%	75.4%	55.6%	
	% of Total	23.7%	31.9%	55.6%	
Tinggi	Count	46	14	60	
	% within Pendidikan	76.7%	23.3%	100.0%	
	% within Metode Kontrasepsi Jangka Panjang	59.0%	24.6%	44.4%	
	% of Total	34.1%	10.4%	44.4%	

Total	Count	78	57	135
	% within Pendidikan	57.8%	42.2%	100.0%
	% within Metode Kontrasepsi Jangka Panjang	100.0%	100.0%	100.0%
	% of Total	57.8%	42.2%	100.0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	15.796 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	14.433	1	.000		
Likelihood Ratio	16.324	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	15.679	1	.000		
N of Valid Cases	135				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 25.33.

b. Computed only for a 2x2 table

#### Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.324	.000
N of Valid Cases	135	

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pendidikan (Rendah / Tinggi)	.226	.107	.481
For cohort Metode Kontrasepsi Jangka Panjang = Non MKJP	.557	.413	.749
For cohort Metode Kontrasepsi Jangka Panjang = MKJP	2.457	1.493	4.045
N of Valid Cases	135		

**c. Pekerjaan \* Metode Kontrasepsi Jangka Panjang**

**Crosstab**

			Metode Kontrasepsi Jangka Panjang		Total
			Non MKJP	MKJP	
Pekerjaan	Tidak Bekerja	Count	20	32	52
		% within Pekerjaan	38.5%	61.5%	100.0%
		% within Metode Kontrasepsi Jangka Panjang	25.6%	56.1%	38.5%
		% of Total	14.8%	23.7%	38.5%
Pekerjaan	Bekerja	Count	58	25	83
		% within Pekerjaan	69.9%	30.1%	100.0%
		% within Metode Kontrasepsi Jangka Panjang	74.4%	43.9%	61.5%
		% of Total	43.0%	18.5%	61.5%

Total	Count	78	57	135
	% within Pekerjaan	57.8%	42.2%	100.0%
	% within Metode Kontrasepsi Jangka Panjang	100.0%	100.0%	100.0%
	% of Total	57.8%	42.2%	100.0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	12.936 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	11.680	1	.001		
Likelihood Ratio	13.004	1	.000		
Fisher's Exact Test				.001	.000
Linear-by-Linear Association	12.840	1	.000		
N of Valid Cases	135				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 21.96.

b. Computed only for a 2x2 table

#### Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.296	.000
N of Valid Cases		135	

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pekerjaan (Tidak Bekerja / Bekerja)	.269	.130	.559
For cohort Metode Kontrasepsi Jangka Panjang = Non MKJP	.550	.380	.798
For cohort Metode Kontrasepsi Jangka Panjang = MKJP	2.043	1.381	3.023
N of Valid Cases	135		

**d. Paritas \* Metode Kontrasepsi Jangka Panjang**

Crosstab				
		Metode Kontrasepsi Jangka Panjang		Total
		Non MKJP	MKJP	
Multipara (> 2 anak)	Count	21	30	51
	% within Paritas	41.2%	58.8%	100.0%
	% within Metode Kontrasepsi Jangka Panjang	26.9%	52.6%	37.8%
	% of Total	15.6%	22.2%	37.8%
Primipara (< 2 anak)	Count	57	27	84
	% within Paritas	67.9%	32.1%	100.0%
	% within Metode Kontrasepsi Jangka Panjang	73.1%	47.4%	62.2%
	% of Total	42.2%	20.0%	62.2%
Total	Count	78	57	135
	% within Paritas	57.8%	42.2%	100.0%
	% within Metode Kontrasepsi Jangka Panjang	100.0%	100.0%	100.0%
	% of Total	57.8%	42.2%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9.260 <sup>a</sup>	1	.002		
Continuity Correction <sup>b</sup>	8.199	1	.004		
Likelihood Ratio	9.271	1	.002		
Fisher's Exact Test				.004	.002
Linear-by-Linear Association	9.191	1	.002		
N of Valid Cases	135				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 21.53.

b. Computed only for a 2x2 table

### Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.253	.002
N of Valid Cases	135	

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Paritas (> 2 anak) / Primipara (< 2 anak)	.332	.161	.682
For cohort Metode Kontrasepsi Jangka Panjang = Non MKJP	.607	.424	.869
For cohort Metode Kontrasepsi Jangka Panjang = MKJP	1.830	1.244	2.693
N of Valid Cases	135		

**e. Pengetahuan Ibu Bersalin \* Metode Kontrasepsi Jangka Panjang**

Crosstab

			Metode Kontrasepsi Jangka Panjang		Total
			Non MKJP	MKJP	
Pengetahuan Ibu Bersalin	Kurang Baik	Count	57	25	82
		% within Pengetahuan Ibu Bersalin	69.5%	30.5%	100.0%
		% within Metode Kontrasepsi Jangka Panjang	73.1%	43.9%	60.7%
		% of Total	42.2%	18.5%	60.7%
Baik		Count	21	32	53
		% within Pengetahuan Ibu Bersalin	39.6%	60.4%	100.0%
		% within Metode Kontrasepsi Jangka Panjang	26.9%	56.1%	39.3%
		% of Total	15.6%	23.7%	39.3%
Total		Count	78	57	135
		% within Pengetahuan Ibu Bersalin	57.8%	42.2%	100.0%
		% within Metode Kontrasepsi Jangka Panjang	100.0%	100.0%	100.0%
		% of Total	57.8%	42.2%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	11.789 <sup>a</sup>	1	.001		
Continuity Correction <sup>b</sup>	10.596	1	.001		
Likelihood Ratio	11.846	1	.001		
Fisher's Exact Test				.001	.001
Linear-by-Linear Association	11.702	1	.001		
N of Valid Cases	135				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 22.38.

b. Computed only for a 2x2 table

**Symmetric Measures**

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.283	.001
N of Valid Cases		135	

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pengetahuan Ibu Bersalin (Kurang Baik / Baik)	3.474	1.685	7.166
For cohort Metode Kontrasepsi Jangka Panjang = Non MKJP	1.754	1.222	2.519
For cohort Metode Kontrasepsi Jangka Panjang = MKJP	.505	.341	.748
N of Valid Cases	135		



f. Dukungan Suami \* Metode Kontrasepsi Jangka Panjang

Crosstab

			Metode Kontrasepsi Jangka Panjang		Total
			Non MKJP	MKJP	
Dukungan Suami Tidak Mendukung	Count	58	24	82	
	% within Dukungan Suami	70.7%	29.3%	100.0%	
	% within Metode Kontrasepsi Jangka Panjang	74.4%	42.1%	60.7%	
	% of Total	43.0%	17.8%	60.7%	
Mendukung	Count	20	33	53	
	% within Dukungan Suami	37.7%	62.3%	100.0%	
	% within Metode Kontrasepsi Jangka Panjang	25.6%	57.9%	39.3%	
	% of Total	14.8%	24.4%	39.3%	
Total	Count	78	57	135	
	% within Dukungan Suami	57.8%	42.2%	100.0%	
	% within Metode Kontrasepsi Jangka Panjang	100.0%	100.0%	100.0%	
	% of Total	57.8%	42.2%	100.0%	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	14.367 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	13.046	1	.000		
Likelihood Ratio	14.474	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	14.261	1	.000		
N of Valid Cases	135				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 22.38.

b. Computed only for a 2x2 table

### Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.310	.000
N of Valid Cases		135	

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Dukungan Suami (Tidak Mendukung / Mendukung)	3.988	1.919	8.285
For cohort Metode Kontrasepsi Jangka Panjang = Non MKJP	1.874	1.291	2.721
For cohort Metode Kontrasepsi Jangka Panjang = MKJP	.470	.316	.699
N of Valid Cases	135		