

Item-Total Statistics				
	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
kader menyarankan datang ke posyandu lansia	6.30	4.700	.887	.819
kader memberikan informasi terkait posyandu lansia	6.33	5.126	.845	.835
kader memberikan informasi terkait manfaat posyandu lansia	6.43	4.806	.906	.809
kader mengunjungi lansia jika tidak datang ke posyandu lansia	7.43	7.702	.503	.948

Item-Total Statistics				
	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
nakes memerikan meyuluhan kesehatan	7.80	4.717	.780	.614
nakes memberikan konsultasi kesehatan	7.80	5.269	.623	.707
nakes memberi obat yang dibutuhkan	7.60	5.628	.769	.651
nakes memberikan rujukan jika dibutuhkan penanganan lebih llanjut	7.80	6.924	.263	.881

Item-Total Statistics				
	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
keluarga menganjurkan datang ke posyandu lansia	7.10	6.714	.622	.707
keluarga mengingatkan adanya posyandu lansia	7.00	6.069	.704	.673
keluarga mengantar ke posyandu lansia	7.37	8.654	.267	.821
kelurga menemani di posyandu lansia	7.67	8.023	.607	.727
kelurga memberikan pujian karena datang ke posyandu lansia	7.53	7.154	.607	.714

Descriptives

		Statistic	Std. Error	
Kader	Mean	6.97	.464	
	95% Confidence Interval for Mean	Lower Bound	6.04	
		Upper Bound	7.89	
	5% Trimmed Mean	6.72		
	Median	4.00		
	Variance	12.688		
	Std. Deviation	3.562		
	Minimum	4		
	Maximum	16		
	Range	12		
	Interquartile Range	6		
	Skewness	.756	.311	
	Kurtosis	-.791	.613	
	Nakes	Mean	9.51	.361
95% Confidence Interval for Mean		Lower Bound	8.79	
		Upper Bound	10.23	
5% Trimmed Mean		9.45		
Median		9.00		
Variance		7.668		
Std. Deviation		2.769		
Minimum		5		
Maximum		16		
Range		11		
Interquartile Range		5		
Skewness		.255	.311	
Kurtosis		-.972	.613	

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Kader	.306	59	.000	.794	59	.000
Nakes	.173	59	.000	.940	59	.006

a. Lilliefors Significance Correction

Descriptives

		Statistic	Std. Error
keluarga	Mean	10.15	.406
	95% Confidence Interval for Mean		
	Lower Bound	9.34	
	Upper Bound	10.96	
	5% Trimmed Mean	10.13	
	Median	10.00	
	Variance	9.718	
	Std. Deviation	3.117	
	Minimum	5	
	Maximum	17	
	Range	12	
	Interquartile Range	4	
	Skewness	.164	.311
	Kurtosis	-.619	.613

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
keluarga	.113	59	.060	.953	59	.024

a. Lilliefors Significance Correction

pemanfaatandikategorikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak memanfaatkan	38	64.4	64.4	64.4
memanfaatkan	21	35.6	35.6	100.0
Total	59	100.0	100.0	

Umurklp

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid pra lansia	23	39.0	39.0	39.0
lansia	36	61.0	61.0	100.0
Total	59	100.0	100.0	

Jenis kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Laki-laki	17	28.8	28.8	28.8
Perempuan	42	71.2	71.2	100.0
Total	59	100.0	100.0	

akses dikategorikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid menghambat	37	62.7	62.7	62.7
tidak menghambat	22	37.3	37.3	100.0
Total	59	100.0	100.0	

nakeskate

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak mendukung	30	50.8	50.8	50.8
mendukung	29	49.2	49.2	100.0
Total	59	100.0	100.0	

kader dikategorikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak mendukung	32	54.2	54.2	
mendukung	27	45.8	45.8	100.0
Total	59	100.0	100.0	

Keluarga dikategorikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak mendukung	25	42.4	42.4	42.4
mendukung	34	57.6	57.6	100.0
Total	59	100.0	100.0	

Crosstabs

Umurklp * pemanfaatan total dikategorikan Crosstabulation

		pemanfaatan total dikategorikan		Total	
		0	1		
Umurklp	pra lansia	Count	17	6	23
		Expected Count	14.8	8.2	23.0
		% within Umurklp	73.9%	26.1%	100.0%
	lansia	Count	21	15	36
		Expected Count	23.2	12.8	36.0
		% within Umurklp	58.3%	41.7%	100.0%
Total		Count	38	21	59
		Expected Count	38.0	21.0	59.0
		% within Umurklp	64.4%	35.6%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.486 ^a	1	.223		
Continuity Correction ^b	.884	1	.347		
Likelihood Ratio	1.519	1	.218		
Fisher's Exact Test				.273	.174
Linear-by-Linear Association	1.461	1	.227		
N of Valid Cases	59				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.19.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Umurklp (pra lansia / lansia)	2.024	.646	6.344
For cohort pemanfaatan dikategorikan = tidak memanfaatkan	1.267	.877	1.830
For cohort pemanfaatan dikategorikan = memanfaatkan	.626	.284	1.378
N of Valid Cases	59		

Crosstabs

Jenis kelamin * pemanfaatan total dikategorikan Crosstabulation

		pemanfaatan total dikategorikan		Total	
		0	1		
Jenis kelamin	Laki-laki	Count	16	1	17
		Expected Count	10.9	6.1	17.0
		% within Jenis kelamin	94.1%	5.9%	100.0%
	Perempuan	Count	22	20	42
		Expected Count	27.1	14.9	42.0
		% within Jenis kelamin	52.4%	47.6%	100.0%
Total		Count	38	21	59
		Expected Count	38.0	21.0	59.0
		% within Jenis kelamin	64.4%	35.6%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9.196 ^a	1	.002		
Continuity Correction ^b	7.465	1	.006		
Likelihood Ratio	11.087	1	.001		
Fisher's Exact Test				.002	.002
Linear-by-Linear Association	9.040	1	.003		
N of Valid Cases	59				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 6.05.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jenis kelamin (Laki-laki / Perempuan)	14.545	1.765	119.865
For cohort pemanfaatan total dikategorikan = 0	1.797	1.315	2.454
For cohort pemanfaatan total dikategorikan = 1	.124	.018	.849
N of Valid Cases	59		

akses dikategorikan * pemanfaatan total dikategorikan Crosstabulation

akses dikategorikan			pemanfaatan total dikategorikan		Total
			0	1	
menghambat	Count	32	5	37	
	Expected Count	23.8	13.2	37.0	
	% within akses dikategorikan	86.5%	13.5%	100.0%	
tidak menghambat	Count	6	16	22	
	Expected Count	14.2	7.8	22.0	
	% within akses dikategorikan	27.3%	72.7%	100.0%	
Total	Count	38	21	59	
	Expected Count	38.0	21.0	59.0	
	% within akses dikategorikan	64.4%	35.6%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	21.102 ^a	1	.000		
Continuity Correction ^b	18.598	1	.000		
Likelihood Ratio	21.735	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	20.744	1	.000		
N of Valid Cases	59				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 7.83.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for akses dikategorikan (menghambat / tidak menghambat)	17.067	4.514	64.524
For cohort pemanfaatandikategorikan = tidak memanfaatkan	3.171	1.584	6.349
For cohort pemanfaatandikategorikan = memanfaatkan	.186	.079	.437
N of Valid Cases	59		

kader dikategorikan * pemanfaatan total dikategorikan Crosstabulation

kader dikategorikan			pemanfaatan total dikategorikan		Total
			0	1	
tidak mendukung	Count	29	3	32	
	Expected Count	20.6	11.4	32.0	
	% within kader dikategorikan	90.6%	9.4%	100.0%	
mendukung	Count	9	18	27	
	Expected Count	17.4	9.6	27.0	
	% within kader dikategorikan	33.3%	66.7%	100.0%	
Total	Count	38	21	59	
	Expected Count	38.0	21.0	59.0	
	% within kader dikategorikan	64.4%	35.6%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	20.967 ^a	1	.000		
Continuity Correction ^b	18.543	1	.000		
Likelihood Ratio	22.539	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	20.612	1	.000		
N of Valid Cases	59				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 9.61.
 b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kader dikategorikan (tidak mendukung / mendukung)	19.333	4.613	81.023
For cohort pemanfaatan total dikategorikan = 0	2.719	1.577	4.689
For cohort pemanfaatan total dikategorikan = 1	.141	.046	.427
N of Valid Cases	59		

Crosstabs

nakeskate * pemanfaatan total dikategorikan Crosstabulation

		pemanfaatan total dikategorikan		Total
		0	1	
nakeskate tidak mendukung	Count	29	1	30
	Expected Count	19.3	10.7	30.0
	% within nakeskate	96.7%	3.3%	100.0%
mendukung	Count	9	20	29
	Expected Count	18.7	10.3	29.0
	% within nakeskate	31.0%	69.0%	100.0%
Total	Count	38	21	59
	Expected Count	38.0	21.0	59.0
	% within nakeskate	64.4%	35.6%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	27.708 ^a	1	.000		
Continuity Correction ^b	24.919	1	.000		
Likelihood Ratio	32.130	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	27.238	1	.000		
N of Valid Cases	59				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 10.32.
 b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for nakeskate (tidak mendukung / mendukung)	64.444	7.559	549.435
For cohort pemanfaatan total dikategorikan = 0	3.115	1.803	5.380
For cohort pemanfaatan total dikategorikan = 1	.048	.007	.337
N of Valid Cases	59		

Crosstabs

keluargaakat * pemanfaatan total dikategorikan
pemanfaatan total dikategorikan

		pemanfaatan total dikategorikan		Total	
		0	1		
keluargaakat	tidak mendukung	Count	27	8	35
		Expected Count	22.5	12.5	35.0
		% within keluargaakat	77.1%	22.9%	100.0%
	mendukung	Count	11	13	24
		Expected Count	15.5	8.5	24.0
		% within keluargaakat	45.8%	54.2%	100.0%
Total		Count	38	21	59
		Expected Count	38.0	21.0	59.0
		% within keluargaakat	64.4%	35.6%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6.088 ^a	1	.014		
Continuity Correction ^b	4.799	1	.028		
Likelihood Ratio	6.091	1	.014		
Fisher's Exact Test				.026	.014
Linear-by-Linear Association	5.985	1	.014		
N of Valid Cases	59				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.54.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for keluargaakat (tidak mendukung / mendukung)	3.989	1.294	12.294
For cohort pemanfaatan total dikategorikan = 0	1.683	1.051	2.695
For cohort pemanfaatan total dikategorikan = 1	.422	.207	.859
N of Valid Cases	59		