

## HASIL UJU STATISTIK

### Uji Validitas Kuesioner

#### Variabel pengetahuan

##### Reliability Statistics

Cronbach's Alpha	N of Items
.666	13

##### Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
P1	16.73	16.202	.682	.619
P2	16.70	16.493	.638	.626
P3	16.73	16.133	.705	.617
P4	16.93	15.030	.860	.589
P5	16.73	19.720	.355	.704
P6	16.73	16.409	.615	.625
P7	16.83	16.213	.579	.623
P8	17.13	20.740	.526	.727
P9	16.63	19.206	.260	.689
P10	16.73	20.202	.483	.713
P11	16.93	15.030	.860	.589
P12	16.73	15.995	.750	.613
Total	8.83	4.420	.982	.550

### VARIABEL KETERPAPARAN INFORMASI

##### Reliability Statistics

Cronbach's Alpha <sup>a</sup>	N of Items
.024	5

### Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Pernyataan1	6.67	.575	.493	.795 <sup>a</sup>
Pernyataan2	6.77	.530	.461	.862 <sup>a</sup>
Pernyataan3	6.80	1.683	.662	.650
Pernyataan4	6.77	.530	.461	.862 <sup>a</sup>
Pernyataan5	6.73	1.030	.175	.188

a. The value is negative due to a negative average covariance among items. This violates reliability model assumptions. You may want to check item codings.

## 1. HASIL ANALISIS UNIVARIAT

### A.UMUR

#### umur1

	Frequency	Percent	Valid Percent	Cumulative Percent
remaja akhir s/d dewasa akhir	80	83.3	83.3	83.3
lansia awal s/d masa manula	16	16.7	16.7	100.0
Total	96	100.0	100.0	

### B.

#### Pendidikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid .00	76	79.2	79.2	79.2
1.00	20	20.8	20.8	100.0
Total	96	100.0	100.0	

### PENDIDIKAN

### pendidikan responden

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid SD	24	25.0	25.0	25.0
SMP/MTS	52	54.2	54.2	79.2
SMA	17	17.7	17.7	96.9
D3/S1	3	3.1	3.1	100.0
Total	96	100.0	100.0	

### 3. KETERPAPARAN INFORMASI

#### keterpaparan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak terpapar	75	78.1	78.1	78.1
terpapar	21	21.9	21.9	100.0
Total	96	100.0	100.0	

### 4. STATUS EKONOMI

#### status ekonomi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Rendah, jika dibawah UMR (Rp<3.600.000)	67	69.8	69.8	69.8
Tinggi, jika diatas UMR (Rp? 3.600.000)	29	30.2	30.2	100.0
Total	96	100.0	100.0	

## 5. PEKERJAAN

### pekerjaan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak bekerja	9	9.4	9.4	9.4
Bekerja	87	90.6	90.6	100.0
Total	96	100.0	100.0	

## 6. PENGETAHUAN

### pengetahuan1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid pengetahuan rendah	58	60.4	60.4	60.4
pengetahuan tinggi	38	39.6	39.6	100.0
Total	96	100.0	100.0	

## 2. HASIL ANALISIS BIVARIAT

### A. UMUR

#### umur1 \* pengetahuan1 Crosstabulation

		pengetahuan		Total
		pengetahuan rendah	pengetahuan tinggi	
umur1 remaja akhir	Count	51	29	80
	Expected Count	48.3	31.7	80.0
	% within umur1	63.8%	36.3%	100.0%
	umur1 lansia awal s/d masa manula	Count	7	9
Expected Count		9.7	6.3	16.0
	% within umur1	43.8%	56.3%	100.0%
	Total	Count	58	38
Expected Count		58.0	38.0	96.0
	% within umur1	60.4%	39.6%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.230 <sup>a</sup>	1	.135	.166	.113
Continuity Correction <sup>b</sup>	1.472	1	.225		
Likelihood Ratio	2.182	1	.140		
Fisher's Exact Test					
Linear-by-Linear Association	2.207	1	.137		
N of Valid Cases	96				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 6.33.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for umur1 (remaja akhir s/d dewasa akhir / lansia awal s/d masa manula)	2.261	.762	6.711
For cohort pengetahuan1 = pengetahuan rendah	1.457	.816	2.602
For cohort pengetahuan1 = pengetahuan tinggi	.644	.383	1.085
N of Valid Cases	96		

## B. PENDIDIKAN

**pendidikan \* pengetahuan1 Crosstabulation**

		pengetahuan		Total
		pengetahuan rendah	pengetahuan tinggi	
pendidikan .00	Count	48	28	76
	Expected Count	45.9	30.1	76.0
	% within pendidikan	63.2%	36.8%	100.0%
1.00	Count	10	10	20
	Expected Count	12.1	7.9	20.0
	% within pendidikan	50.0%	50.0%	100.0%
Total	Count	58	38	96
	Expected Count	58.0	38.0	96.0
	% within pendidikan	60.4%	39.6%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.146 <sup>a</sup>	1	.284		
Continuity Correction <sup>b</sup>	.662	1	.416		
Likelihood Ratio	1.128	1	.288		
Fisher's Exact Test				.313	.207
Linear-by-Linear Association	1.134	1	.287		
N of Valid Cases	96				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 7.92.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pendidikan (.00 / 1.00)	1.714	.635	4.626
For cohort pengetahuan1 = pengetahuan rendah	1.263	.789	2.022
For cohort pengetahuan1 = pengetahuan tinggi	.737	.435	1.249
N of Valid Cases	96		

### C. KETERPAPARAN INFORMASI

#### keterpaparan1 \* pengetahuan1 Crosstabulation

			pengetahuan		Total
			pengetahuan rendah	pengetahuan tinggi	
keterpaparan1 tidak terpapar	Count	46	29	75	
	Expected Count	45.3	29.7	75.0	
	% within keterpaparan1	61.3%	38.7%	100.0%	
terpapar	Count	12	9	21	
	Expected Count	12.7	8.3	21.0	
	% within keterpaparan1	57.1%	42.9%	100.0%	
Total	Count	58	38	96	
	Expected Count	58.0	38.0	96.0	
	% within keterpaparan1	60.4%	39.6%	100.0%	

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.120 <sup>a</sup>	1	.729		
Continuity Correction <sup>b</sup>	.009	1	.925		
Likelihood Ratio	.120	1	.729		
Fisher's Exact Test				.803	.458
Linear-by-Linear Association	.119	1	.730		
N of Valid Cases	96				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.31.

## D. STATUS EKONOMI

### status ekonomi \* pengetahuan1 Crosstabulation

			pengetahuan		Total
			pengetahu an rendah	pengetahu an tinggi	
status ekonomi	Rendah, jika dibawah UMR (Rp<3.600.000)	Count Expected Count % within status ekonomi	41 40.5 61.2%	26 26.5 38.8%	67 67.0 100.0 %
	Tinggi, jika diatas UMR (Rp? 3.600.000)	Count Expected Count % within status ekonomi	17 17.5 58.6%	12 11.5 41.4%	29 29.0 100.0 %
Total		Count Expected Count % within status ekonomi	58 58.0 60.4%	38 38.0 39.6%	96 96.0 100.0 %

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for keterpaparan1 (tidak terpapar / terpapar)	1.190	.446	3.174
For cohort pengetahuan1 = pengetahuan rendah	1.073	.711	1.620
For cohort pengetahuan1 = pengetahuan tinggi	.902	.510	1.596
N of Valid Cases	96		



### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.056 <sup>a</sup>	1	.813	.824	.494
Continuity Correction <sup>b</sup>	.000	1	.992		
Likelihood Ratio	.056	1	.813		
Fisher's Exact Test					
Linear-by-Linear Association	.055	1	.814		
N of Valid Cases	96				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 11.48.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for status ekonomi (Rendah, jika dibawah UMR (Rp<3.600.000) / Tinggi, jika diatas UMR (Rp? 3.600.000))	1.113	.458	2.704
For cohort pengetahuan1 = pengetahuan rendah	1.044	.728	1.497
For cohort pengetahuan1 = pengetahuan tinggi	.938	.553	1.589
N of Valid Cases	96		

E.PEKERJAAN

**pekerjaan \* pengetahuan1 Crosstabulation**

		pengetahuan		Total
		pengetahuan rendah	pengetahuan tinggi	
pekerjaan tidak bekerja	Count	5	4	9
	Expected Count	5.4	3.6	9.0
	% within pekerjaan	55.6%	44.4%	100.0%
bekerja	Count	53	34	87
	Expected Count	52.6	34.4	87.0
	% within pekerjaan	60.9%	39.1%	100.0%
Total	Count	58	38	96
	Expected Count	58.0	38.0	96.0
	% within pekerjaan	60.4%	39.6%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.098 <sup>a</sup>	1	.754		
Continuity Correction <sup>b</sup>	.000	1	1.000		
Likelihood Ratio	.097	1	.755		
Fisher's Exact Test				.737	.509
Linear-by-Linear Association	.097	1	.755		
N of Valid Cases	96				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.56.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pekerjaan (tidak bekerja / bekerja)	.802	.201	3.199
For cohort pengetahuan1 = pengetahuan rendah	.912	.496	1.675
For cohort pengetahuan1 = pengetahuan tinggi	1.137	.523	2.471
N of Valid Cases	96		

### 2. UJI NORMALITAS PENGETAHUAN

#### Descriptives

		Statistic	Std. Error
pengetahuan	Mean	3.59	.139
	95% Confidence Interval for Mean	Lower Bound Upper Bound	
		3.32 3.87	
	5% Trimmed Mean	3.50	
	Median	3.00	
	Variance	1.865	
	Std. Deviation	1.366	
	Minimum	2	
	Maximum	8	
	Range	6	
	Interquartile Range	1	
	Skewness	.951	.246
	Kurtosis	.415	.488

#### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	Df	Sig.
pengetahuan	.272	96	.000	.869	96	.000

a. Lilliefors Significance Correction

### 3. UJI NORMALITAS KETERPAPARAN INFORMASI

#### Descriptives

		Statistic	Std. Error
keterpaparan	Mean	6.08	.137
	95% Confidence Interval for Mean		
	Lower Bound	5.81	
	Upper Bound	6.36	
	5% Trimmed Mean	5.91	
	Median	6.00	
	Variance	1.804	
	Std. Deviation	1.343	
	Minimum	5	
	Maximum	13	
	Range	8	
	Interquartile Range	1	
	Skewness	2.269	.246
	Kurtosis	7.432	.488

#### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	Df	Sig.
keterpaparan	.306	96	.000	.731	96	.000

a. Lilliefors Significance Correction

#### umur responden

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	17	1.0	1.0	1.0
	18	1.0	1.0	2.1
	19	1.0	1.0	3.1
	20	2.1	2.1	5.2
	21	1.0	1.0	6.3
	22	1.0	1.0	7.3
	23	4.2	4.2	11.5
	24	3.1	3.1	14.6
	25	3.1	3.1	17.7

<b>26</b>	<b>6</b>	<b>6.3</b>	<b>6.3</b>	<b>24.0</b>
27	4	4.2	4.2	28.1
28	5	5.2	5.2	33.3
29	5	5.2	5.2	38.5
30	4	4.2	4.2	42.7
31	4	4.2	4.2	46.9
32	5	5.2	5.2	52.1
33	3	3.1	3.1	55.2
34	3	3.1	3.1	58.3
<b>35</b>	<b>6</b>	<b>6.3</b>	<b>6.3</b>	<b>64.6</b>
36	3	3.1	3.1	67.7
37	2	2.1	2.1	69.8
38	1	1.0	1.0	70.8
39	1	1.0	1.0	71.9
40	3	3.1	3.1	75.0
41	1	1.0	1.0	76.0
42	3	3.1	3.1	79.2
44	2	2.1	2.1	81.3
45	2	2.1	2.1	83.3
46	2	2.1	2.1	85.4
48	2	2.1	2.1	87.5
50	2	2.1	2.1	89.6
51	1	1.0	1.0	90.6
52	1	1.0	1.0	91.7
54	2	2.1	2.1	93.8
56	2	2.1	2.1	95.8
<b>61</b>	<b>1</b>	<b>1.0</b>	<b>1.0</b>	<b>96.9</b>
<b>63</b>	<b>1</b>	<b>1.0</b>	<b>1.0</b>	<b>97.9</b>
<b>67</b>	<b>1</b>	<b>1.0</b>	<b>1.0</b>	<b>99.0</b>
<b>70</b>	<b>1</b>	<b>1.0</b>	<b>1.0</b>	<b>100.0</b>
Total	96	100.0	100.0	

**Item-Total Statistics**

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
P1	15.03	17.757	.688	.689
P2	15.00	18.069	.642	.695
P3	15.03	17.689	.709	.688
P4	15.23	16.461	.884	.661
P6	15.03	17.964	.624	.694
P7	15.13	17.706	.601	.691
P8	15.43	22.668	-.555	.785
P10	15.03	21.757	-.432	.767
P11	15.23	16.461	.884	.661
P12	15.03	17.551	.753	.684
Total	7.13	5.361	.963	.710

**Reliability Statistics**

Cronbach's Alpha	N of Items
.725	11

**Item-Total Statistics**

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Pernyataan1	15.10	3.128	.666	.451
Pernyataan2	15.20	2.993	.665	.434
Pernyataan3	15.23	5.289	.533	.791
Pernyataan4	15.20	2.993	.665	.434
Pernyataan5	15.17	4.006	.055	.636
Total	8.43	1.082	1.000	-.024 <sup>a</sup>

a. The value is negative due to a negative average covariance among items. This violates reliability model assumptions. You may want to check item codings.

**Reliability Statistics**

Cronbach's Alpha	N of Items
.594	6



gggul



Universitas  
**Esa Unggul**



Universitas  
**Esa U**



gggul



Universitas  
**Esa Unggul**



Universitas  
**Esa U**



gggul



Universitas  
**Esa Unggul**



Universitas  
**Esa U**