

UJI VALIDITAS

Case Processing Summary

		N	%
Cases	Valid	20	100.0
	Excluded ^a	0	.0
	Total	20	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.913	20

Item Statistics

	Mean	Std. Deviation	N
Pertanyaan 1	1.40	.503	20
Pertanyaan 2	1.35	.489	20
Pertanyaan 3	1.50	.513	20
Pertanyaan 4	1.35	.489	20
Pertanyaan 5	1.50	.513	20
Pertanyaan 6	1.45	.510	20
Pertanyaan 7	1.35	.489	20
Pertanyaan 8	1.45	.510	20
Pertanyaan 9	1.40	.503	20
Pertanyaan 10	1.35	.489	20
Pertanyaan 11	1.25	.444	20
Pertanyaan 12	1.35	.489	20
Pertanyaan 13	1.40	.503	20
Pertanyaan 14	1.50	.513	20
Pertanyaan 15	1.60	.503	20
Pertanyaan 16	1.30	.470	20
Pertanyaan 17	1.45	.510	20
Pertanyaan 18	1.45	.510	20
Pertanyaan 19	1.65	.489	20
Pertanyaan 20	1.50	.513	20

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Pertanyaan 1	27.15	35.608	.277	.916
Pertanyaan 2	27.20	34.695	.449	.912
Pertanyaan 3	27.05	34.471	.463	.912
Pertanyaan 4	27.20	34.379	.506	.911
Pertanyaan 5	27.05	33.839	.573	.909
Pertanyaan 6	27.10	33.779	.587	.909
Pertanyaan 7	27.20	33.853	.603	.908
Pertanyaan 8	27.10	34.621	.440	.912
Pertanyaan 9	27.15	33.187	.705	.906
Pertanyaan 10	27.20	34.168	.545	.910
Pertanyaan 11	27.30	34.116	.619	.908
Pertanyaan 12	27.20	34.274	.525	.910
Pertanyaan 13	27.15	33.503	.648	.907
Pertanyaan 14	27.05	33.945	.555	.909
Pertanyaan 15	26.95	33.103	.721	.905
Pertanyaan 16	27.25	33.461	.706	.906
Pertanyaan 17	27.10	34.095	.532	.910
Pertanyaan 18	27.10	33.147	.700	.906
Pertanyaan 19	26.90	34.937	.406	.913
Pertanyaan 20	27.05	33.208	.685	.906

Statistics

Pengetahuan Kategori

N	Valid	97
	Missing	0
Mean		.52
Median		1.00
Mode		1
Std. Deviation		.502
Skewness		-.063
Std. Error of Skewness		.245
Minimum		0
Maximum		1
Percentiles	25	.00
	50	1.00
	75	1.00

Pengetahuan Kategori

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Buruk	47	48.5	48.5	48.5
Baik	50	51.5	51.5	100.0
Total	97	100.0	100.0	

Descriptives

		Statistic	Std. Error
Pengetahuan	Mean	8.60	.200
	95% Confidence Interval for Mean	Lower Bound 8.20 Upper Bound 9.00	
	5% Trimmed Mean	8.60	
	Median	9.00	
	Variance	3.889	
	Std. Deviation	1.972	
	Minimum	4	
	Maximum	13	
	Range	9	
	Interquartile Range	3	
	Skewness	.005	.245
	Kurtosis	-.461	.485

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Pengetahuan	.104	97	.012	.974	97	.051

a. Lilliefors Significance Correction

UNIVARIAT

Preeklampsia

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TidakPreeklampsia	73	75.3	75.3	75.3
Preeklampsia	24	24.7	24.7	100.0
Total	97	100.0	100.0	

Usia Responden

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TidakBerisiko	67	69.1	69.1	69.1
Berisiko	30	30.9	30.9	100.0
Total	97	100.0	100.0	

Pengetahuan Kategori

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kurang	47	48.5	48.5	48.5
Baik	50	51.5	51.5	100.0
Total	97	100.0	100.0	

Paritas

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TidakBerisiko	54	55.7	55.7	55.7
Berisiko	43	44.3	44.3	100.0
Total	97	100.0	100.0	

Jarak Kehamilan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TidakBerisiko	63	64.9	64.9	64.9
Berisiko	34	35.1	35.1	100.0
Total	97	100.0	100.0	

Riwayat Hipertensi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	36	37.1	37.1	37.1
Ya	61	62.9	62.9	100.0
Total	97	100.0	100.0	

BIVARIAT

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
UsiaResponden * Preeklampsia	97	100.0%	0	0.0%	97	100.0%

UsiaResponden * Preeklampsia Crosstabulation

		Preeklampsia		Total
		TidakPreeklampsia	Preeklampsia	
UsiaResponden	TidakBerisiko	Count 55 82.1%	Count 12 17.9%	67 100.0%
	Berisiko	Count 18 60.0%	Count 12 40.0%	30 100.0%
Total		Count 73 75.3%	Count 24 24.7%	97 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.430 ^a	1	.020		
Continuity Correction ^b	4.309	1	.038		
Likelihood Ratio	5.175	1	.023		
Fisher's Exact Test				.025	.021

Linear-by-Linear Association	5.374	1	.020	
N of Valid Cases	97			

- a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 7.42.
b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for UsiaResponden (TidakBerisiko / Berisiko)	3.056	1.169	7.988
For cohort Preeklampsia = TidakPreeklampsia	1.368	1.001	1.871
For cohort Preeklampsia = Preeklampsia	.448	.228	.879
N of Valid Cases	97		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pengetahuan Kategori * Preeklampsia	97	100.0%	0	0.0%	97	100.0%

Pengetahuan Kategori * Preeklampsia Crosstabulation

			Preeklampsia		Total
			Tidak Preeklampsia	Preeklampsia	
Pengetahuan Kategori	Kurang	Count	36	11	47
		% within Pengetahuan Kategori	76.6%	23.4%	100.0%
	Baik	Count	37	13	50
		% within Pengetahuan Kategori	74.0%	26.0%	100.0%
Total		Count	73	24	97

% within Pengetahuan Kategori	75.3%	24.7%	100.0%
-------------------------------	-------	-------	--------

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.088 ^a	1	.767		
Continuity Correction ^b	.004	1	.952		
Likelihood Ratio	.088	1	.767		
Fisher's Exact Test				.817	.476
Linear-by-Linear Association	.087	1	.768		
N of Valid Cases	97				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 11.63.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pengetahuan Kategori (Kurang / Baik) For cohort	1.150	.456	2.899
Preeklampsia = Tidak For cohort	1.035	.824	1.300
Preeklampsia = Preeklampsia	.900	.448	1.808
N of Valid Cases	97		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Paritas * Preeklampsia	97	100.0%	0	0.0%	97	100.0%

Paritas * Preeklampsia Crosstabulation

		Preeklampsia		Total
		TidakPreeklampsia	Preeklampsia	
Paritas	TidakBerisiko	Count 37 % within Paritas 68.5%	17 31.5%	54 100.0%
	Berisiko	Count 36 % within Paritas 83.7%	7 16.3%	43 100.0%
Total		Count 73 % within Paritas 75.3%	24 24.7%	97 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.971 ^a	1	.085		
Continuity Correction ^b	2.211	1	.137		
Likelihood Ratio	3.060	1	.080		
Fisher's Exact Test				.101	.067
Linear-by-Linear Association	2.941	1	.086		
N of Valid Cases	97				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 10.64.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Paritas (TidakBerisiko / Berisiko)	.423	.157	1.142
For cohort Preeklampsia = TidakPreeklampsia	.818	.654	1.024

For cohort			
Preeklampsia =	1.934	.883	4.235
Preeklampsia			
N of Valid Cases	97		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
JarakKehamilan * Preeklampsia	97	100.0%	0	0.0%	97	100.0%

JarakKehamilan * Preeklampsia Crosstabulation

		Preeklampsia		Total
		TidakPreekla mpsia	Preeklampsia	
JarakKehamilan	TidakBerisiko	Count 52 % within 82.5%	Count 11 17.5%	63 100.0%
	Berisiko	Count 21 61.8%	Count 13 38.2%	34 100.0%
Total		Count 73 75.3%	Count 24 24.7%	97 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.118 ^a	1	.024		
Continuity Correction ^b	4.064	1	.044		
Likelihood Ratio	4.954	1	.026		
Fisher's Exact Test				.029	.023
Linear-by-Linear Association	5.066	1	.024		
N of Valid Cases	97				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.41.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for JarakKehamilan (TidakBerisiko / Berisiko)	2.926	1.132	7.563
For cohort Preeklampsia = TidakPreeklampsia	1.336	1.002	1.782
For cohort Preeklampsia = Preeklampsia	.457	.230	.907
N of Valid Cases	97		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
RiwayatHipertensi * Preeklampsia	97	100.0%	0	0.0%	97	100.0%

Riwayat Hipertensi * Preeklampsia Crosstabulation

		Preeklampsia		Total
		TidakPreeklampsia	Preeklampsia	
RiwayatHipertensi	Tidak	Count 34 % within RiwayatHipertensi 94.4%	Count 2 % within RiwayatHipertensi 5.6%	36 100.0%
	Ya	Count 39 % within RiwayatHipertensi 63.9%	Count 22 % within RiwayatHipertensi 36.1%	61 100.0%
Total		Count 73 % within RiwayatHipertensi 75.3%	Count 24 % within RiwayatHipertensi 24.7%	97 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	11.318 ^a	1	.001	.001	.000
Continuity Correction ^b	9.738	1	.002		
Likelihood Ratio	13.329	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	11.201	1	.001		
N of Valid Cases	97				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.91.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for RiwayatHipertensi (Tidak / Ya) For cohort	9.590	2.100	43.795
Preeklampsia = TidakPreeklampsia For cohort	1.477	1.204	1.812
Preeklampsia = Preeklampsia	.154	.038	.617
N of Valid Cases	97		

pertanyaan1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid salah	45	46,4	46,4	46,4
benar	52	53,6	53,6	100,0
Total	97	100,0	100,0	

pertanyaan2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid salah	44	45,4	45,4	45,4
benar	53	54,6	54,6	100,0
Total	97	100,0	100,0	

pertanyaan3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid salah	49	50,5	50,5	50,5
benar	48	49,5	49,5	100,0
Total	97	100,0	100,0	

pertanyaan4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid salah	39	40,2	40,2	40,2
benar	58	59,8	59,8	100,0
Total	97	100,0	100,0	

pertanyaan5

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid salah	44	45,4	45,4	45,4
benar	53	54,6	54,6	100,0
Total	97	100,0	100,0	

pertanyaan6

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid salah	37	38,1	38,1	38,1
benar	60	61,9	61,9	100,0
Total	97	100,0	100,0	

pertanyaan7

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid salah	28	28,9	28,9	28,9
benar	69	71,1	71,1	100,0
Total	97	100,0	100,0	

pertanyaan8

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid salah	30	30,9	30,9	30,9
benar	67	69,1	69,1	100,0
Total	97	100,0	100,0	

pertanyaan9

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid salah	34	35,1	35,1	35,1
benar	63	64,9	64,9	100,0
Total	97	100,0	100,0	

pertanyaan10

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid salah	39	40,2	40,2	40,2
benar	58	59,8	59,8	100,0
Total	97	100,0	100,0	

pertanyaan11

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid salah	58	59,8	59,8	59,8
benar	39	40,2	40,2	100,0
Total	97	100,0	100,0	

pertanyaan12

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Salah	47	48,5	48,5	48,5
Benar	50	51,5	51,5	100,0
Total	97	100,0	100,0	

pertanyaan13

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Salah	43	44,3	44,3	44,3
Benar	54	55,7	55,7	100,0
Total	97	100,0	100,0	

pertanyaan14

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Salah	40	41,2	41,2	41,2
Benar	57	58,8	58,8	100,0
Total	97	100,0	100,0	

pertanyaan15

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Salah	44	45,4	45,4	45,4
Benar	53	54,6	54,6	100,0
Total	97	100,0	100,0	

Pengetahuan Kategori * Preeklampsia * Usia Responden Crosstabulation

Usia Responden				Preeklampsia		Total
				Tidak Preeklampsia	Preeklampsia	
Tidak Berisiko	Pengetahuan Kategori	Kurang	Count	28	6	34
			% within Pengetahuan Kategori	82,4%	17,6%	100,0%
	Baik	Count	27	6	33	
		% within Pengetahuan Kategori	81,8%	18,2%	100,0%	
Total		Count	55	12	67	
			% within Pengetahuan Kategori	82,1%	17,9%	100,0%
Berisiko	Pengetahuan Kategori	Kurang	Count	5	8	13
			% within Pengetahuan Kategori	38,5%	61,5%	100,0%
	Baik	Count	10	7	17	
		% within Pengetahuan Kategori	58,8%	41,2%	100,0%	
Total		Count	15	15	30	
			% within Pengetahuan Kategori	50,0%	50,0%	100,0%
Total	Pengetahuan Kategori	Kurang	Count	36	11	47
			% within Pengetahuan Kategori	76,6%	23,4%	100,0%
	Baik	Count	37	13	50	
		% within Pengetahuan Kategori	74,0%	26,0%	100,0%	
Total		Count	73	24	97	
			% within Pengetahuan Kategori	75,3%	24,7%	100,0%

Pengetahuan Kategori * Preeklampsia * Jarak Kehamilan Crosstabulation

Jarak Kehamilan				Preeklampsia		Total
				Tidak Preeklampsia	Preeklampsia	
Tidak Berisiko	Pengetahuan Kategori	Kurang	Count 25	5	30	
			% within Pengetahuan Kategori 83,3%	16,7%	100,0%	
		Baik	Count 27	6	33	
			% within Pengetahuan Kategori 81,8%	18,2%	100,0%	
Total			Count 52	11	63	
			% within Pengetahuan Kategori 82,5%	17,5%	100,0%	
Berisiko	Pengetahuan Kategori	Kurang	Count 11	6	17	
			% within Pengetahuan Kategori 64,7%	35,3%	100,0%	
		Baik	Count 10	7	17	
			% within Pengetahuan Kategori 58,8%	41,2%	100,0%	
Total			Count 21	13	34	
			% within Pengetahuan Kategori 61,8%	38,2%	100,0%	
Total	Pengetahuan Kategori	Kurang	Count 36	11	47	
			% within Pengetahuan Kategori 76,6%	23,4%	100,0%	
		Baik	Count 37	13	50	
			% within Pengetahuan Kategori 74,0%	26,0%	100,0%	
Total			Count 73	24	97	
			% within Pengetahuan Kategori 75,3%	24,7%	100,0%	

Pengetahuan Kategori * Preeklampsia * Riwayat Hipertensi Crosstabulation

				Preeklampsia		Total
				Tidak Preeklampsia	Preeklampsia	
Riwayat Hipertensi						
Tidak	Pengetahuan Kategori	Kurang	Count	15	1	16
			% within Pengetahuan Kategori	93,8%	6,3%	100,0%
		Baik	Count	19	1	20
			% within Pengetahuan Kategori	95,0%	5,0%	100,0%
Total			Count	34	2	36
			% within Pengetahuan Kategori	94,4%	5,6%	100,0%
Ya	Pengetahuan Kategori	Kurang	Count	21	10	31
			% within Pengetahuan Kategori	67,7%	32,3%	100,0%
		Baik	Count	18	12	30
			% within Pengetahuan Kategori	60,0%	40,0%	100,0%
Total			Count	39	22	61
			% within Pengetahuan Kategori	63,9%	36,1%	100,0%
Total	Pengetahuan Kategori	Kurang	Count	36	11	47
			% within Pengetahuan Kategori	76,6%	23,4%	100,0%
		Baik	Count	37	13	50
			% within Pengetahuan Kategori	74,0%	26,0%	100,0%
Total			Count	73	24	97
			% within Pengetahuan Kategori	75,3%	24,7%	100,0%

Paritas * Preeklampsia * Usia Responden Crosstabulation

Usia Responden				Preeklampsia		Total
				Tidak Preeklampsia	Preeklampsia	
Tidak Berisiko	Paritas	Tidak Berisiko	Count % within Paritas	28 77,8%	8 22,2%	36 100,0%
		Berisiko	Count % within Paritas	27 87,1%	4 12,9%	31 100,0%
	Total	Count % within Paritas	55 82,1%	12 17,9%	67 100,0%	
Berisiko	Paritas	Tidak Berisiko	Count % within Paritas	9 50,0%	9 50,0%	18 100,0%
		Berisiko	Count % within Paritas	9 75,0%	3 25,0%	12 100,0%
	Total	Count % within Paritas	18 60,0%	12 40,0%	30 100,0%	
Total	Paritas	Tidak Berisiko	Count % within Paritas	37 68,5%	17 31,5%	54 100,0%
		Berisiko	Count % within Paritas	36 83,7%	7 16,3%	43 100,0%
	Total	Count % within Paritas	73 75,3%	24 24,7%	97 100,0%	

Paritas * Preeklampsia * Jarak Kehamilan Crosstabulation

Jarak Kehamilan				Preeklampsia		Total
				Tidak Preeklampsia	Preeklampsia	
Tidak Berisiko	Paritas	Tidak Berisiko	Count % within Paritas	16 80,0%	4 20,0%	20 100,0%
		Berisiko	Count % within Paritas	36 83,7%	7 16,3%	43 100,0%
	Total	Count % within Paritas	52 82,5%	11 17,5%	63 100,0%	
Berisiko	Paritas	Tidak Berisiko	Count % within Paritas	21 61,8%	13 38,2%	34 100,0%
	Total	Count % within Paritas	21 61,8%	13 38,2%	34 100,0%	
Total	Paritas	Tidak Berisiko	Count % within Paritas	37 68,5%	17 31,5%	54 100,0%
		Berisiko	Count % within Paritas	36 83,7%	7 16,3%	43 100,0%
	Total	Count % within Paritas	73 75,3%	24 24,7%	97 100,0%	

Paritas * Preeklampsia * Riwayat Hipertensi Crosstabulation

				Preeklampsia		Total
				Tidak Preeklampsia	Preeklampsia	
Riwayat Hipertensi						
Tidak	Paritas	Tidak Berisiko	Count % within Paritas	13 100,0%	0 0,0%	13 100,0%
		Berisiko	Count % within Paritas	21 91,3%	2 8,7%	23 100,0%
Total			Count % within Paritas	34 94,4%	2 5,6%	36 100,0%
Ya	Paritas	Tidak Berisiko	Count % within Paritas	24 58,5%	17 41,5%	41 100,0%
		Berisiko	Count % within Paritas	15 75,0%	5 25,0%	20 100,0%
Total			Count % within Paritas	39 63,9%	22 36,1%	61 100,0%
Total	Paritas	Tidak Berisiko	Count % within Paritas	37 68,5%	17 31,5%	54 100,0%
		Berisiko	Count % within Paritas	36 83,7%	7 16,3%	43 100,0%
Total			Count % within Paritas	73 75,3%	24 24,7%	97 100,0%