

LAMPIRAN

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	30	100.0
	Excluded ^a	0	.0
	Total	30	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha ^a	Cronbach's Alpha Based on Standardized Items ^a	N of Items
-.057	-.185	9

Inter-Item Correlation Matrix

	p1	p2	p3	p4	p5	p6	p7	p8	p9
p1	1.000	.618	.629	.530	-.593	-.749	.593	-.482	.522
p2	.618	1.000	.523	.378	-.476	-.463	.618	-.613	.433
p3	.629	.523	1.000	.413	-.493	-.572	.629	-.313	.439
p4	.530	.378	.413	1.000	-.396	-.700	.396	-.516	.327
p5	-.593	-.476	-.493	-.396	1.000	.602	-.729	.323	-.796
p6	-.749	-.463	-.572	-.700	.602	1.000	-.602	.361	-.505
p7	.593	.618	.629	.396	-.729	-.602	1.000	-.482	.796
p8	-.482	-.613	-.313	-.516	.323	.361	-.482	1.000	-.390
p9	.522	.433	.439	.327	-.796	-.505	.796	-.290	1.000

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
p1	12.03	1.206	.534	.706	-.658 ^a
p2	11.80	1.269	.511	.580	-.590 ^a
p3	11.90	1.128	.625	.544	-.783 ^a
p4	12.00	1.517	.221	.606	-.286 ^a
p5	11.90	3.128	-.747	.698	.449
p6	11.77	3.082	-.763	.754	.425
p7	12.03	1.137	.614	.803	-.767 ^a
p8	12.23	2.737	-.612	.558	.371
p9	12.07	1.306	.436	.762	-.525 ^a

a. The value is negative due to a negative average covariance among items. This violates reliability model assumptions. You may want to check item codings.

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	30	100.0
	Excluded ^a	0	.0
	Total	30	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.695	.719	8

Inter-Item Correlation Matrix

	s1	s2	s3	s4	s5	s6	s7	s8
s1	1.000	.661	.479	.447	.370	.570	-.425	.357
s2	.661	1.000	.549	.486	.342	.412	-.452	.492
s3	.479	.549	1.000	.519	.512	.454	-.471	.322
s4	.447	.486	.519	1.000	.804	.658	-.795	.681
s5	.370	.342	.512	.804	1.000	.602	-.659	.512
s6	.570	.412	.454	.658	.602	1.000	-.490	.481
s7	-.425	-.452	-.471	-.795	-.659	-.490	1.000	-.643
s8	.357	.492	.322	.681	.512	.481	-.643	1.000

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
s1	11.47	10.671	.584	.561	.626
s2	11.80	11.614	.614	.582	.642
s3	11.17	11.109	.577	.450	.634
s4	11.70	7.941	.741	.820	.552
s5	11.17	9.799	.674	.681	.596
s6	11.23	9.633	.709	.563	.587
s7	12.03	18.861	-.761	.670	.872
s8	12.07	9.720	.567	.546	.617

Univariat

Kepesertaan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	109	61.2	61.2	61.2
2	69	38.8	38.8	100.0
Total	178	100.0	100.0	

Pengetahuan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid rendah	109	61.2	61.2	61.2
tinggi	69	38.8	38.8	100.0
Total	178	100.0	100.0	

Sikap

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid negatif	104	58.4	58.4	58.4
positif	74	41.6	41.6	100.0
Total	178	100.0	100.0	

Pendidikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid rendah	104	58.4	58.4	58.4
tinggi	74	41.6	41.6	100.0
Total	178	100.0	100.0	

Pendapatan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid rendah	106	59.6	59.6	59.6
tinggi	72	40.4	40.4	100.0
Total	178	100.0	100.0	

Bivariat

1. Pengetahuan

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pengetahuan dikategorikan * kepesertaan	178	100.0%	0	0.0%	178	100.0%

pengetahuan dikategorikan * kepesertaan Crosstabulation

			kepesertaan		Total
			tidak, bukan peserta	ya, peserta	
pengetahuan dikategorikan	kurang	Count	60	49	109
		Expected Count	66.7	42.3	109.0
	baik	Count	49	20	69
		Expected Count	42.3	26.7	69.0
Total		Count	109	69	178
		Expected Count	109.0	69.0	178.0

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.539 ^a	1	.033	.040	.024
Continuity Correction ^b	3.891	1	.049		
Likelihood Ratio	4.621	1	.032		
Fisher's Exact Test					
Linear-by-Linear Association	4.513	1	.034		
N of Valid Cases	178				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 26.75.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pengetahuan dikategorikan (kurang / baik)	.500	.263	.950
For cohort kepesertaan = tidak, bukan peserta	.775	.618	.973
For cohort kepesertaan = ya, peserta	1.551	1.015	2.369
N of Valid Cases	178		

2. Sikap

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
sikap dikategorikan * kepesertaan	178	100.0%	0	0.0%	178	100.0%

sikap dikategorikan * kepesertaan Crosstabulation

		kepesertaan		Total	
		tidak, bukan peserta	ya, peserta		
sikap dikategorikan	buruk	Count	59	45	104
		Expected Count	63.7	40.3	104.0
	baik	Count	50	24	74
		Expected Count	45.3	28.7	74.0
Total		Count	109	69	178
		Expected Count	109.0	69.0	178.0

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.139 ^a	1	.144	.162	.095
Continuity Correction ^b	1.707	1	.191		
Likelihood Ratio	2.157	1	.142		
Fisher's Exact Test					
Linear-by-Linear Association	2.127	1	.145		
N of Valid Cases	178				

- a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 28.69.
 b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for sikap dikategorikan (buruk / baik)	.629	.338	1.173
For cohort kepesertaan = tidak, bukan peserta	.840	.667	1.057
For cohort kepesertaan = ya, peserta	1.334	.898	1.982
N of Valid Cases	178		

3. Pendidikan

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pendidikan dikategorikan * kepesertaan	178	100.0%	0	0.0%	178	100.0%

pendidikan dikategorikan * kepesertaan Crosstabulation

			kepesertaan		Total
			tidak, bukan peserta	ya, peserta	
pendidikan dikategorikan	rendah	Count	86	18	104
		Expected Count	63.7	40.3	104.0
	tinggi	Count	23	51	74
		Expected Count	45.3	28.7	74.0
Total		Count	109	69	178
		Expected Count	109.0	69.0	178.0
		Count			

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	48.517 ^a	1	.000	.000	.000
Continuity Correction ^b	46.368	1	.000		
Likelihood Ratio	50.140	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	48.245	1	.000		
N of Valid Cases	178				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 28.69.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pendidikan dikategorikan (rendah / tinggi)	10.594	5.222	21.493
For cohort kepesertaan = tidak, bukan peserta	2.661	1.874	3.777
For cohort kepesertaan = ya, peserta	.251	.161	.393
N of Valid Cases	178		

4. Pendapatan

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pendapatan * kepesertaan	178	100.0%	0	0.0%	178	100.0%

pendapatan * kepesertaan Crosstabulation

		kepesertaan		Total
		tidak, bukan peserta	ya, peserta	
pendapatan rendah	Count	85	21	106
	Expected Count	64.9	41.1	106.0
tinggi	Count	24	48	72
	Expected Count	44.1	27.9	72.0
Total	Count	109	69	178
	Expected Count	109.0	69.0	178.0

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	39.655 ^a	1	.000	.000	.000
Continuity Correction ^b	37.706	1	.000		
Likelihood Ratio	40.508	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	39.433	1	.000		
N of Valid Cases	178				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 27.91.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pendapatan (rendah / tinggi)	8.095	4.084	16.047
For cohort kepesertaan = tidak, bukan peserta	2.406	1.712	3.380
For cohort kepesertaan = ya, peserta	.297	.196	.451
N of Valid Cases	178		