

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
umur yang dikategorikan * Status TB Paru	132	100.0%	0	0.0%	132	100.0%

umur yang dikategorikan * Status TB Paru Crosstabulation

			Status TB Paru		Total
			TB Paru BTA (+)	Bukan TB	
umur yang dikategorikan	usia beresiko	Count	53	56	109
		Expected Count	54.5	54.5	109.0
		% within Status TB Paru	80.3%	84.8%	82.6%
	usia tidak beresiko	Count	13	10	23
		Expected Count	11.5	11.5	23.0
		% within Status TB Paru	19.7%	15.2%	17.4%
Total		Count	66	66	132
		Expected Count	66.0	66.0	132.0
		% within Status TB Paru	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.474 ^a	1	.491		
Continuity Correction ^b	.211	1	.646		
Likelihood Ratio	.475	1	.491		
Fisher's Exact Test				.647	.324
Linear-by-Linear Association	.470	1	.493		
N of Valid Cases	132				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 11.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for umur yang dikategorikan (usia beresiko / usia tidak beresiko)	.728	.294	1.801
For cohort Status TB Paru = TB Paru BTA (+)	.860	.573	1.292
For cohort Status TB Paru = Bukan TB	1.182	.716	1.949
N of Valid Cases	132		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Riwayat Imunisasi BCG * Status TB Paru	132	100.0%	0	0.0%	132	100.0%

Riwayat Imunisasi BCG * Status TB Paru Crosstabulation

			Status TB Paru		Total
			TB Paru BTA (+)	Bukan TB	
Riwayat Imunisasi BCG	Tidak imuniasi BCG	Count	34	18	52
		Expected Count	26.0	26.0	52.0
		% within Status TB Paru	51.5%	27.3%	39.4%
	Imunisasi BCG	Count	32	48	80
		Expected Count	40.0	40.0	80.0
		% within Status TB Paru	48.5%	72.7%	60.6%
Total	Count	66	66	132	
	Expected Count	66.0	66.0	132.0	
	% within Status TB Paru	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.123 ^a	1	.004		
Continuity Correction ^b	7.139	1	.008		
Likelihood Ratio	8.226	1	.004		
Fisher's Exact Test				.007	.004
Linear-by-Linear Association	8.062	1	.005		
N of Valid Cases	132				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 26.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Riwayat Imunisasi BCG (Tidak imuniasi BCG / Imunisasi BCG)	2.833	1.371	5.853
For cohort Status TB Paru = TB Paru BTA (+)	1.635	1.171	2.281
For cohort Status TB Paru = Bukan TB	.577	.381	.873
N of Valid Cases	132		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Luas Ventilasi * Status TB Paru	132	100.0%	0	0.0%	132	100.0%

Luas Ventilasi * Status TB Paru Crosstabulation

			Status TB Paru		Total
			TB Paru BTA (+)	Bukan TB	
Luas Ventilasi	Tidak Memenuhi Syarat	Count	46	15	61
		Expected Count	30.5	30.5	61.0
		% within Status TB Paru	69.7%	22.7%	46.2%
	Memenuhi Syarat	Count	20	51	71
		Expected Count	35.5	35.5	71.0
		% within Status TB Paru	30.3%	77.3%	53.8%
Total	Count	66	66	132	
	Expected Count	66.0	66.0	132.0	
	% within Status TB Paru	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	29.289 ^a	1	.000		
Continuity Correction ^b	27.430	1	.000		
Likelihood Ratio	30.516	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	29.067	1	.000		
N of Valid Cases	132				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 30.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Luas Ventilasi (Tidak Memenuhi Syarat / Memnuhi Syarat)	7.820	3.588	17.044
For cohort Status TB Paru = TB Paru BTA (+)	2.677	1.798	3.986
For cohort Status TB Paru = Bukan TB	.342	.215	.544
N of Valid Cases	132		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kelembaban Udara * Status TB Paru	132	100.0%	0	0.0%	132	100.0%

Kelembaban Udara * Status TB Paru Crosstabulation

			Status TB Paru		Total
			TB Paru BTA (+)	Bukan TB	
Kelembaban Udara	Tidak Memenuhi Syarat	Count	4	4	8
		Expected Count	4.0	4.0	8.0
		% within Status TB Paru	6.1%	6.1%	6.1%
	Memnuhi Syarat	Count	62	62	124
		Expected Count	62.0	62.0	124.0
		% within Status TB Paru	93.9%	93.9%	93.9%
Total	Count	66	66	132	
	Expected Count	66.0	66.0	132.0	
	% within Status TB Paru	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.000 ^a	1	1.000	1.000	.641
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.000	1	1.000		
Fisher's Exact Test					
Linear-by-Linear Association	.000	1	1.000		
N of Valid Cases	132				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 4.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kelembaban Udara (Tidak Memenuhi Syarat / Memenuhi Syarat)	1.000	.239	4.178
For cohort Status TB Paru = TB Paru BTA (+)	1.000	.489	2.044
For cohort Status TB Paru = Bukan TB	1.000	.489	2.044
N of Valid Cases	132		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pencapaian Rumah * Status TB Paru	132	100.0%	0	0.0%	132	100.0%

Pencahayaan Rumah * Status TB Paru Crosstabulation

			Status TB Paru		Total
			TB Paru BTA (+)	Bukan TB	
Pencahayaan Rumah	Tidak Memenuhi Syarat	Count	52	17	69
		Expected Count	34.5	34.5	69.0
		% within Status TB Paru	78.8%	25.8%	52.3%
	Memenuhi Syarat	Count	14	49	63
		Expected Count	31.5	31.5	63.0
		% within Status TB Paru	21.2%	74.2%	47.7%
Total	Count	66	66	132	
	Expected Count	66.0	66.0	132.0	
	% within Status TB Paru	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	37.198 ^a	1	.000		
Continuity Correction ^b	35.103	1	.000		
Likelihood Ratio	39.200	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	36.916	1	.000		
N of Valid Cases	132				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 31.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pencapaian Rumah (Tidak Memenuhi Syarat / Memenuhi Syarat)	10.706	4.773	24.014
For cohort Status TB Paru = TB Paru BTA (+)	3.391	2.096	5.488
For cohort Status TB Paru = Bukan TB	.317	.205	.489
N of Valid Cases	132		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kepadatan Hunian * Status TB Paru	132	100.0%	0	0.0%	132	100.0%

Kepadatan Hunian * Status TB Paru Crosstabulation

			Status TB Paru		Total
			TB Paru BTA (+)	Bukan TB	
Kepadatan Hunian	Tidak Memenuhi Syarat	Count	47	18	65
		Expected Count	32.5	32.5	65.0
		% within Status TB Paru	71.2%	27.3%	49.2%
	Memenuhi Syarat	Count	19	48	67
		Expected Count	33.5	33.5	67.0
		% within Status TB Paru	28.8%	72.7%	50.8%
Total	Count	66	66	132	
	Expected Count	66.0	66.0	132.0	
	% within Status TB Paru	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	25.491 ^a	1	.000	.000	.000
Continuity Correction ^b	23.763	1	.000		
Likelihood Ratio	26.383	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	25.298	1	.000		
N of Valid Cases	132				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 32.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kepadatan Hunian (Tidak Memenuhi Syarat / Memenuhi Syarat)	6.596	3.085	14.103
For cohort Status TB Paru = TB Paru BTA (+)	2.550	1.693	3.839
For cohort Status TB Paru = Bukan TB	.387	.254	.589
N of Valid Cases	132		