

Lampiran 6. Output Normalitas

1. Kolesterol


**Descriptives**

		Statistic	Std. Error	
kadar kolesterol	Mean	210.84	2.395	
	95% Confidence Interval for Mean	Lower Bound	206.09	
		Upper Bound	215.60	
	5% Trimmed Mean	210.87		
	Median	213.50		
	Variance	550.849		
	Std. Deviation	23.470		
	Minimum	159		
	Maximum	261		
	Range	102		
	Interquartile Range	23		
	Skewness	-.262	.246	
	Kurtosis	-.026	.488	

**Tests of Normality**

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
kadar kolesterol	.124	96	.001	.953	96	.002

a. Lilliefors Significance Correction



## 2. Umur

### Descriptives

		Statistic	Std. Error	
umur responden	Mean	40.00	.906	
	95% Confidence Interval for Mean	Lower Bound	38.20	
		Upper Bound	41.80	
	5% Trimmed Mean	40.20		
	Median	41.50		
	Variance	78.758		
	Std. Deviation	8.875		
	Minimum	21		
	Maximum	54		
	Range	33		
	Interquartile Range	16		
	Skewness	-.217	.246	
	Kurtosis	-.995	.488	

### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
umur responden	.098	96	.025	.958	96	.004

a. Lilliefors Significance Correction

