

Lampiran 4

Hasil Uji Validitas dan Reliabilitas

```

CORRELATIONS
/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10
Jumlah
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.
    
```

Correlations

Notes

Output Created		7-FEB-2019 20:17:16
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	30
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10 Jumlah /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,05
	Elapsed Time	00:00:00,06

Correlations

		X1.1	X1.2	X1.3	X1.4	X1.5	X1.6	X1.7	X1.8	X1.9	X1.10	Jumlah
X1.1	Pearson Correlation	1	,830*	,463*	,465*	,533*	,431*	,489*	,558*	,604*	,409*	,724**
	Sig. (2-tailed)		,000	,010	,010	,002	,017	,006	,001	,000	,025	,000
	N	30	30	30	30	30	30	30	30	30	30	30
X1.2	Pearson Correlation	,830*	1	,567*	,465*	,533*	,431*	,489*	,558*	,604*	,409*	,742**
	Sig. (2-tailed)	,000		,001	,010	,002	,017	,006	,001	,000	,025	,000
	N	30	30	30	30	30	30	30	30	30	30	30
X1.3	Pearson Correlation	,463*	,567*	1	,677*	,713*	,674*	,774*	,491*	,702*	,406*	,850**
	Sig. (2-tailed)	,010	,001		,000	,000	,000	,000	,006	,000	,026	,000
	N	30	30	30	30	30	30	30	30	30	30	30
X1.4	Pearson Correlation	,465*	,465*	,677*	1	,429*	,405*	,715*	,621*	,758*	,559*	,808**
	Sig. (2-tailed)	,010	,010	,000		,018	,026	,000	,000	,000	,001	,000
	N	30	30	30	30	30	30	30	30	30	30	30
X1.5	Pearson Correlation	,533*	,533*	,713*	,429*	1	,866*	,693*	,446*	,466*	,202	,739**
	Sig. (2-tailed)	,002	,002	,000	,018		,000	,000	,014	,009	,284	,000
	N	30	30	30	30	30	30	30	30	30	30	30
X1.6	Pearson Correlation	,431*	,431*	,674*	,405*	,866*	1	,585*	,354	,455*	,117	,671**
	Sig. (2-tailed)	,017	,017	,000	,026	,000		,001	,055	,011	,539	,000
	N	30	30	30	30	30	30	30	30	30	30	30

X1.7	Pearson Correlation	,489*	,489*	,774*	,715*	,693*	,585*	1	,558*	,604*	,517*	,832**
	Sig. (2-tailed)	,006	,006	,000	,000	,000	,001		,001	,000	,003	,000
	N	30	30	30	30	30	30	30	30	30	30	30
X1.8	Pearson Correlation	,558*	,558*	,491*	,621*	,446*	,354	,558*	1	,747*	,754*	,790**
	Sig. (2-tailed)	,001	,001	,006	,000	,014	,055	,001		,000	,000	,000
	N	30	30	30	30	30	30	30	30	30	30	30
X1.9	Pearson Correlation	,604*	,604*	,702*	,758*	,466*	,455*	,604*	,747*	1	,645*	,870**
	Sig. (2-tailed)	,000	,000	,000	,000	,009	,011	,000	,000		,000	,000
	N	30	30	30	30	30	30	30	30	30	30	30
X1.10	Pearson Correlation	,409*	,409*	,406*	,559*	,202	,117	,517*	,754*	,645*	1	,675**
	Sig. (2-tailed)	,025	,025	,026	,001	,284	,539	,003	,000	,000		,000
	N	30	30	30	30	30	30	30	30	30	30	30
Jumlah	Pearson Correlation	,724*	,742*	,850*	,808*	,739*	,671*	,832*	,790*	,870*	,675*	1
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	
	N	30	30	30	30	30	30	30	30	30	30	30

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

```
RELIABILITY
/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA.
```

Reliability

Notes

Output Created		7-FEB-2019 20:19:11
Comments		
Input	Active Dataset Filter Weight Split File N of Rows in Working Data File	DataSet0 <none> <none> <none> 30
Missing Value Handling	Matrix Input Definition of Missing	User-defined missing values are treated as missing.
Syntax	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure. RELIABILITY /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA.
Resources	Processor Time Elapsed Time	00:00:00,00 00:00:00,01

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	30	100,0
	Excluded ^a	0	,0
	Total	30	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,917	10

```

NEW FILE.
DATASET NAME DataSet1 WINDOW=FRONT.
CORRELATIONS
  /VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2.6 X2.7 Jumlah
  /PRINT=TWOTAIL NOSIG
  /MISSING=PAIRWISE.
    
```

Correlations

		Notes
Output Created		7-FEB-2019 20:26:07
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	
	File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2.6 X2.7 Jumlah /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,01

[DataSet1]

Correlations

	X2.1	X2.2	X2.3	X2.4	X2.5	X2.6	X2.7	Jumlah
X2.1 Pearson Correlation	1	,561**	,476**	,291	,562**	,553**	,403*	,672**
Sig. (2-tailed)		,001	,008	,118	,001	,002	,027	,000
N	30	30	30	30	30	30	30	30
X2.2 Pearson Correlation	,561**	1	,530**	,337	,785**	,833**	,837**	,858**
Sig. (2-tailed)	,001		,003	,069	,000	,000	,000	,000
N	30	30	30	30	30	30	30	30
X2.3 Pearson Correlation	,476**	,530**	1	,653**	,628**	,648**	,664**	,808**
Sig. (2-tailed)	,008	,003		,000	,000	,000	,000	,000
N	30	30	30	30	30	30	30	30
X2.4 Pearson Correlation	,291	,337	,653**	1	,625**	,491**	,572**	,699**
Sig. (2-tailed)	,118	,069	,000		,000	,006	,001	,000
N	30	30	30	30	30	30	30	30
X2.5 Pearson Correlation	,562**	,785**	,628**	,625**	1	,647**	,830**	,892**
Sig. (2-tailed)	,001	,000	,000	,000		,000	,000	,000
N	30	30	30	30	30	30	30	30
X2.6 Pearson Correlation	,553**	,833**	,648**	,491**	,647**	1	,796**	,869**
Sig. (2-tailed)	,002	,000	,000	,006	,000		,000	,000
N	30	30	30	30	30	30	30	30
X2.7 Pearson Correlation	,403*	,837**	,664**	,572**	,830**	,796**	1	,898**
Sig. (2-tailed)	,027	,000	,000	,001	,000	,000		,000
N	30	30	30	30	30	30	30	30
Jumlah Pearson Correlation	,672**	,858**	,808**	,699**	,892**	,869**	,898**	1
Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000	
N	30	30	30	30	30	30	30	30

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

```
RELIABILITY
/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2.6 X2.7
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA.
```

Reliability

Notes

Output Created	7-FEB-2019 20:26:35	
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	30
	File	
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2.6 X2.7 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,01

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	30	100,0
	Excluded ^a	0	,0
	Total	30	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,912	7

```

NEW FILE.
DATASET NAME DataSet2 WINDOW=FRONT.
CORRELATIONS
  /VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Jumlah
  /PRINT=TWOTAIL NOSIG
  /MISSING=PAIRWISE.
    
```

Correlations

Notes

Output Created		7-FEB-2019 20:30:19
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	30
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Jumlah /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,01

[DataSet2]

Correlations

		Y.1	Y.2	Y.3	Y.4	Y.5	Jumlah
Y.1	Pearson Correlation	1	,773**	,870**	,718**	,766**	,938**
	Sig. (2-tailed)		,000	,000	,000	,000	,000
	N	30	30	30	30	30	30
Y.2	Pearson Correlation	,773**	1	,780**	,458*	,576**	,818**
	Sig. (2-tailed)	,000		,000	,011	,001	,000
	N	30	30	30	30	30	30
Y.3	Pearson Correlation	,870**	,780**	1	,639**	,710**	,907**
	Sig. (2-tailed)	,000	,000		,000	,000	,000
	N	30	30	30	30	30	30
Y.4	Pearson Correlation	,718**	,458*	,639**	1	,824**	,834**
	Sig. (2-tailed)	,000	,011	,000		,000	,000
	N	30	30	30	30	30	30
Y.5	Pearson Correlation	,766**	,576**	,710**	,824**	1	,888**
	Sig. (2-tailed)	,000	,001	,000	,000		,000
	N	30	30	30	30	30	30
Jumlah	Pearson Correlation	,938**	,818**	,907**	,834**	,888**	1
	Sig. (2-tailed)	,000	,000	,000	,000	,000	
	N	30	30	30	30	30	30

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

```
RELIABILITY
/VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA.
```

Reliability

Notes

Output Created	7-FEB-2019 20:31:02	
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	30
	File	
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax	RELIABILITY /VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA.	
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,01

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	30	100,0
	Excluded ^a	0	,0
	Total	30	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,922	5