

Lampiran 5

Hasil Uji Asumsi Klasik

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Y
  /METHOD=ENTER X1 X2
  /SAVE RESID.
```

Regression

		Notes
Output Created		21-FEB-2019 00:36:38
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	110
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1 X2 /SAVE RESID.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,01
	Memory Required	1644 bytes
	Additional Memory	0 bytes
	Required for Residual Plots	
Variables Created or Modified	RES_1	Unstandardized Residual

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Literasi keuangan syariah, Religiusitas ^b		Enter

a. Dependent Variable: Minat menabung

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,422 ^a	,178	,162	1,95388

a. Predictors: (Constant), Literasi keuangan syariah, Religiusitas

b. Dependent Variable: Minat menabung

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	88,283	2	44,142	11,562	,000 ^b
	Residual	408,490	107	3,818		
	Total	496,773	109			

a. Dependent Variable: Minat menabung

b. Predictors: (Constant), Literasi keuangan syariah, Religiusitas

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	6,994	2,731		2,562	,012
	Religiusitas	,180	,052	,307	3,483	,001
	Literasi keuangan syariah	,178	,061	,258	2,928	,004

a. Dependent Variable: Minat menabung

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	17,9240	21,8654	20,0455	,89996	110
Residual	-5,25563	5,17904	,00000	1,93587	110
Std. Predicted Value	-2,357	2,022	,000	1,000	110
Std. Residual	-2,690	2,651	,000	,991	110

a. Dependent Variable: Minat menabung

NPAR TESTS
 /K-S (NORMAL)=RES_1
 /MISSING ANALYSIS.

NPar Tests

Notes

Output Created		21-FEB-2019 00:37:40
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	110
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPAR TESTS /K-S(NORMAL)=RES_1 /MISSING ANALYSIS.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,05
	Number of Cases Allowed ^a	393216

a. Based on availability of workspace memory.

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		110
Normal Parameters ^{a,b}	Mean	,0000000
	Std. Deviation	1,93587480
Most Extreme Differences	Absolute	,072
	Positive	,072
	Negative	-,060
Test Statistic		,072
Asymp. Sig. (2-tailed)		,200 ^{c,d}

- a. Test distribution is Normal.
- b. Calculated from data.
- c. Lilliefors Significance Correction.
- d. This is a lower bound of the true significance.

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA COLLIN TOL
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Y
  /METHOD=ENTER X1 X2.
```

Regression

Notes

Output Created		21-FEB-2019 00:40:17
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	110
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.

Syntax	REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1 X2.		
Resources	Processor Time		00:00:00,02
	Elapsed Time		00:00:00,01
	Memory Required	1636 bytes	
	Additional Memory Required for Residual Plots	0 bytes	

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Literasi keuangan syariah, Religiusitas ^b	.	Enter

- a. Dependent Variable: Minat menabung
- b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,422 ^a	,178	,162	1,95388

- a. Predictors: (Constant), Literasi keuangan syariah, Religiusitas

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	88,283	2	44,142	11,562	,000 ^b
	Residual	408,490	107	3,818		
	Total	496,773	109			

- a. Dependent Variable: Minat menabung
- b. Predictors: (Constant), Literasi keuangan syariah, Religiusitas

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	6,994	2,731		2,562	,012		
	Religiusitas	,180	,052	,307	3,483	,001	,989	1,011
	Literasi keuangan syariah	,178	,061	,258	2,928	,004	,989	1,011

a. Dependent Variable: Minat menabung

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions		
				(Constant)	Religiusitas	Literasi keuangan syariah
1	1	2,988	1,000	,00	,00	,00
	2	,009	18,513	,03	,24	,85
	3	,003	31,863	,97	,76	,15

a. Dependent Variable: Minat menabung

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Y
  /METHOD=ENTER X1 X2
  /SAVE RESID.
```

Regression

Notes

Output Created	21-FEB-2019 00:44:50	
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	110
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.

Syntax	Cases Used	Statistics are based on cases with no missing values for any variable used. REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1 X2 /SAVE RESID.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02
	Memory Required	1644 bytes
	Additional Memory	0 bytes
	Required for Residual Plots	
Variables Created or Modified	RES_1	Unstandardized Residual

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Literasi keuangan syariah, Religiusitas ^b		Enter

a. Dependent Variable: Minat menabung

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,422 ^a	,178	,162	1,95388

a. Predictors: (Constant), Literasi keuangan syariah, Religiusitas

b. Dependent Variable: Minat menabung

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	88,283	2	44,142	11,562	,000 ^b
	Residual	408,490	107	3,818		
Total		496,773	109			

a. Dependent Variable: Minat menabung

b. Predictors: (Constant), Literasi keuangan syariah, Religiusitas

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	6,994	2,731		2,562	,012
	Religiusitas	,180	,052	,307	3,483	,001
	Literasi keuangan syariah	,178	,061	,258	2,928	,004

a. Dependent Variable: Minat menabung

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	17,9240	21,8654	20,0455	,89996	110
Residual	-5,25563	5,17904	,00000	1,93587	110
Std. Predicted Value	-2,357	2,022	,000	1,000	110
Std. Residual	-2,690	2,651	,000	,991	110

a. Dependent Variable: Minat menabung


```

COMPUTE Abs_Res=ABS (RES_1) .
EXECUTE.
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Abs_Res
  /METHOD=ENTER X1 X2.
    
```

Regression

Notes

Output Created		21-FEB-2019 00:47:17
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	110
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Abs_Res /METHOD=ENTER X1 X2.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,02
	Memory Required	1676 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Literasi keuangan syariah, Religiusitas ^b		Enter

- a. Dependent Variable: Abs_Res
 b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,075 ^a	,006	-,013	1,17313

- a. Predictors: (Constant), Literasi keuangan syariah, Religiusitas

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,828	2	,414	,301	,741 ^b
	Residual	147,258	107	1,376		
	Total	148,086	109			

- a. Dependent Variable: Abs_Res
 b. Predictors: (Constant), Literasi keuangan syariah, Religiusitas

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1,742	1,639		1,062	,290
	Religiusitas	,012	,031	,037	,381	,704
	Literasi keuangan syariah	-,026	,037	-,069	-,712	,478

- a. Dependent Variable: Abs_Res