

Lampiran 2

A. RELIABELITAS (kuesioner)

1. Pengetahuan

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.862	.905	20

2. Sikap

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.799	.776	10

3. Tindakan

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.906	.918	9

B. UJI NORMALITAS

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
PENGETAHUAN	,141	95	,000	,926	95	,000
SIKAP	,112	95	,005	,952	95	,001
TINDAKAN	,099	95	,022	,976	95	,085

a. Lilliefors Significance Correction

A. UJI MEAN DAN MEDIAN

	PENGETAHUAN	SIKAP	TINDAKAN
N Valid	95	95	95
Mean	12,17	24,82	23,20
Median	12,00	25,00	23,00
Std. Deviation	2,066	3,510	2,469
Minimum	4	12	15
Maximum	16	31	30
Sum	1156	2358	2204

Lampiran 2

B. ANALISA UNIVARIAT

1. Keberadaan Jentik Nyamuk

Jentik Nyamuk

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ada	58	61,1	61,1
	tidak ada	37	38,9	100,0
	Total	95	100,0	

2. Suhu

Suhu

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Beresiko (20°C-30°C)	37	38,9	38,9
	Tidak Beresiko (<20°C atau >30°C)	58	61,1	100,0
	Total	95	100,0	

3. Kelembaban

kelembaban

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Beresiko (60% - 80%)	58	61,1	61,1
	Tidak Beresiko (<60% atau >80%)	37	38,9	100,0
	Total	95	100,0	

4. Keberadaan Kontainer

Kontainer

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	> 3	40	42,1	42,1
	1-3 Kontainer	55	57,9	100,0
	Total	95	100,0	

5. Pengetahuan

PENGETAHUAN

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Pengetahuan Kurang Baik	74	77,9	77,9
	Pengetahuan Baik	21	22,1	100,0
	Total	95	100,0	

Lampiran 2

6. Sikap

SIKAP

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Sikap Kurang Baik	28	29,5	29,5	29,5
Sikap Baik	67	70,5	70,5	100,0
Total	95	100,0	100,0	

7. Tindakan

TINDAKAN

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tindakan Kurang Baik	49	51,6	51,6	51,6
Tindakan Baik	46	48,4	48,4	100,0
Total	95	100,0	100,0	

C. ANALISA BIVARIAT

1. Hubungan Suhu Udara dengan Keberadaan Jentik Nyamuk *Aedes Aegypti*

suhu * Jentik Nyamuk Crosstabulation

			Jentik Nyamuk		Total
			ada	tidak ada	
suhu	Beresiko (20°C-30°C)	Count	21	16	37
		Expected Count	22,6	14,4	37,0
		% within suhu	56,8%	43,2%	100,0%
	Tidak Beresiko (<20°C atau >30°C)	Count	37	21	58
		Expected Count	35,4	22,6	58,0
		% within suhu	63,8%	36,2%	100,0%
Total		Count	58	37	95
		Expected Count	58,0	37,0	95,0
		% within suhu	61,1%	38,9%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.470 ^a	1	.493		
Continuity Correction ^b	.221	1	.638		
Likelihood Ratio	.469	1	.494		
Fisher's Exact Test				.524	.318
Linear-by-Linear Association	.465	1	.495		
N of Valid Cases	95				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 14.41.

b. Computed only for a 2x2 table

Lampiran 2

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for suhu (Beresiko (20°C-30°C) / Tidak Beresiko (<20°C atau >30°C))	,745	,321	1,730
For cohort Jentik Nyamuk = ada	,890	,632	1,252
For cohort Jentik Nyamuk = tidak ada	1,194	,722	1,975
N of Valid Cases	95		

2. Hubungan Kelembaban Udara dengan Keberadaan Jentik Nyamuk *Aedes Aegypti*

kelembaban * Jentik Nyamuk Crosstabulation

		Jentik Nyamuk		Total
		ada	tidak ada	
kelembaban Beresiko (60% - 80%)	Count	50	8	58
	Expected Count	35,4	22,6	58,0
	% within kelembaban	86,2%	13,8%	100,0%
Tidak Beresiko (<60% atau >80%)	Count	8	29	37
	Expected Count	22,6	14,4	37,0
	% within kelembaban	21,6%	78,4%	100,0%
Total	Count	58	37	95
	Expected Count	58,0	37,0	95,0
	% within kelembaban	61,1%	38,9%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	39,627 ^a	1	,000		
Continuity Correction ^b	36,957	1	,000		
Likelihood Ratio	41,846	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	39,210	1	,000		
N of Valid Cases	95				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.41.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kelembaban (Beresiko (60% - 80%) / Tidak Beresiko (<60% atau >80%))	22,656	7,682	66,816
For cohort Jentik Nyamuk = ada	3,987	2,140	7,427
For cohort Jentik Nyamuk = tidak ada	,176	,090	,342
N of Valid Cases	95		

Lampiran 2

3. Hubungan Antara Keberadaan Kontainer dengan Keberadaan Jentik Nyamuk *Aedes Aegypti*

Kontainer * Jentik Nyamuk Crosstabulation

		Jentik Nyamuk		Total
		ada	tidak ada	
Kontainer > 3	Count	18	22	40
	Expected Count	24,4	15,6	40,0
	% within Kontainer	45,0%	55,0%	100,0%
1-3 Kontainer	Count	40	15	55
	Expected Count	33,6	21,4	55,0
	% within Kontainer	72,7%	27,3%	100,0%
Total	Count	58	37	95
	Expected Count	58,0	37,0	95,0
	% within Kontainer	61,1%	38,9%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7,487 ^a	1	,006		
Continuity Correction ^b	6,367	1	,012		
Likelihood Ratio	7,511	1	,006		
Fisher's Exact Test				,010	,006
Linear-by-Linear Association	7,409	1	,006		
N of Valid Cases	95				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 15,58.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kontainer (> 3 / 1-3 Kontainer)	,307	,130	,725
For cohort Jentik Nyamuk = ada	,619	,424	,904
For cohort Jentik Nyamuk = tidak ada	2,017	1,205	3,374
N of Valid Cases	95		

4. Hubungan Pengetahuan dengan Keberadaan Jentik Nyamuk *Aedes Aegypti*

PENGETAHUAN * Jentik Nyamuk Crosstabulation

			Jentik Nyamuk		Total
			ada	tidak ada	
PENGETAHUAN Pengetahuan Kurang Baik	Count	53	21	74	
	Expected Count	45,2	28,8	74,0	
	% within PENGETAHUAN	71,6%	28,4%	100,0%	
Pengetahuan Baik	Count	5	16	21	
	Expected Count	12,8	8,2	21,0	
	% within PENGETAHUAN	23,8%	76,2%	100,0%	
Total	Count	58	37	95	
	Expected Count	58,0	37,0	95,0	
	% within PENGETAHUAN	61,1%	38,9%	100,0%	

Lampiran 2

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	15.726 ^a	1	.000		
Continuity Correction ^b	13.780	1	.000		
Likelihood Ratio	15.684	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	15.561	1	.000		
N of Valid Cases	95				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.18.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PENGETAHUAN (Pengetahuan Kurang Baik / Pengetahuan Baik)	8.076	2.624	24.856
For cohort Jentik Nyamuk = ada	3.008	1.381	6.552
For cohort Jentik Nyamuk = tidak ada	.372	.241	.575
N of Valid Cases	95		

5. Hubungan Sikap dengan Keberadaan Jentik Nyamuk *Aedes Aegypti*

SIKAP * Jentik Nyamuk Crosstabulation

			Jentik Nyamuk		Total
			ada	tidak ada	
SIKAP	Sikap Kurang Baik	Count	15	13	28
		Expected Count	17,1	10,9	28,0
		% within SIKAP	53,6%	46,4%	100,0%
	Sikap Baik	Count	43	24	67
		Expected Count	40,9	26,1	67,0
		% within SIKAP	64,2%	35,8%	100,0%
Total		Count	58	37	95
		Expected Count	58,0	37,0	95,0
		% within SIKAP	61,1%	38,9%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,934 ^a	1	,334		
Continuity Correction ^b	,542	1	,462		
Likelihood Ratio	,925	1	,336		
Fisher's Exact Test				,363	,230
Linear-by-Linear Association	,925	1	,336		
N of Valid Cases	95				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 10,91.

Lampiran 2

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for SIKAP (Sikap Kurang Baik / Sikap Baik)	,644	,263	1,576
For cohort Jentik Nyamuk = ada	,835	,566	1,231
For cohort Jentik Nyamuk = tidak ada	1,296	,778	2,160
N of Valid Cases	95		

6. Hubungan Tindakan dengan Keberadaan Jentik Nyamuk *Aedes Aegypti*

TINDAKAN * Jentik Nyamuk Crosstabulation

			Jentik Nyamuk		Total
			ada	tidak ada	
TINDAKAN	Tindakan Kurang Baik	Count	38	11	49
		Expected Count	29,9	19,1	49,0
		% within TINDAKAN	77,6%	22,4%	100,0%
	Tindakan Baik	Count	20	26	46
		Expected Count	28,1	17,9	46,0
		% within TINDAKAN	43,5%	56,5%	100,0%
Total		Count	58	37	95
		Expected Count	58,0	37,0	95,0
		% within TINDAKAN	61,1%	38,9%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	11.584 ^a	1	.001		
Continuity Correction ^b	10.195	1	.001		
Likelihood Ratio	11.844	1	.001		
Fisher's Exact Test				.001	.001
Linear-by-Linear Association	11.462	1	.001		
N of Valid Cases	95				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 17.92.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for TINDAKAN (Tindakan Kurang Baik / Tindakan Baik)	4.491	1.846	10.924
For cohort Jentik Nyamuk = ada	1.784	1.242	2.562
For cohort Jentik Nyamuk = tidak ada	.397	.223	.709
N of Valid Cases	95		

Lampiran 2

Coross Tab (Stratifikasi)

1. Suhu dan Keberadaan Kontainer

suhu * Jentik Nyamuk * Kontainer Crosstabulation

Kontainer				Jentik Nyamuk		Total
				ada	tidak ada	
> 3	suhu	Beresiko (20°C-30°C)	Count	8	8	16
			Expected Count	7,2	8,8	16,0
			% within suhu	50,0%	50,0%	100,0%
	Tidak Beresiko (<20°C atau >30°C)	Count	10	14	24	
		Expected Count	10,8	13,2	24,0	
		% within suhu	41,7%	58,3%	100,0%	
	Total	Count	18	22	40	
		Expected Count	18,0	22,0	40,0	
		% within suhu	45,0%	55,0%	100,0%	
1-3 Kontainer	suhu	Beresiko (20°C-30°C)	Count	13	8	21
			Expected Count	15,3	5,7	21,0
			% within suhu	61,9%	38,1%	100,0%
	Tidak Beresiko (<20°C atau >30°C)	Count	27	7	34	
		Expected Count	24,7	9,3	34,0	
		% within suhu	79,4%	20,6%	100,0%	
	Total	Count	40	15	55	
		Expected Count	40,0	15,0	55,0	
		% within suhu	72,7%	27,3%	100,0%	
Total	suhu	Beresiko (20°C-30°C)	Count	21	16	37
			Expected Count	22,6	14,4	37,0
			% within suhu	56,8%	43,2%	100,0%
	Tidak Beresiko (<20°C atau >30°C)	Count	37	21	58	
		Expected Count	35,4	22,6	58,0	
		% within suhu	63,8%	36,2%	100,0%	
	Total	Count	58	37	95	
		Expected Count	58,0	37,0	95,0	
		% within suhu	61,1%	38,9%	100,0%	

Chi-Square Tests

Kontainer		Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
> 3	Pearson Chi-Square	,269 ^c	1	,604		
	Continuity Correction ^b	,038	1	,846		
	Likelihood Ratio	,269	1	,604		
	Fisher's Exact Test				,748	,422
	Linear-by-Linear Association	,263	1	,608		
	N of Valid Cases	40				
1-3 Kontainer	Pearson Chi-Square	2,006 ^d	1	,157		
	Continuity Correction ^b	1,220	1	,269		
	Likelihood Ratio	1,970	1	,160		
	Fisher's Exact Test				,215	,135
	Linear-by-Linear Association	1,970	1	,160		
	N of Valid Cases	55				
Total	Pearson Chi-Square	,470 ^a	1	,493		
	Continuity Correction ^b	,221	1	,638		
	Likelihood Ratio	,469	1	,494		
	Fisher's Exact Test				,524	,318
	Linear-by-Linear Association	,465	1	,495		
	N of Valid Cases	95				

Lampiran 2

2. Sikap dan Pengetahuan

SIKAP * Jentik Nyamuk * PENGETAHUAN Crosstabulation

PENGETAHUAN				Jentik Nyamuk		Total
				ada	tidak ada	
Pengetahuan Kurang Baik	SIKAP	Sikap Kurang Baik	Count	10	10	20
			Expected Count	14,3	5,7	20,0
			% within SIKAP	50,0%	50,0%	100,0%
	Sikap Baik	Count	43	11	54	
		Expected Count	38,7	15,3	54,0	
		% within SIKAP	79,6%	20,4%	100,0%	
	Total	Count	53	21	74	
		Expected Count	53,0	21,0	74,0	
		% within SIKAP	71,6%	28,4%	100,0%	
Pengetahuan Baik	SIKAP	Sikap Kurang Baik	Count	5	3	8
			Expected Count	1,9	6,1	8,0
			% within SIKAP	62,5%	37,5%	100,0%
	Sikap Baik	Count	0	13	13	
		Expected Count	3,1	9,9	13,0	
		% within SIKAP	0,0%	100,0%	100,0%	
	Total	Count	5	16	21	
		Expected Count	5,0	16,0	21,0	
		% within SIKAP	23,8%	76,2%	100,0%	
Total	SIKAP	Sikap Kurang Baik	Count	15	13	28
			Expected Count	17,1	10,9	28,0
			% within SIKAP	53,6%	46,4%	100,0%
	Sikap Baik	Count	43	24	67	
		Expected Count	40,9	26,1	67,0	
		% within SIKAP	64,2%	35,8%	100,0%	
	Total	Count	58	37	95	
		Expected Count	58,0	37,0	95,0	
		% within SIKAP	61,1%	38,9%	100,0%	

Chi-Square Tests

PENGETAHUAN		Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pengetahuan Kurang Baik	Pearson Chi-Square	6,304	1	,012	,019	,015
	Continuity Correction ^b	4,930	1	,026		
	Likelihood Ratio	5,961	1	,015		
	Fisher's Exact Test					
	Linear-by-Linear Association	6,219	1	,013		
	N of Valid Cases	74				
Pengetahuan Baik	Pearson Chi-Square	10,664 ^d	1	,001	,003	,003
	Continuity Correction ^b	7,497	1	,006		
	Likelihood Ratio	12,468	1	,000		
	Fisher's Exact Test					

Lampiran 2

	Linear-by-Linear Association	10,156	1	,001		
	N of Valid Cases	21				
Total	Pearson Chi-Square	,934a	1	,334		
	Continuity Correctionb	,542	1	,462		
	Likelihood Ratio	,925	1	,336		
	Fisher's Exact Test				,363	,230
	Linear-by-Linear Association	,925	1	,336		
	N of Valid Cases	95				

FREKUENSI KUESIONER

1. Pengetahua

F1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	14	14,7	14,7	14,7
	benar	81	85,3	85,3	100,0
	Total	95	100,0	100,0	

F2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	8	8,4	8,4	8,4
	benar	87	91,6	91,6	100,0
	Total	95	100,0	100,0	

F3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	9	9,5	9,5	9,5
	benar	86	90,5	90,5	100,0
	Total	95	100,0	100,0	

F4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	25	26,3	26,3	26,3
	benar	70	73,7	73,7	100,0
	Total	95	100,0	100,0	

F5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	11	11,6	11,6	11,6
	benar	84	88,4	88,4	100,0
	Total	95	100,0	100,0	

Lampiran 2

F6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	17	17,9	17,9	17,9
	benar	78	82,1	82,1	100,0
Total		95	100,0	100,0	

F7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	6	6,3	6,3	6,3
	benar	89	93,7	93,7	100,0
Total		95	100,0	100,0	

F8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	18	18,9	18,9	18,9
	benar	77	81,1	81,1	100,0
Total		95	100,0	100,0	

F9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	40	42,1	42,1	42,1
	benar	55	57,9	57,9	100,0
Total		95	100,0	100,0	

F10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	13	13,7	13,7	13,7
	benar	82	86,3	86,3	100,0
Total		95	100,0	100,0	

F11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	17	17,9	17,9	17,9
	benar	78	82,1	82,1	100,0
Total		95	100,0	100,0	

F12

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	salah	56	58,9	58,9	58,9
	benar	39	41,1	41,1	100,0
Total		95	100,0	100,0	

Lampiran 2

F13

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid salah	58	61,1	61,1	61,1
benar	37	38,9	38,9	100,0
Total	95	100,0	100,0	

F14

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid salah	47	49,5	49,5	49,5
benar	48	50,5	50,5	100,0
Total	95	100,0	100,0	

F16

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid salah	61	64,2	64,2	64,2
benar	34	35,8	35,8	100,0
Total	95	100,0	100,0	

F17

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid salah	59	62,1	62,1	62,1
benar	36	37,9	37,9	100,0
Total	95	100,0	100,0	

2. Sikap

G1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Setuju	1	1,1	1,1	1,1
Kurang Setuju	6	6,3	6,3	7,4
Setuju	29	30,5	30,5	37,9
Sangat Setuju	59	62,1	62,1	100,0
Total	95	100,0	100,0	

G2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Setuju	4	4,2	4,2	4,2
Kurang Setuju	2	2,1	2,1	6,3
Setuju	15	15,8	15,8	22,1
Sangat Setuju	74	77,9	77,9	100,0
Total	95	100,0	100,0	

Lampiran 2

G3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Setuju	2	2,1	2,1	2,1
Kurang Setuju	18	18,9	18,9	21,1
Setuju	26	27,4	27,4	48,4
Sangat Setuju	49	51,6	51,6	100,0
Total	95	100,0	100,0	

G4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Setuju	1	1,1	1,1	1,1
Kurang Setuju	2	2,1	2,1	3,2
Setuju	30	31,6	31,6	34,7
Sangat Setuju	62	65,3	65,3	100,0
Total	95	100,0	100,0	

G5

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Setuju	1	1,1	1,1	1,1
Kurang Setuju	6	6,3	6,3	7,4
Setuju	33	34,7	34,7	42,1
Sangat Setuju	55	57,9	57,9	100,0
Total	95	100,0	100,0	

G6

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Setuju	15	15,8	15,8	15,8
Kurang Setuju	25	26,3	26,3	42,1
Setuju	34	35,8	35,8	77,9
Sangat Setuju	21	22,1	22,1	100,0
Total	95	100,0	100,0	

G7

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Setuju	18	18,9	18,9	18,9
Kurang Setuju	19	20,0	20,0	38,9
Setuju	47	49,5	49,5	88,4
Sangat Setuju	11	11,6	11,6	100,0
Total	95	100,0	100,0	

Lampiran 2

G8

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Setuju	10	10,5	10,5	10,5
Kurang Setuju	7	7,4	7,4	17,9
Setuju	37	38,9	38,9	56,8
Sangat Setuju	41	43,2	43,2	100,0
Total	95	100,0	100,0	

3. Tindakan

H1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kadang	2	2,1	2,1	2,1
Sering	34	35,8	35,8	37,9
Selalu	59	62,1	62,1	100,0
Total	95	100,0	100,0	

H2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Pernah	1	1,1	1,1	1,1
Kadang	12	12,6	12,6	13,7
Sering	47	49,5	49,5	63,2
Selalu	35	36,8	36,8	100,0
Total	95	100,0	100,0	

H3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Pernah	23	24,2	24,2	24,2
Kadang	45	47,4	47,4	71,6
Sering	22	23,2	23,2	94,7
Selalu	5	5,3	5,3	100,0
Total	95	100,0	100,0	

H4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Pernah	11	11,6	11,6	11,6
Kadang	28	29,5	29,5	41,1
Sering	28	29,5	29,5	70,5
Selalu	28	29,5	29,5	100,0
Total	95	100,0	100,0	

Lampiran 2

H5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Pernah	39	41,1	41,1	41,1
	Kadang	31	32,6	32,6	73,7
	Sering	22	23,2	23,2	96,8
	Selalu	3	3,2	3,2	100,0
	Total	95	100,0	100,0	

H6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Pernah	6	6,3	6,3	6,3
	Kadang	57	60,0	60,0	66,3
	Sering	25	26,3	26,3	92,6
	Selalu	7	7,4	7,4	100,0
	Total	95	100,0	100,0	

H7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Pernah	42	44,2	44,2	44,2
	Kadang	38	40,0	40,0	84,2
	Sering	8	8,4	8,4	92,6
	Selalu	7	7,4	7,4	100,0
	Total	95	100,0	100,0	

H8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Pernah	2	2,1	2,1	2,1
	Kadang	4	4,2	4,2	6,3
	Sering	27	28,4	28,4	34,7
	Selalu	62	65,3	65,3	100,0
	Total	95	100,0	100,0	

H9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Pernah	27	28,4	28,4	28,4
	Kadang	22	23,2	23,2	51,6
	Sering	35	36,8	36,8	88,4
	Selalu	11	11,6	11,6	100,0
	Total	95	100,0	100,0	