

LAMPIRAN

1. Distribusi Frekuensi Univariat

1.1 Anemia

Statistics


Anemia

N	Valid	161
	Missing	0

Anemia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Anemia	88	54,7	54,7	54,7
	Tidak Anemia	73	45,3	45,3	100,0
Total		161	100,0	100,0	

Histogram



1.2 Usia Ibu


Statistics

Usia_Ibu

N	Valid	161
	Missing	0

Usia_Ibu

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Resiko	39	24,2	24,2	24,2
	Tidak Resiko	122	75,8	75,8	100,0
	Total	161	100,0	100,0	



1.3 Paritas

Statistics


Paritas

N	Valid	161
	Missing	0

Paritas

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Multivara	74	46,0	46,0	46,0
	Primivara	87	54,0	54,0	100,0
	Total	161	100,0	100,0	

Histogram



1.4 Jarak Kelahiran

Statistics


Jarak_Kelahiran

N	Valid	161
	Missing	0

Jarak_Kelahiran

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Resiko	92	57,1	57,1	57,1
	Tidak Resiko	69	42,9	42,9	100,0
	Total	161	100,0	100,0	

Histogram



1.5 Pengetahuan

Statistics


Kategori_Pengetahuan

N	Valid	161
	Missing	0

Kategori_Pengetahuan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	64	39,8	39,8	39,8
	Baik	97	60,2	60,2	100,0
	Total	161	100,0	100,0	

Histogram



1.5.1 Uji Normalitas

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pengetahuan	161	100,0%	0	0,0%	161	100,0%


Descriptives

		Statistic	Std. Error
Pengetahuan	Mean	13,03	,333
	95% Confidence Interval for Mean	Lower Bound 12,37	
		Upper Bound 13,69	
	5% Trimmed Mean	13,10	
	Median	14,00	
	Variance	17,818	
	Std. Deviation	4,221	
	Minimum	6	
	Maximum	18	
	Range	12	
	Interquartile Range	9	
	Skewness	-,226	,191
	Kurtosis	-1,623	,380

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
Pengetahuan	,209	161	,000	,841	161	,000

a. Lilliefors Significance Correction



2. Distribusi Frekuensi Bivariat

2.1 Hubungan Antara Usia Ibu dengan Kejadian Anemia

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Usia_Ibu * Anemia	161	100,0%	0	0,0%	161	100,0%

Usia_Ibu * Anemia Crosstabulation

			Anemia		Total
			Anemia	Tidak Anemia	
Usia_Ibu	Resiko	Count	28	11	39
		Expected Count	21,3	17,7	39,0
		% within Usia_Ibu	71,8%	28,2%	100,0%
Usia_Ibu	Tidak Resiko	Count	60	62	122
		Expected Count	66,7	55,3	122,0
		% within Usia_Ibu	49,2%	50,8%	100,0%
Total		Count	88	73	161
		Expected Count	88,0	73,0	161,0
		% within Usia_Ibu	54,7%	45,3%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	6,098 ^a	1	,014		
Continuity Correction ^b	5,220	1	,022		
Likelihood Ratio	6,298	1	,012		
Fisher's Exact Test				,016	,010
Linear-by-Linear Association	6,061	1	,014		
N of Valid Cases	161				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 17,68.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia_Ibu (Resiko / Tidak Resiko)	2,630	1,203	5,753
For cohort Anemia = Anemia	1,460	1,118	1,906
For cohort Anemia = Tidak Anemia	,555	,327	,943
N of Valid Cases	161		

1.1 Hubungan Antara Paritas dengan Kejadian Anemia

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Paritas * Anemia	161	100,0%	0	0,0%	161	100,0%

Paritas * Anemia Crosstabulation

			Anemia		Total
			Anemia	Tidak Anemia	
Paritas	Multivara	Count	57	17	74
		Expected Count	40,4	33,6	74,0
		% within Paritas	77,0%	23,0%	100,0%
Primivara	Count	Count	31	56	87
		Expected Count	47,6	39,4	87,0
		% within Paritas	35,6%	64,4%	100,0%
Total	Count	Count	88	73	161
		Expected Count	88,0	73,0	161,0
		% within Paritas	54,7%	45,3%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	27,648 ^a	1	,000		
Continuity Correction ^b	26,003	1	,000		
Likelihood Ratio	28,708	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	27,476	1	,000		
N of Valid Cases	161				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 33,55.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Paritas (Multivara / Primivara)	6,057	3,017	12,161
For cohort Anemia = Anemia	2,162	1,588	2,943
For cohort Anemia = Tidak Anemia	,357	,229	,557
N of Valid Cases	161		

1.2 Hubungan Antara Jarak Kelahiran dengan Kejadian Anemia

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Jarak_Kelahiran * Anemia	161	100,0%	0	0,0%	161	100,0%

Jarak_Kelahiran * Anemia Crosstabulation

			Anemia		Total
			Anemia	Tidak Anemia	
Jarak_Kelahiran	Resiko	Count	70	22	92
		Expected Count	50,3	41,7	92,0
		% within Jarak_Kelahiran	76,1%	23,9%	100,0%
	Tidak Resiko	Count	18	51	69
		Expected Count	37,7	31,3	69,0
		% within Jarak_Kelahiran	26,1%	73,9%	100,0%
Total		Count	88	73	161
		Expected Count	88,0	73,0	161,0
		% within Jarak_Kelahiran	54,7%	45,3%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	39,774 ^a	1	,000	,000	,000
Continuity Correction ^b	37,782	1	,000		
Likelihood Ratio	41,373	1	,000		
Fisher's Exact Test					
Linear-by-Linear Association	39,527	1	,000		
N of Valid Cases	161				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 31,29.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jarak_Kelahiran (Resiko / Tidak Resiko)	9,015	4,389	18,519
For cohort Anemia = Anemia	2,917	1,929	4,410
For cohort Anemia = Tidak Anemia	,324	,219	,478
N of Valid Cases	161		

1.3 Hubungan Antara Pengetahuan dengan Kejadian Anemia

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori_Pengetahuan * Anemia	161	100,0%	0	0,0%	161	100,0%

Kategori_Pengetahuan * Anemia Crosstabulation

			Anemia		Total
			Anemia	Tidak Anemia	
Kategori_Pengetahuan	Kurang	Count	47	17	64
		Expected Count	35,0	29,0	64,0
		% within Kategori_Pengetahuan	73,4%	26,6%	100,0%
	Baik	Count	41	56	97
		Expected Count	53,0	44,0	97,0
		% within Kategori_Pengetahuan	42,3%	57,7%	100,0%
Total		Count	88	73	161
		Expected Count	88,0	73,0	161,0
		% within Kategori_Pengetahuan	54,7%	45,3%	100,0%

Chi-Square Tests

	Value	Df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	15,116 ^a	1	,000		
Continuity Correction ^b	13,884	1	,000		
Likelihood Ratio	15,558	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	15,022	1	,000		
N of Valid Cases	161				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 29,02.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori_Pengetahuan (Kurang / Baik)	3,776	1,902	7,495
For cohort Anemia = Anemia	1,737	1,319	2,288
For cohort Anemia = Tidak Anemia	,460	,296	,715
N of Valid Cases	161		

