

Univariat kejadian ISPA

		ISPA			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ISPA	40	50,0	50,0	50,0
	ISPA	40	50,0	50,0	100,0
	Total	80	100,0	100,0	

Univariat ASI eksklusif

Statistics

asi dikategori

N	Valid	80
	Missing	0

		asi dikategori			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ASI Eksklusif	36	45,0	45,0	45,0
	ASI Eksklusif	44	55,0	55,0	100,0
	Total	80	100,0	100,0	

Bivariat ASI eksklusif

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
asi dikategori * ISPA	80	100,0%	0	0,0%	80	100,0%

asi dikategori * ISPA Crosstabulation

		ISPA		Total	
		ISPA	tidak ISPA		
asi dikategori	Tidak ASI Eksklusif	Count	23	13	36
		Expected Count	18,0	18,0	36,0
		% within ISPA	57,5%	32,5%	45,0%
	ASI Eksklusif	Count	17	27	44
		Expected Count	22,0	22,0	44,0
		% within ISPA	42,5%	67,5%	55,0%
Total		Count	40	40	80
		Expected Count	40,0	40,0	80,0
		% within ISPA	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5,051 ^a	1	,025		
Continuity Correction ^b	4,091	1	,043		
Likelihood Ratio	5,107	1	,024		
Fisher's Exact Test				,042	,021
Linear-by-Linear Association	4,987	1	,026		
N of Valid Cases	80				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 18,00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for asi dikategori (Tidak ASI Eksklusif / ASI Eksklusif)	2,810	1,129	6,991
For cohort ISPA = ISPA	1,654	1,059	2,583
For cohort ISPA = tidak ISPA	,588	,359	,964
N of Valid Cases	80		

Univariat status imunisasi

Statistics

Status_Imunisasi

N	Valid	80
	Missing	0

Status_Imunisasi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Lengkap	32	40,0	40,0	40,0
	Lengkap	48	60,0	60,0	100,0
	Total	80	100,0	100,0	

Bivariat Status imunisasi

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Status_Imunisasi * ISPA	80	100,0%	0	0,0%	80	100,0%

Status_Imunisasi * ISPA Crosstabulation

		ISPA		Total	
		ISPA	tidak ISPA		
Status_Imunisasi	Tidak Lengkap	Count	23	9	32
		Expected Count	16,0	16,0	32,0
		% within ISPA	57,5%	22,5%	40,0%
Lengkap		Count	17	31	48
		Expected Count	24,0	24,0	48,0
		% within ISPA	42,5%	77,5%	60,0%
Total		Count	40	40	80
		Expected Count	40,0	40,0	80,0
		% within ISPA	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	10,208 ^a	1	,001		
Continuity Correction ^b	8,802	1	,003		
Likelihood Ratio	10,480	1	,001		
Fisher's Exact Test				,003	,001
Linear-by-Linear Association	10,081	1	,001		
N of Valid Cases	80				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 16,00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Status_Imunisasi (Tidak Lengkap / Lengkap)	4,660	1,764	12,311
For cohort ISPA = ISPA	2,029	1,308	3,149
For cohort ISPA = tidak ISPA	,435	,241	,787
N of Valid Cases	80		

Univariat status gizi

Statistics

status gizi tidak baik dan status gizi baik

N	Valid	80
	Missing	0

status gizi tidak baik dan status gizi baik

	Frequency	Percent	Valid Percent	Cumulative Percent
Gizi Tidak Baik	21	26,3	26,3	26,3
Valid Gizi Baik	59	73,8	73,8	100,0
Total	80	100,0	100,0	

Bivariat status gizi

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
status gizi tidak baik dan status gizi baik * ISPA	80	100,0%	0	0,0%	80	100,0%

status gizi tidak baik dan status gizi baik * ISPA Crosstabulation

		ISPA		Total	
		ISPA	tidak ISPA		
status gizi tidak baik dan status gizi baik	Gizi Tidak Baik	Count	11	10	21
		Expected Count	10,5	10,5	21,0
		% within ISPA	27,5%	25,0%	26,3%
	Gizi Baik	Count	29	30	59
		Expected Count	29,5	29,5	59,0
		% within ISPA	72,5%	75,0%	73,8%
Total		Count	40	40	80
		Expected Count	40,0	40,0	80,0
		% within ISPA	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,065 ^a	1	,799		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,065	1	,799		
Fisher's Exact Test				1,000	,500
Linear-by-Linear Association	,064	1	,801		
N of Valid Cases	80				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 10,50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for status gizi tidak baik dan status gizi baik (Gizi Tidak Baik / Gizi Baik)	1,138	,420	3,084
For cohort ISPA = ISPA	1,066	,657	1,728
For cohort ISPA = tidak ISPA	,937	,560	1,566
N of Valid Cases	80		

Univariat perilaku keluarga merokok

Statistics

merokok dikategorikan

N	Valid	80
	Missing	0

merokok dikategorikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Perilaku Buruk	37	46,3	46,3	46,3
Valid Perilaku Baik	43	53,8	53,8	100,0
Total	80	100,0	100,0	

Bivariat perilaku keluarga merokok

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
merokok dikategorikan * ISPA	80	100,0%	0	0,0%	80	100,0%

merokok dikategorikan * ISPA Crosstabulation

			ISPA		Total
			ISPA	tidak ISPA	
merokok dikategorikan	Perilaku Buruk	Count	27	10	37
		Expected Count	18,5	18,5	37,0
		% within ISPA	67,5%	25,0%	46,3%
Perilaku Baik	Count	13	30	43	
	Expected Count	21,5	21,5	43,0	
	% within ISPA	32,5%	75,0%	53,8%	
Total	Count	40	40	80	
	Expected Count	40,0	40,0	80,0	
	% within ISPA	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	14,532 ^a	1	,000		
Continuity Correction ^b	12,872	1	,000		
Likelihood Ratio	15,020	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	14,350	1	,000		
N of Valid Cases	80				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18,50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for merokok dikategorikan (Perilaku Buruk / Perilaku Baik)	6,231	2,351	16,513
For cohort ISPA = ISPA	2,414	1,472	3,958
For cohort ISPA = tidak ISPA	,387	,220	,681
N of Valid Cases	80		