

## BIVARIAT

### 1. Umur – Kualitas Fisik

Case Processing Summary						
	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
umur dikategorik * kualitas fisik dikat	40	100,0%	0	0,0%	40	100,0%

umur dikategorik * kualitas fisik dikat Crosstabulation					
			kualitas fisik dikat		Total
			buruk	baik	
umur dikategorik	Lanjut usia	Count	17	14	31
		% within umur dikategorik	54,8%	45,2%	100,0%
	Lanjut usia dengan resiko tinggi	Count	7	2	9
		% within umur dikategorik	77,8%	22,2%	100,0%
Total		Count	24	16	40
		% within umur dikategorik	60,0%	40,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,529 <sup>a</sup>	1	,216		
Continuity Correction <sup>b</sup>	,723	1	,395		
Likelihood Ratio	1,622	1	,203		
Fisher's Exact Test				,272	,200
Linear-by-Linear Association	1,491	1	,222		
N of Valid Cases	40				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 3,60.

b. Computed only for a 2x2 table

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for umur dikategorik (Lanjut usia / Lanjut usia dengan resiko tinggi)	,347	,062	1,944
For cohort kualitas fisik dikat = buruk	,705	,439	1,132
For cohort kualitas fisik dikat = baik	2,032	,564	7,326
N of Valid Cases	40		

## 2. Jenis Kelamin– Kualitas Fisik

Case Processing Summary						
	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Jenis kelamin responden * kualitas fisik dikat	40	100,0%	0	0,0%	40	100,0%

Jenis kelamin responden * kualitas fisik dikat Crosstabulation					
			kualitas fisik dikat		Total
			buruk	baik	
Jenis kelamin responden	Laki-laki	Count	11	6	17
		% within Jenis kelamin responden	64,7%	35,3%	100,0%
	Perempuan	Count	13	10	23
		% within Jenis kelamin responden	56,5%	43,5%	100,0%
Total		Count	24	16	40
		% within Jenis kelamin responden	60,0%	40,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,273 <sup>a</sup>	1	,601		
Continuity Correction <sup>b</sup>	,038	1	,845		
Likelihood Ratio	,274	1	,601		
Fisher's Exact Test				,747	,424
Linear-by-Linear Association	,266	1	,606		
N of Valid Cases	40				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 6,80.

b. Computed only for a 2x2 table

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jenis kelamin responden (Laki-laki / Perempuan)	1,410	,387	5,133
For cohort kualitas fisik dikat = buruk	1,145	,693	1,891
For cohort kualitas fisik dikat = baik	,812	,367	1,797
N of Valid Cases	40		

### 3. Pengetahuan– Kualitas Fisik

Case Processing Summary						
	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pengetahuan kolmogorof kategorik * kualitas fisik dikat	40	100,0%	0	0,0%	40	100,0%

#### pengetahuan kolmogorof kategorik \* kualitas fisik dikat Crosstabulation

			kualitas fisik dikat		Total
			buruk	baik	
pengetahuan kolmogorof kategorik	Buruk	Count	13	5	18
		% within pengetahuan kolmogorof kategorik	72,2%	27,8%	100,0%
	Baik	Count	11	11	22
		% within pengetahuan kolmogorof kategorik	50,0%	50,0%	100,0%
Total		Count	24	16	40
		% within pengetahuan kolmogorof kategorik	60,0%	40,0%	100,0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,037 <sup>a</sup>	1	,154		
Continuity Correction <sup>b</sup>	1,216	1	,270		
Likelihood Ratio	2,072	1	,150		
Fisher's Exact Test				,203	,135
Linear-by-Linear Association	1,986	1	,159		
N of Valid Cases	40				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 7,20.

b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pengetahuan kolmogorof kategorik (Buruk / Baik)	2,600	,689	9,806
For cohort kualitas fisik dikat = buruk	1,444	,870	2,397
For cohort kualitas fisik dikat = baik	,556	,236	1,305
N of Valid Cases	40		

#### 4. Sikap – Kualitas Fisik

Case Processing Summary						
	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
sikap dikategorikan * kualitas fisik dikat	40	100,0%	0	0,0%	40	100,0%

sikap dikategorikan * kualitas fisik dikat Crosstabulation					
			kualitas fisik dikat		Total
			buruk	baik	
sikap dikategorikan	buruk	Count	16	4	20
		% within sikap dikategorikan	80,0%	20,0%	100,0%
	baik	Count	8	12	20
		% within sikap dikategorikan	40,0%	60,0%	100,0%
Total		Count	24	16	40
		% within sikap dikategorikan	60,0%	40,0%	100,0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6,667 <sup>a</sup>	1	,010		
Continuity Correction <sup>b</sup>	5,104	1	,024		
Likelihood Ratio	6,904	1	,009		
Fisher's Exact Test				,022	,011
Linear-by-Linear Association	6,500	1	,011		
N of Valid Cases	40				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 8,00.

b. Computed only for a 2x2 table

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for sikap dikategorikan (buruk / baik)	6,000	1,458	24,686
For cohort kualitas fisik dikat = buruk	2,000	1,120	3,571
For cohort kualitas fisik dikat = baik	,333	,129	,859
N of Valid Cases	40		

## 5. Perilaku – Kualitas Fisik

Case Processing Summary						
	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
perilaku di kategorikan * kualitas fisik dikat	40	100,0%	0	0,0%	40	100,0%

perilaku di kategorikan * kualitas fisik dikat Crosstabulation					
			kualitas fisik dikat		Total
			buruk	baik	
perilaku di kategorikan	Buruk	Count	10	8	18
		% within perilaku di kategorikan	55,6%	44,4%	100,0%
	Baik	Count	14	8	22
		% within perilaku di kategorikan	63,6%	36,4%	100,0%
Total		Count	24	16	40
		% within perilaku di kategorikan	60,0%	40,0%	100,0%

Chi-Square Tests					
	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,269 <sup>a</sup>	1	,604		
Continuity Correction <sup>b</sup>	,038	1	,846		
Likelihood Ratio	,269	1	,604		
Fisher's Exact Test				,748	,422
Linear-by-Linear Association	,263	1	,608		
N of Valid Cases	40				
a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 7,20.					
b. Computed only for a 2x2 table					

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for perilaku di kategorikan (Buruk / Baik)	,714	,200	2,549
For cohort kualitas fisik dikat = buruk	,873	,519	1,469
For cohort kualitas fisik dikat = baik	1,222	,574	2,604
N of Valid Cases	40		