

Lampiran 4.

A. Hasil Analisis Bivariat

Hubungan Antara Pendidikan dengan Perilaku Tidak Aman

Crosstab

		kategori tidak aman		Total		
		tidak aman	aman			
didik	rendah	Count	47	29	76	
		Expected Count	40,9	35,1	76,0	
		% within didik	61,8%	38,2%	100,0%	
	tinggi		Count	23	31	54
			Expected Count	29,1	24,9	54,0
			% within didik	42,6%	57,4%	100,0%
Total		Count	70	60	130	
		Expected Count	70,0	60,0	130,0	
		% within didik	53,8%	46,2%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4,707 ^a	1	,030		
Continuity Correction ^b	3,964	1	,046		
Likelihood Ratio	4,724	1	,030		
Fisher's Exact Test				,034	,023
Linear-by-Linear Association	4,671	1	,031		
N of Valid Cases	130				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 24,92.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,187	,030
N of Valid Cases		130	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for didik (rendah / tinggi)	2,184	1,073	4,446
For cohort kategori tidak aman = tidak aman	1,452	1,017	2,074
For cohort kategori tidak aman = aman	,665	,460	,959
N of Valid Cases		130	

Hubungan Antara Pengetahuan dengan Perilaku tidak aman

Crosstab

		kategori tidak aman		Total	
		tidak aman	aman		
kategori pengetahuan	rendah	Count	49	28	77
		Expected Count	41,5	35,5	77,0
		% within kategori pengetahuan	63,6%	36,4%	100,0%
	tinggi	Count	21	32	53
		Expected Count	28,5	24,5	53,0
		% within kategori pengetahuan	39,6%	60,4%	100,0%
Total	Count	70	60	130	
	Expected Count	70,0	60,0	130,0	
	% within kategori pengetahuan	53,8%	46,2%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7,284 ^a	1	,007		
Continuity Correction ^b	6,350	1	,012		
Likelihood Ratio	7,330	1	,007		
Fisher's Exact Test				,008	,006
Linear-by-Linear Association	7,228	1	,007		
N of Valid Cases	130				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 24,46.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,230	,007
N of Valid Cases		130	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategori pengetahuan (rendah / tinggi)	2,667	1,298	5,479
For cohort kategori tidak aman = tidak aman	1,606	1,106	2,332
For cohort kategori tidak aman = aman	,602	,417	,870
N of Valid Cases	130		

Hubungan antara Usia dengan perilaku tidak aman

Crosstab

		kategori tidak aman		Total	
		tidak aman	aman		
usia	<=30	Count	51	22	73
		Expected Count	39,3	33,7	73,0
		% within usia	69,9%	30,1%	100,0%
	>30	Count	19	38	57
		Expected Count	30,7	26,3	57,0
		% within usia	33,3%	66,7%	100,0%
Total		Count	70	60	130
		Expected Count	70,0	60,0	130,0
		% within usia	53,8%	46,2%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	17,186 ^a	1	,000		
Continuity Correction ^b	15,748	1	,000		
Likelihood Ratio	17,531	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	17,054	1	,000		
N of Valid Cases	130				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 26,31.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,342	,000
N of Valid Cases		130	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for usia (<=30 / >30)	4,636	2,204	9,754
For cohort kategori tidak aman = tidak aman	2,096	1,409	3,117
For cohort kategori tidak aman = aman	,452	,305	,671
N of Valid Cases	130		

Hubungan antara masa kerja dengan keamanan kerja

Crosstab

		kategori tidak aman		Total	
		tidak aman	aman		
kategori masa kerja	lama	Count	36	43	79
		Expected Count	42,5	36,5	79,0
		% within kategori masa kerja	45,6%	54,4%	100,0%
	baru	Count	34	17	51
		Expected Count	27,5	23,5	51,0
		% within kategori masa kerja	66,7%	33,3%	100,0%
Total	Count	70	60	130	
	Expected Count	70,0	60,0	130,0	
	% within kategori masa kerja	53,8%	46,2%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5,551 ^a	1	,018		
Continuity Correction ^b	4,734	1	,030		
Likelihood Ratio	5,628	1	,018		
Fisher's Exact Test				,020	,014
Linear-by-Linear Association	5,508	1	,019		
N of Valid Cases	130				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 23,54.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,202	,018
N of Valid Cases		130	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategori masa kerja (lama / baru)	,419	,201	,870
For cohort kategori tidak aman = tidak aman	,684	,502	,931
For cohort kategori tidak aman = aman	1,633	1,054	2,529
N of Valid Cases	130		