

NONPAR CORR
 /VARIABLES=E LV
 /PRINT=SPEARMAN TWOTAIL NOSIG
 /MISSING=PAIRWISE.

Nonparametric Correlations

Notes

Output Created		04-JUL-2019 00:27:09
Comments		
	Data	D:\campus\GIZI\SMSTR 7\SKRIPSI\Analisis Data\SPSS\SPSS Skripsi PRE FIX.sav
	Active Dataset	DataSet1
Input	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	62
	File	
	Definition of Missing	User-defined missing values are treated as missing.
Missing Value Handling	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=E LV /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.
	Processor Time	00:00:00,00
Resources	Elapsed Time	00:00:00,00
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[DataSet1] D:\campus\GIZI\SMSTR 7\SKRIPSI\Analisis Data\SPSS\SPSS Skripsi PRE FIX.sav

Correlations

		Energi	Lemak Viseral
Spearman's rho	Correlation Coefficient	1,000	,297*
	Energi Sig. (2-tailed)	.	,019
	N	62	62
	Correlation Coefficient	,297*	1,000
	Lemak Viseral Sig. (2-tailed)	,019	.
	N	62	62

*. Correlation is significant at the 0.05 level (2-tailed).

```
NONPAR CORR
/VARIABLES=P LV
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	04-JUL-2019 00:27:55
Comments	
Data	D:\campus\GIZI\SMSTR 7\SKRIPSI\Analisis Data\SPSS\SPSS Skripsi PRE FIX.sav
Active Dataset	DataSet1
Filter	<none>
Weight	<none>
Split File	<none>
N of Rows in Working Data	62
File	
Definition of Missing	User-defined missing values are treated as missing.
Missing Value Handling	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Cases Used	NONPAR CORR /VARIABLES=P LV /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.
Syntax	

Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,03
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[DataSet1] D:\campus\GIZI\SMSTR 7\SKRIPSI\Analisis Data\SPSS\SPSS Skripsi PRE FIX.sav

Correlations

		Protein	Lemak Viseral
Spearman's rho	Protein		
	Correlation Coefficient	1,000	,001
	Sig. (2-tailed)	.	,994
	N	62	62
Lemak Viseral	Lemak Viseral		
	Correlation Coefficient	,001	1,000
	Sig. (2-tailed)	,994	.
	N	62	62

```
NONPAR CORR
/VARIABLES=L LV
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

Output Created	04-JUL-2019 00:29:06
Comments	
Data	D:\campus\GIZI\SMSTR 7\SKRIPSI\Analisis Data\SPSS\SPSS Skripsi PRE FIX.sav
Active Dataset	DataSet1
Filter	<none>
Weight	<none>
Split File	<none>
N of Rows in Working Data	62
File	
Missing Value Handling	User-defined missing values are treated as missing.

Syntax	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair. NONPAR CORR /VARIABLES=L LV /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,00
	Number of Cases Allowed	174762 cases ^a

a. Based on availability of workspace memory

[DataSet1] D:\campus\GIZI\SMSTR 7\SKRIPSI\Analisis Data\SPSS\SPSS Skripsi PRE FIX.sav

		Lemak	Lemak Viseral
Lemak	Correlation Coefficient	1,000	,295*
	Sig. (2-tailed)	.	,020
	N	62	62
Lemak Viseral	Correlation Coefficient	,295*	1,000
	Sig. (2-tailed)	,020	.
	N	62	62

*. Correlation is significant at the 0.05 level (2-tailed).

```
NONPAR CORR
/VARIABLES=SERAT LV
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes	
Output Created	04-JUL-2019 00:29:39
Comments	

	Data	D:\campus\GIZI\SMSTR 7\SKRIPSI\Analisis Data\SPSS\SPSS Skripsi PRE FIX.sav	
Input	Active Dataset	DataSet1	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data		62
	File		
	Definition of Missing	User-defined missing values are treated as missing.	
Missing Value Handling	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.	
	Syntax	NONPAR CORR /VARIABLES=SERAT LV /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time		00:00:00,00
	Elapsed Time		00:00:00,06
	Number of Cases Allowed	174762 cases ^a	

a. Based on availability of workspace memory

[DataSet1] D:\campus\GIZI\SMSTR 7\SKRIPSI\Analisis Data\SPSS\SPSS Skripsi PRE FIX.sav

Correlations

		Serat	Lemak Viseral
Serat	Correlation Coefficient	1,000	,233
	Sig. (2-tailed)	.	,068
	N	62	62
Spearman's rho	Correlation Coefficient	,233	1,000
	Sig. (2-tailed)	,068	.
	N	62	62

CORRELATIONS
/VARIABLES=KH LV
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

Correlations

Notes

Output Created	04-JUL-2019 00:30:11	
Comments		
	Data	D:\campus\GIZI\SMSTR 7\SKRIPSI\Analisis Data\SPSS\SPSS Skripsi PRE FIX.sav
	Active Dataset	DataSet1
Input	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	62
	File	
	Definition of Missing	User-defined missing values are treated as missing.
Missing Value Handling	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
		CORRELATIONS
Syntax		/VARIABLES=KH LV /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,00

[DataSet1] D:\campus\GIZI\SMSTR 7\SKRIPSI\Analisis Data\SPSS\SPSS Skripsi PRE FIX.sav

Correlations

		Karbohidrat	Lemak Viseral
Karbohidrat	Pearson Correlation	1	,127
	Sig. (2-tailed)		,324
	N	62	62
Lemak Viseral	Pearson Correlation	,127	1
	Sig. (2-tailed)	,324	
	N	62	62

CORRELATIONS
 /VARIABLES=BG LV
 /PRINT=TWOTAIL NOSIG
 /MISSING=PAIRWISE.

Correlations

Notes

Output Created		04-JUL-2019 00:30:38
Comments		
	Data	D:\campus\GIZI\SMSTR 7\SKRIPSI\Analisis Data\SPSS\SPSS Skripsi PRE FIX.sav
	Active Dataset	DataSet1
Input	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	62
	File	
	Definition of Missing	User-defined missing values are treated as missing.
Missing Value Handling	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=BG LV /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,11

[DataSet1] D:\campus\GIZI\SMSTR 7\SKRIPSI\Analisis Data\SPSS\SPSS Skripsi PRE FIX.sav

Correlations

		Beban Glikemik	Lemak Viseral
Beban Glikemik	Pearson Correlation	1	,286*
	Sig. (2-tailed)		,024
	N	62	62
Lemak Viseral	Pearson Correlation	,286*	1
	Sig. (2-tailed)	,024	
	N	62	62

*. Correlation is significant at the 0.05 level (2-tailed).