

## LAMPIRAN SPSS

### Univariate - Frequency Table

#### Jenis Kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-laki	12	37.5	37.5	37.5
	Perempuan	20	62.5	62.5	100.0
	Total	32	100.0	100.0	

#### Usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	25-30 tahun	21	65.6	65.6	65.6
	31-36 tahun	11	34.4	34.4	100.0
	Total	32	100.0	100.0	

#### Pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	D3 Kep.	25	78.1	78.1	78.1
	S1 Ners	7	21.9	21.9	100.0
	Total	32	100.0	100.0	

#### Lama Bekerja

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1-3 tahun	23	71.9	71.9	71.9
	4-6 tahun	9	28.1	28.1	100.0
	Total	32	100.0	100.0	

#### Status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kawin	23	71.9	71.9	71.9
	Tidak Kawin	9	28.1	28.1	100.0
	Total	32	100.0	100.0	

### Proses Timbang Terima

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang Baik	12	37.5	37.5	37.5
	Baik	20	62.5	62.5	100.0
	Total	32	100.0	100.0	

### Kinerja Perawat Profesional

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang Baik	14	43.8	43.8	43.8
	Baik	18	56.3	56.3	100.0
	Total	32	100.0	100.0	

### Descriptives

#### Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Usia (tahun)	32	25	36	30.34	2.892
Lama Bekerja (tahun)	32	1	6	2.69	1.674
Proses Timbang Terima	32	5	11	8.00	1.545
Kinerja Perawat Profesional	32	10	21	17.00	2.300
Valid N (listwise)	32				

## Bivariate – Crosstabs

Proses Timbang Terima \* Kinerja Perawat Profesional Crosstabulation

			Kinerja Perawat Profesional		Total
			Kurang Baik	Baik	
Proses Timbang Terima	Kurang Baik	Count % within Proses Timbang Terima	9 75.0%	3 25.0%	12 100.0%
	Baik	Count % within Proses Timbang Terima	5 25.0%	15 75.0%	20 100.0%
Total		Count % within Proses Timbang Terima	14 43.8%	18 56.3%	32 100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7.619 <sup>b</sup>	1	.006		
Continuity Correction <sup>a</sup>	5.723	1	.017		
Likelihood Ratio	7.871	1	.005		
Fisher's Exact Test				.010	.008
Linear-by-Linear Association	7.381	1	.007		
N of Valid Cases	32				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.25.

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Proses Timbang Terima (Kurang Baik / Baik)	9.000	1.724	46.994
For cohort Kinerja Perawat Profesional = Kurang Baik	3.000	1.313	6.855
For cohort Kinerja Perawat Profesional = Baik	.333	.121	.917
N of Valid Cases	32		