

Lampiran 3 Source Code home.php

```
<?php
include ('koneksi.php')
?>

<?php
include('header.php');
?>

<form method="POST"/>

<table border="5" class="table table-bordered table-striped table-hover js-basic-
example dataTable">
    <head>
        <script type="text/javascript"
src="DataTables/media/js/jquery.js"></script>
        <script type="text/javascript"
src="DataTables/media/js/jquery.dataTables.js"></script>
        <link rel="stylesheet" type="text/css" href="css/bootstrap.css">
        <link rel="stylesheet" type="text/css"
href="DataTables/media/css/jquery.dataTables.css">
        <link rel="stylesheet" type="text/css"
href="DataTables/media/css/dataTables.bootstrap.css">
    </head>
    <tr>
        <td>Id Transaksi</td>
        <td>Nama Sales</td>
        <td>Nama Customer</td>
```

```

        <td>Jumlah</td>
        <td>Status</td>
        <td colspan="1">Action</td>
    </tr>

<?php
$list_transaksi=mysql_query("SELECT `transaksi`.*,`customer`.`Nama_Customer`
`,` `salesman`.`Nama_Salesman` FROM `transaksi`

INNER JOIN `customer` ON `transaksi`.`Id_Customer` =
`customer`.`Id_Customer`

INNER JOIN `salesman` ON `transaksi`.`Id_Salesman` =
`salesman`.`Id_Salesman`");

while($proses=mysql_fetch_array($list_transaksi)){
    ?>
<tr>
    <td><?php echo $proses['Id_Transaksi'];?></td>
    <td><?php echo $proses['Nama_Salesman'];?></td>
    <td><?php echo $proses['Nama_Customer'];?></td>
    <td><?php echo number_format($proses['Jumlah']);?></td>
    <td><?php if($proses['counter']==1){ ?>
        <a href="" class="btn btn-danger">Ada Komplain</a>
    <?php }elseif($proses['counter']==2){ ?>
        <a href="" class="btn btn-info">Komplain Selesai</a>
    <?php }?></td>

```

```
<td><a class="btn btn-info"
href="detail_transaksi_error.php?Id_Transaksi=?php echo
$proses['Id_Transaksi'];?>" />
Detail</a></td>

<!--<td><a class="btn btn-warning"
href="edit_transaksi.php?Id_Transaksi=?php echo $proses['Id_Transaksi'];?>" />
Edit</a></td>

<td><a class="btn btn-danger"
href="delete_transaksi.php?Id_Transaksi=?php echo
$proses['Id_Transaksi'];?>" />
Delete</a></td>-->
</tr>

<?php
}
?>
</table>

<?php
include('footer.php');
```

Lampiran 4 Source Code tampil_transaksi.php

```

<?php
include ('koneksi.php')
?>

<?php
include('header.php');
?>

    <h1><center>Data Transaksi</center></h1>

<a href="input_transaksi.php" class="btn btn-danger" style="margin: 20px 10px
10px 10px">Tambah Data</a>

<form method="POST"/>

<table border="5" class="table table-bordered table-striped table-hover js-basic-
example dataTable">

    <head>

        <script type="text/javascript"
src="DataTables/media/js/jquery.js"></script>

        <script type="text/javascript"
src="DataTables/media/js/jquery.dataTables.js"></script>

        <link rel="stylesheet" type="text/css" href="css/bootstrap.css">

        <link rel="stylesheet" type="text/css"
href="DataTables/media/css/jquery.dataTables.css">

        <link rel="stylesheet" type="text/css"
href="DataTables/media/css/dataTables.bootstrap.css">

    </head>

    <tr>

```

```

        <td>Id Transaksi</td>
        <td>Nama Sales</td>
        <td>Nama Customer</td>
        <td>Jumlah</td>
        <td colspan="1">Action</td>
    </tr>
<?php
    $list_transaksi=mysql_query("SELECT
`transaksi`.*,
`customer`.`Nama_Customer`,
`salesman`.`Nama_Salesman`
FROM
`transaksi`
INNER JOIN `customer` ON `transaksi`.`Id_Customer` =
`customer`.`Id_Customer`
INNER JOIN `salesman` ON `transaksi`.`Id_Salesman` =
`salesman`.`Id_Salesman`");
    while($proses=mysql_fetch_array($list_transaksi)){
        ?>
<tr>
    <td><?php echo $proses['Id_Transaksi'];?></td>
    <td><?php echo $proses['Nama_Salesman'];?></td>
    <td><?php echo $proses['Nama_Customer'];?></td>
    <td><?php echo number_format($proses['Jumlah']);?></td>

```

```
<td><a class="btn btn-info"
href="detail_transaksi.php?Id_Transaksi=<?php echo
$proses['Id_Transaksi'];?>" />
Detail</a></td>

<!--<td><a class="btn btn-warning"
href="edit_transaksi.php?Id_Transaksi=<?php echo $proses['Id_Transaksi'];?>" />
Edit</a></td>

<td><a class="btn btn-danger"
href="delete_transaksi.php?Id_Transaksi=<?php echo
$proses['Id_Transaksi'];?>" />
Delete</a></td>-->
</tr>

<?php } ?>
</table>

<?php
include('footer.php');
```

Lampiran 5 Source Code laporan_customer.php

```
<?php
include("koneksi.php");
if(isset($_POST['cari'])){
$list_transaksi=mysql_query("SELECT
`wilayah`.`Nama`,
`transaksi_detail`.*,
`barang`.`Nama_Barang`,
`customer`.`Nama_Customer`
FROM
`wilayah`
INNER JOIN `transaksi_detail` ON `transaksi_detail`.`Wilayah` =
`wilayah`.`Id_Wilayah`
INNER JOIN `barang` ON `transaksi_detail`.`Id_Barang` =
`barang`.`Id_Barang`
INNER JOIN `customer` ON `transaksi_detail`.`Customer` =
`customer`.`Id_Customer` where `transaksi_detail`.Customer
='".$_POST['nama']."'");
//echo $list_transaksi;

}else{
$list_transaksi=mysql_query("SELECT
`wilayah`.`Nama`,
`transaksi_detail`.*,
```

```

`barang`.`Nama_Barang`,
`customer`.`Nama_Customer`
FROM
`wilayah`
INNER JOIN `transaksi_detail` ON `transaksi_detail`.`Wilayah` =
`wilayah`.`Id_Wilayah`
INNER JOIN `barang` ON `transaksi_detail`.`Id_Barang` =
`barang`.`Id_Barang`
INNER JOIN `customer` ON `transaksi_detail`.`Customer` =
`customer`.`Id_Customer`");
}
include('header.php');
?>
<form method="POST">
<table>
<tr><td><select name="nama" class="form-control"/>
<option value="">Semua Customer</option>
<?php $data=mysql_query("select * from Customer");
while($list=mysql_fetch_array($data)){ ?>
<option value="<?php echo $list[Id_Customer];?>"><?php echo
$list[Nama_Customer];?></option>
<?php } ?>

```



```
</select></td>
```

```
<td><input type="submit" name="cari" class="btn btn-danger" style="margin:
20px 10px 10px 10px"></td></tr>
```

```
</table>
```

```
<div id="print-area" class="print-area">
```

```
<div style="text-align:right;"><a class="fa fa-print no-print btn btn-warning"
href="javascript:printDiv('print-area');"> Print</a></div>
```

```
<br>
```

```
<div style="text-align:right;"><a class="fa fa-download btn btn-success"
href="excel_customer.php"> Download Exel</a></div>
```

```
<h4>Laporan Customer PT. Bando Indonesia</h4>
```

```
<table border="1" class="table table-bordered table-striped table-hover js-basic-
example dataTable">
```

```
<head>
```

```
<script type="text/javascript"
src="assets/DataTables/media/js/jquery.js"></script>
```

```
<script type="text/javascript"
src="assets/DataTables/media/js/jquery.dataTables.js"></script>
```

```
<link rel="stylesheet" type="text/css"
href="assets/css/bootstrap.css">
```

```
<link rel="stylesheet" type="text/css"
href="assets/DataTables/media/css/jquery.dataTables.css">
```

```
<link rel="stylesheet" type="text/css"
href="assets/DataTables/media/css/dataTables.bootstrap.css">
```

```
</head>
```

```

<tr>
    <td>No</td>
    <td>Customer</td>
    <td>Nama Barang</td>
    <td>Harga` </td>
    <td>qty</td>
    <td>jumlah</td>
</tr>

</tr>

<?php
$no=1;
$total= 0;
while($proses=mysql_fetch_array($list_transaksi)){
?>
<tr>
    <td><?php echo $no++;?></td>
    <td><?php echo $proses['Nama_Customer'];?></td>
    <td><?php echo $proses['Nama_Barang'];?></td>

    <td><?php echo number_format($proses['Harga']);?></td>
    <td><?php echo number_format($proses['Qty']);?></td>
    <td><?php echo number_format($proses['Harga'] *
$proses['Qty']);?></td>

```

```

</tr>

<?php
$total+=$proses['Harga'] * $proses['Qty'];
} ?>

<tr>

<td colspan="5">Jumlah Barang Belanja</td>

<td><?php echo number_format($total);?></td>

</tr>

</table>

</div>

</form>

<textarea id="printing-css"
style="display:none;">html,body,div,span,applet,object,iframe,h1,h2,h3,h4,h5,h6,
p,blockquote,pre,a,abbr,acronym,address,big,cite,code,del,dfn,em,img,ins,kbd,q,s,
samp,small,strike,strong,sub,sup,tt,var,b,u,i,center,dl,dt,dd,ol,ul,li,fieldset,form,la
bel,legend,table,caption,tbody,tfoot,thead,tr,th,td,article,aside,canvas,details,embe
d,figure,figcaption,footer,header,hgroup,menu,nav,output,ruby,section,summary,ti
me,mark,audio,video{margin:0;padding:0;border:0;font-
size:100%;font:inherit;vertical-
align:baseline}article,aside,details,figcaption,figure,footer,header,hgroup,menu,na
v,section{display:block}body{line-height:1}ol,ul{list-
style:none}blockquote,q{quotes:none}blockquote:before,blockquote:after,q:before,
q:after{content:"";content:none}table{border-collapse:collapse;border-
spacing:0}body{font:normal normal .8125em/1.4 Arial,Sans-Serif;background-
color:white;color:#333}strong,b{font-weight:bold}cite,em,i{font-
style:italic}a{text-decoration:none}a:hover{text-decoration:underline}a
img{border:none}abbr,acronym{border-bottom:1px
dotted;cursor:help}sup,sub{vertical-align:baseline;position:relative;top:-

```

```

.4em;font-size:86% }sub{ top:.4em }small{ font-size:86% }kbd{ font-
size:80%;border:1px solid #999;padding:2px 5px;border-bottom-
width:2px;border-radius:3px }mark{ background-
color:#ffce00;color:black }p,blockquote,pre,table,figure,hr,form,ol,ul,dl{ margin:1.
5em 0 }hr{ height:1px;border:none;background-
color:#666 }h1,h2,h3,h4,h5,h6{ font-weight:bold;line-height:normal;margin:1.5em
0 0 }h1{ font-size:200% }h2{ font-size:180% }h3{ font-size:160% }h4{ font-
size:140% }h5{ font-size:120% }h6{ font-size:100% }ol,ul,dl{ margin-
left:3em }ol{ list-style:decimal outside }ul{ list-style:disc outside }li{ margin:.5em
0 }dt{ font-weight:bold }dd{ margin:0 0 .5em
2em }input,button,select,textarea{ font:inherit;font-size:100%;line-
height:normal;vertical-align:baseline }textarea{ display:block;-webkit-box-
sizing:border-box;-moz-box-sizing:border-box;box-sizing:border-
box }pre,code{ font-family:"Courier
New",Courier,Monospace;color:inherit }pre{ white-space:pre;word-
wrap:normal;overflow:auto }blockquote{ margin-left:2em;margin-
right:2em;border-left:4px solid #ccc;padding-left:1em;font-
style:italic }table[border="1"] th,table[border="1"] td,table[border="1"]
caption{ border:1px solid;padding:.5em 1em;text-align:left;vertical-
align:top }th{ font-weight:bold }table[border="1"] caption{ border:none;font-
style:italic }.no-print{ display:none }</textarea>
<iframe id="printing-frame" name="print_frame" src="about:blank"
style="display:none;"></iframe>
<script>
function printDiv(elementId) {
    var a = document.getElementById('printing-css').value;
    var b = document.getElementById(elementId).innerHTML;
    window.frames["print_frame"].document.title = document.title;
    window.frames["print_frame"].document.body.innerHTML = '<style>' + a +
'</style>' + b;

```

```
window.frames["print_frame"].window.focus();  
window.frames["print_frame"].window.print();  
    $(".datepicker").datepicker({  
        autoclose: true,  
        format: 'dd/mm/yyyy',  
        changeMonth: true,  
        changeYear: true  
    });  
}  
</script>  
<style>  
  
.print-area {border:1px solid red;padding:1em;margin:0 0 1em}  
</style>  
<?php  
include('Footer.php');  
?>  
<script type="text/javascript">  
  
$(document).ready(function(){  
  
    $(".datepicker").datepicker({  
        autoclose: true,  
        format: 'dd/mm/yyyy',
```

```
changeMonth: true,
```

```
changeYear: true
```

```
});
```

```
});
```

```
</script>
```

Lampiran 6 Source Code persediaan.php

```
<?php
include("koneksi.php");
if(isset($_POST['cari'])){
$list_barang=mysql_query("SELECT
`barang`.`Nama_Barang`,
`transaksi_detail`.`Qty`,
`transaksi_detail`.`Harga`,
`barang`.`stok_awal`,
`barang`.`Stok`
FROM
`transaksi_detail`
INNER JOIN `barang` ON `transaksi_detail`.`Id_Barang` =
`barang`.`Id_Barang` where
`transaksi_detail`.`Id_Barang`='".$_POST['nama']."'");
//echo $list_transaksi;
}else{
$list_barang=mysql_query("SELECT
`barang`.`Nama_Barang`,
`transaksi_detail`.`Qty`,
`transaksi_detail`.`Harga`,
`barang`.`stok_awal`,
`barang`.`Stok`
FROM
```

```

`transaksi_detail`

INNER JOIN `barang` ON `transaksi_detail`.`Id_Barang` =
`barang`.`Id_Barang`);
}

include('header.php');

?>

<form method="POST">

<table>

<tr><td><select name="nama" class="form-control"/>

    <option value="">Semua Barang</option>

    <?php $data=mysql_query("select * from barang");

    while($list=mysql_fetch_array($data)){ ?>

        <option value="<?php echo $list['Id_Barang'];?>"><?php echo
$list['Nama_Barang'];?></option>

        <?php } ?>

</select></td>

<td><input type="submit" name="cari" class="btn btn-danger" style="margin:
20px 10px 10px 10px"></td></tr>

</table>

<div id="print-area" class="print-area">

<div style="text-align:right;"><a class="fa fa-print no-print btn btn-warning"
href="javascript:printDiv('print-area');"> Print</a></div>

<br>

<div style="text-align:right;"><a href="excel_persediaan.php" class="fa fa-
download btn btn-warning"> Download Exel</a></div>

```



```
<h4>Laporan Persediaan PT.Bando Indonesia</h4>
```

```
<table border="5" class="table table-bordered table-striped table-hover js-basic-example dataTable">
```

```
<head>
```

```

    <script type="text/javascript"
src="assets/DataTables/media/js/jquery.js"></script>
```

```

    <script type="text/javascript"
src="assets/DataTables/media/js/jquery.dataTables.js"></script>
```

```

    <link rel="stylesheet" type="text/css"
href="assets/css/bootstrap.css">
```

```

    <link rel="stylesheet" type="text/css"
href="assets/DataTables/media/css/jquery.dataTables.css">
```

```

    <link rel="stylesheet" type="text/css"
href="assets/DataTables/media/css/dataTables.bootstrap.css">
```

```
</head>
```

```
<tr>
```

```
    <td>Nama Barang</td>
```

```
    <td>Stok Awal</td>
```

```
    <td>Stok keluar</td>
```

```
    <td>Stok Akhir</td>
```

```
</tr>
```

```
<?php
```

```
while($proses=mysql_fetch_array($list_barang)){
```

```

        ?>
<tr>
    <td><?php echo $proses['Nama_Barang'];?></td>
    <td><?php echo $proses['stok_awal'];?></td>
    <td><?php echo $proses['Qty'];?></td>
    <td><?php echo $proses['stok_awal'] - $proses['Qty'];?></td>
</tr>

<?php } ?>
</table>
</div>
</form>
<iframe id="printing-frame" name="print_frame" src="about:blank"
style="display:none;"></iframe>
<script>
function printDiv(elementId) {
    var a = document.getElementById('printing-css').value;
    var b = document.getElementById(elementId).innerHTML;
    window.frames["print_frame"].document.title = document.title;
    window.frames["print_frame"].document.body.innerHTML = '<style>' + a +
'</style>' + b;
    window.frames["print_frame"].window.focus();
    window.frames["print_frame"].window.print();
    $(".datepicker").datepicker({
        autoclose: true,

```

```
        format: 'dd/mm/yyyy',
        changeMonth: true,
        changeYear: true
    });
}
</script>
<style>
.print-area {border:1px solid red;padding:1em;margin:0 0 1em}
</style>
<?php
include('Footer.php');
?>
<script type="text/javascript">
$(document).ready(function(){
    $(".datepicker").datepicker({
        autoclose: true,
        format: 'dd/mm/yyyy',
        changeMonth: true,
        changeYear: true
    });
});
</script>
```

Lampiran 7 Source Code helpdesk.php

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Login page PT Bando Indonesia</title>
<link rel="icon" href="bando.jpg" type="image/x-icon">
<body>
<div id="container" class="cls-container">
<!-- BACKGROUND IMAGE -->
<!------->
<div id="bg-overlay" class=""></div>
<!-- HEADER -->
<!------->
<div class="cls-header cls-header-lg">
<div class="cls-brand">
<a class="box-inline" href="index.php">
<!--  -->
<span class="brand-title"><span class="text-thin">Aplikasi</span></span>
</a>
</div>
</div>

```

```
<div class="cls-content">
<div class="cls-content-sm panel">
<div class="panel-body">
<p class="pad-btm">Form Komplain</p>
<form method= "Post" action="detail_transaksi_komplain.php">
<div class="form-group">
<div class="input-group">
<div class="input-group-addon"><i class="fa fa-money"></i></div>
<input type="text" class="form-control" name="so" placeholder="Masukan
SO/PO (Sales Order)" required>
</div>
</div>
<div class="form-group">
<div class="input-group">
<div class="input-group-addon"><i class="fa fa-user"></i></div>
<input type="text" class="form-control" name="nama" placeholder="Nama"
required>
</div>
</div>
<div class="form-group">
<div class="input-group">
<div class="input-group-addon"><i class="fa fa-institution"></i></div>
<input type="text" name="perusahaan" class="form-control"
placeholder="Perusahaan" required>
```


Lampiran 8 Source Code detail_transaksi_komplain.php

```

<?php
include ("koneksi.php");

$c=mysql_query("select * from transaksi_detail where
kode_transaksi='".$_POST['so']."'");

$x=mysql_fetch_array($c);

$s=$x['kode_transaksi'];

$so=$_POST['so'];

if($so==$x['kode_transaksi']){

if(isset($_POST['save'])){

    $data_id=$_POST['id'];

    $data_komplain=$_POST['komplain'];

    $header=$_POST['id_header'];

    for($i=0; $i<count($data_id); $i++)

    {

        $Id      =$data_id[$i];

        $Komplain  =$data_komplain[$i];

        $b="update transaksi_detail SET komplain='$Komplain' WHERE
Id_Transaksi_Detail='$Id'";

        $gg=mysql_query($b);

    }

if($gg){

    $bc="update transaksi SET counter='1' WHERE
Id_Transaksi='$header'";

    $ggc=mysql_query($bc);

```

```

        header("location:thx.php");
    }else{
        echo mysql_error();
    }
}

$query_header = mysql_query("SELECT
    `transaksi`.*,
    `customer`.`Nama_Customer`,
    `customer`.`No_Telepon`,
    `salesman`.`Nama_Salesman`
FROM
    `transaksi`
    INNER JOIN `customer` ON `transaksi`.`Id_Customer` =
`customer`.`Id_Customer`
    INNER JOIN `salesman` ON `transaksi`.`Id_Salesman` =
`salesman`.`Id_Salesman` where `transaksi`.`No_transaksi` ='" .$_POST['so']."'");
$data=mysql_fetch_array($query_header);

$query_detail = mysql_query("SELECT
    `transaksi_detail`.*,
    `barang`.`Nama_Barang`
FROM
    `transaksi_detail`
    INNER JOIN `barang` ON `transaksi_detail`.`Id_Barang` =
`barang`.`Id_Barang` where `transaksi_detail`.`kode_transaksi`
= '" .$_POST['so']."'");

```



```

$data_detail=mysql_fetch_array($query_detail);
include('header_1.php');
?>
<br>
<br>
<h1><center>Detail Pejualan</center></h1>
<div id="print-area" class="print-area">
<div style="text-align:right;"><a class="no-print btn btn-warning" style="margin:
10px 10px 10px 10px" href="javascript:printDiv('print-area');">Print</a></div>
<table class="table table-bordered" border="1">
<tr>
<th>No Transaksi</th>
<th>Salesman</th>
<th>Nama Customer</th>
<th>Telpon</th>
<th>Tanggal</th>
</tr>
<tr>
<td><?php echo $data['No_transaksi'];?></td>
<td><?php echo $data['Nama_Salesman'];?></td>
<td><?php echo $data['Nama_Customer'];?></td>
<td><?php echo $data['No_Telepon'];?></td>
<td><?php echo $data['Tgl'];?></td>
</tr>

```

```

</table>

<form method="post">

<table class="table table-bordered" border="1">

<tr>

<th>No </th>

<th>Nama Barang</th>

<th>Qty</th>

<th>Harga</th>

<th>Total</th>

<th>Isi Komplain</th>

</tr>

<?php

$no=1;

$query_detail = mysql_query("SELECT

`transaksi_detail`.*,

`barang`.`Nama_Barang`

FROM

`transaksi_detail`

INNER JOIN `barang` ON `transaksi_detail`.`Id_Barang` =

`barang`.`Id_Barang` where `transaksi_detail`.`kode_transaksi`

='".$$_POST['so']."'");

while($data_detail=mysql_fetch_array($query_detail)){

?>

<tr>

```

```

<td><?php echo $no++;?></td>
<td><?php echo $data_detail['Nama_Barang'];?></td>
<td><?php echo $data_detail['Qty'];?></td>
<td>Rp.<?php echo number_format($data_detail['Harga']);?></td>
<td>Rp.<?php echo number_format($data_detail['Harga'] *
$data_detail['Qty']);?></td>
<td><input type="text" name="komplain[]" class="form-control"></td>
<input type="hidden" name="id[]" value="<?php echo
$data_detail['Id_Transaksi_Detail'];?>">
<input type="hidden" name="id_header" value="<?php echo
$data_detail['Id_Transaksi'];?>">
</tr>
<?php } ?>
<tr>
<td colspan="4">Grand Total</td>
<td>Rp.<?php echo number_format($data['Jumlah']);?></td>
</tr>
<tr>
<td><input type="submit" name="save" class="btn btn-danger"></td>
</tr>
<head>
<script type="text/javascript"
src="assets/DataTables/media/js/jquery.js"></script>
<script type="text/javascript"
src="assets/DataTables/media/js/jquery.dataTables.js"></script>

```

```
<link rel="stylesheet" type="text/css" href="assets/css/bootstrap.css">
<link rel="stylesheet" type="text/css"
href="assets/DataTables/media/css/jquery.dataTables.css">
<link rel="stylesheet" type="text/css"
href="assets/DataTables/media/css/dataTables.bootstrap.css">

</head>

</table>

</form>

</div>

<script>
function printDiv(elementId) {
    var a = document.getElementById('printing-css').value;
    var b = document.getElementById(elementId).innerHTML;
    window.frames["print_frame"].document.title = document.title;
    window.frames["print_frame"].document.body.innerHTML = '<style>' + a +
'</style>' + b;
    window.frames["print_frame"].window.focus();
    window.frames["print_frame"].window.print();
}
</script>

<style>
.print-area {border:1px solid red;padding:1em;margin:0 0 1em}
</style>

<?php
```

```
}else{  
    echo ("<script type='text/javascript'> alert ('Data yang ada cari tidak di  
    temukan'); document.location='javascript:history.back(1)';  
    </script>");  
}  
include('footer.php');
```