

LAMPIRAN 1

NORMALITAS

Explore

		Notes
Output Created		02-SEP-2019 22:03:34
Comments		
Input	Data	D:\SKRIPSI\BERKAS_FINAL\MASTER DATA RISKESDAS 2010 CLEANING SKRIPSI (DETERMINAN KEJADIAN GANGGUAN PERTUMBUHAN PADA ANAK USIA 6-23 BULAN DI WILAYAH SUMATERA DAN KALIMANTAN, INDONESIA).sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1507
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax		EXAMINE VARIABLES=TBU BERATLAHIR1 ASIEKSKLUSIF USIAMPASI DESAKOTA QUINTIL KLASIFIKASISANITASI KLASIFIKASISUMBERAIRMINU M /PLOT BOXPLOT STEMLEAF NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.

Resources	Processor Time	00:00:11.61
	Elapsed Time	00:00:08.81

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Tinggi Badan Menurut Umur	1507	100.0%	0	0.0%	1507	100.0%
Berat Lahir	1507	100.0%	0	0.0%	1507	100.0%
Asi Eksklusif	1507	100.0%	0	0.0%	1507	100.0%
Usia MPASI	1507	100.0%	0	0.0%	1507	100.0%
Daerah	1507	100.0%	0	0.0%	1507	100.0%
Status Ekonomi	1507	100.0%	0	0.0%	1507	100.0%
Klasifikasi Sanitasi Lingkungan	1507	100.0%	0	0.0%	1507	100.0%
Klasifikasi Sumber Air Minum	1507	100.0%	0	0.0%	1507	100.0%

Descriptives

		Statistic	Std. Error	
Tinggi Badan Menurut Umur	Mean	-1.0890	.06390	
	95% Confidence Interval for Mean	Lower Bound	-1.2143	
		Upper Bound	-.9636	
	5% Trimmed Mean	-1.1688		
	Median	-1.2400		
	Variance	6.153		
	Std. Deviation	2.48048		
	Minimum	-5.98		
	Maximum	5.90		
	Range	11.88		
	Interquartile Range	2.83		
	Skewness	.471	.063	
	Kurtosis	.040	.126	
Berat Lahir	Mean	31.6408	.13114	
	95% Confidence Interval for Mean	Lower Bound	31.3835	
		Upper Bound	31.8980	
	5% Trimmed Mean	31.5832		
	Median	31.0000		
	Variance	25.916		

	Std. Deviation		5.09073	
	Minimum		12.00	
	Maximum		55.00	
	Range		43.00	
	Interquartile Range		6.00	
	Skewness		.293	.063
	Kurtosis		1.247	.126
Asi Eksklusif	Mean		1.31	.012
	95% Confidence Interval for Mean	Lower Bound	1.28	
		Upper Bound	1.33	
	5% Trimmed Mean		1.29	
	Median		1.00	
	Variance		.213	
	Std. Deviation		.461	
	Minimum		1	
	Maximum		2	
	Range		1	
	Interquartile Range		1	
	Skewness		.840	.063
	Kurtosis		-1.296	.126
Usia MPASI	Mean		4.36	.065
	95% Confidence Interval for Mean	Lower Bound	4.24	
		Upper Bound	4.49	
	5% Trimmed Mean		4.35	
	Median		5.00	
	Variance		6.460	
	Std. Deviation		2.542	
	Minimum		1	
	Maximum		9	
	Range		8	
	Interquartile Range		6	
	Skewness		-.200	.063
	Kurtosis		-1.491	.126
Daerah	Mean		1.49	.013
	95% Confidence Interval for Mean	Lower Bound	1.46	
		Upper Bound	1.51	
	5% Trimmed Mean		1.49	
	Median		1.00	
	Variance		.250	

	Std. Deviation		.500	
	Minimum		1	
	Maximum		2	
	Range		1	
	Interquartile Range		1	
	Skewness		.041	.063
	Kurtosis		-2.001	.126
Status Ekonomi	Mean		3.06	.034
	95% Confidence Interval for Mean	Lower Bound	3.00	
		Upper Bound	3.13	
	5% Trimmed Mean		3.07	
	Median		3.00	
	Variance		1.753	
	Std. Deviation		1.324	
	Minimum		1	
	Maximum		5	
	Range		4	
	Interquartile Range		2	
	Skewness		-.074	.063
	Kurtosis		-1.138	.126
Klasifikasi Sanitasi Lingkungan	Mean		1.61	.013
	95% Confidence Interval for Mean	Lower Bound	1.58	
		Upper Bound	1.63	
	5% Trimmed Mean		1.62	
	Median		2.00	
	Variance		.239	
	Std. Deviation		.489	
	Minimum		1	
	Maximum		2	
	Range		1	
	Interquartile Range		1	
	Skewness		-.434	.063
	Kurtosis		-1.814	.126
Kalasifikasi Sumber Air Minum	Mean		1.74	.011
	95% Confidence Interval for Mean	Lower Bound	1.72	
		Upper Bound	1.77	
	5% Trimmed Mean		1.77	
	Median		2.00	
	Variance		.191	

Std. Deviation	.437	
Minimum	1	
Maximum	2	
Range	1	
Interquartile Range	1	
Skewness	-1.114	.063
Kurtosis	-.759	.126

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Tinggi Badan Menurut Umur	.069	1507	.000	.977	1507	.000
Berat Lahir	.096	1507	.000	.980	1507	.000
Asi Eksklusif	.440	1507	.000	.580	1507	.000
Usia MPASI	.193	1507	.000	.843	1507	.000
Daerah	.347	1507	.000	.636	1507	.000
Status Ekonomi	.167	1507	.000	.903	1507	.000
Klasifikasi Sanitasi Lingkungan	.396	1507	.000	.620	1507	.000
Klasifikasi Sumber Air Minum	.465	1507	.000	.544	1507	.000

a. Lilliefors Significance Correction

LAMPIRAN 2

OUTPUT SPSS ANALISIS REGRESI

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Berat Lahir dalam KG ^b		Enter

a. Dependent Variable: Tinggi Badan Menurut Umur

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.096 ^a	.009	.008	2.46993

a. Predictors: (Constant), Berat Lahir dalam KG

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	84.796	1	84.796	13.900	.000 ^b
	Residual	9181.312	1505	6.101		
	Total	9266.108	1506			

a. Dependent Variable: Tinggi Badan Menurut Umur

b. Predictors: (Constant), Berat Lahir dalam KG

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-2.564	.401		-6.399	.000
	Berat Lahir dalam KG	.466	.125	.096	3.728	.000

a. Dependent Variable: Tinggi Badan Menurut Umur

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Eksklusif ^b	.	Enter

a. Dependent Variable: Tinggi Badan Menurut Umur

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.028 ^a	.001	.000	2.48031

a. Predictors: (Constant), Eksklusif

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	7.436	1	7.436	1.209	.272 ^b
	Residual	9258.672	1505	6.152		
	Total	9266.108	1506			

a. Dependent Variable: Tinggi Badan Menurut Umur

b. Predictors: (Constant), Eksklusif

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-1.136	.077		-14.801	.000
	Eksklusif	.152	.139	.028	1.099	.272

a. Dependent Variable: Tinggi Badan Menurut Umur

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Belum Makan MPASI, 29 Hari - < 2 Bulan, 8 Hari - 28 Hari, 2 Bulan - < 3 Bulan, 3 Bulan - < 4 Bulan, 4 Bulan - < 6 Bulan, >= Bulan ^b	.	Enter

a. Dependent Variable: Tinggi Badan Menurut Umur

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.057 ^a	.003	-.001	2.48226

a. Predictors: (Constant), Belum Makan MPASI, 29 Hari - < 2 Bulan, 8 Hari - 28 Hari, 2 Bulan - < 3 Bulan, 3 Bulan - < 4 Bulan, 4 Bulan - < 6 Bulan, >= Bulan

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	29.818	7	4.260	.691	.680 ^b
	Residual	9236.290	1499	6.162		
	Total	9266.108	1506			

a. Dependent Variable: Tinggi Badan Menurut Umur

b. Predictors: (Constant), Belum Makan MPASI, 29 Hari - < 2 Bulan, 8 Hari - 28 Hari, 2 Bulan - < 3 Bulan, 3 Bulan - < 4 Bulan, 4 Bulan - < 6 Bulan, >= Bulan

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-1.208	.122		-9.922	.000
	8 Hari - 28 Hari	.224	.283	.022	.789	.430
	29 Hari - < 2 Bulan	-.119	.343	-.009	-.346	.729
	2 Bulan - < 3 Bulan	-.043	.269	-.004	-.160	.873
	3 Bulan - < 4 Bulan	.312	.238	.037	1.309	.191
	4 Bulan - < 6 Bulan	.091	.207	.013	.439	.661
	>= Bulan	.192	.171	.035	1.122	.262
	Belum Makan MPASI	.620	.437	.038	1.420	.156

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kota ^b	.	Enter

a. Dependent Variable: Tinggi Badan Menurut Umur

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.008 ^a	.000	-.001	2.48123

a. Predictors: (Constant), Kota

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.561	1	.561	.091	.763 ^b
	Residual	9265.547	1505	6.157		
	Total	9266.108	1506			

a. Dependent Variable: Tinggi Badan Menurut Umur

b. Predictors: (Constant), Kota

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-1.069	.091		-11.707	.000
	Kota	-.039	.128	-.008	-.302	.763

a. Dependent Variable: Tinggi Badan Menurut Umur

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kuintil Lima, Kuintil Dua, Kuintil Empat, Kuintil Tiga ^b		Enter

a. Dependent Variable: Tinggi Badan Menurut Umur

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.037 ^a	.001	-.001	2.48210

a. Predictors: (Constant), Kuintil Lima, Kuintil Dua, Kuintil Empat, Kuintil Tiga

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	12.564	4	3.141	.510	.729 ^b
	Residual	9253.545	1502	6.161		
	Total	9266.108	1506			

a. Dependent Variable: Tinggi Badan Menurut Umur

b. Predictors: (Constant), Kuintil Lima, Kuintil Dua, Kuintil Empat, Kuintil Tiga

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.954	.162		-5.904	.000
	Kuintil Dua	-.283	.215	-.046	-1.316	.189
	Kuintil Tiga	-.122	.209	-.021	-.584	.559
	Kuintil Empat	-.162	.209	-.028	-.775	.438
	Kuintil Lima	-.066	.223	-.010	-.294	.769

a. Dependent Variable: Tinggi Badan Menurut Umur

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Sanitasi Lingkungan ^b		Enter

- a. Dependent Variable: Tinggi Badan Menurut Umur
 b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.001 ^a	.000	-.001	2.48130

- a. Predictors: (Constant), Sanitasi Lingkungan

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.021	1	.021	.003	.954 ^b
	Residual	9266.088	1505	6.157		
	Total	9266.108	1506			

- a. Dependent Variable: Tinggi Badan Menurut Umur
 b. Predictors: (Constant), Sanitasi Lingkungan

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-1.094	.102		-10.741	.000
	Sanitasi Lingkungan	.008	.131	.001	.058	.954

- a. Dependent Variable: Tinggi Badan Menurut Umur

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Sumber Air Minum ^b	.	Enter

a. Dependent Variable: Tinggi Badan Menurut Umur

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.030 ^a	.001	.000	2.48016

a. Predictors: (Constant), Sumber Air Minum

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	8.566	1	8.566	1.393	.238 ^b
	Residual	9257.542	1505	6.151		
	Total	9266.108	1506			

a. Dependent Variable: Tinggi Badan Menurut Umur

b. Predictors: (Constant), Sumber Air Minum

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.961	.126		-7.620	.000
	Sumber Air Minum	-.173	.146	-.030	-1.180	.238

a. Dependent Variable: Tinggi Badan Menurut Umur

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kuintil Dua, Belum Makan MPASI, Berat Lahir dalam KG, 3 Bulan - < 4 Bulan, Sumber Air Minum ^b		Enter

a. Dependent Variable: Tinggi Badan Menurut Umur

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.115 ^a	.013	.010	2.46805

a. Predictors: (Constant), Kuintil Dua, Belum Makan MPASI, Berat Lahir dalam KG, 3 Bulan - < 4 Bulan, Sumber Air Minum

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	123.092	5	24.618	4.042	.001 ^b
	Residual	9143.016	1501	6.091		
	Total	9266.108	1506			

a. Dependent Variable: Tinggi Badan Menurut Umur

b. Predictors: (Constant), Kuintil Dua, Belum Makan MPASI, Berat Lahir dalam KG, 3 Bulan - < 4 Bulan, Sumber Air Minum

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-2.440	.409		-5.960	.000
	Berat Lahir dalam KG	.483	.125	.099	3.849	.000
	3 Bulan - < 4 Bulan	.211	.215	.025	.981	.327
	Belum Makan MPASI	.511	.423	.031	1.209	.227
	Sumber Air Minum	-.227	.147	-.040	-1.547	.122
	Kuintil Dua	-.200	.158	-.032	-1.264	.206

a. Dependent Variable: Tinggi Badan Menurut Umur

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Berat Lahir, Kuintil Dua, dan Sumber Air Minum, Berat Lahir dalam KG, Sumber Air Minum, Kuintil Dua, Berat Lahir dan Sumber Air Minum ^b		Enter

a. Dependent Variable: Tinggi Badan Menurut Umur

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.117 ^a	.014	.010	2.46823

a. Predictors: (Constant), Berat Lahir, Kuintil Dua, dan Sumber Air Minum, Berat Lahir dalam KG, Sumber Air Minum, Kuintil Dua, Berat Lahir dan Kuintil Dua, Berat Lahir dan Sumber Air Minum

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	127.866	6	21.311	3.498	.002 ^b
	Residual	9138.242	1500	6.092		
	Total	9266.108	1506			

a. Dependent Variable: Tinggi Badan Menurut Umur

b. Predictors: (Constant), Berat Lahir, Kuintil Dua, dan Sumber Air Minum, Berat Lahir dalam KG, Sumber Air Minum, Kuintil Dua, Berat Lahir dan Kuintil Dua, Berat Lahir dan Sumber Air Minum

Coefficients^a

Model		Unstandardized Coefficients		Standardized	t	Sig.
		B	Std. Error	Coefficients Beta		
1	(Constant)	-3.528	.835		-4.225	.000
	Berat Lahir dalam KG	.842	.268	.173	3.143	.002
	Sumber Air Minum	.891	.926	.157	.962	.336
	Kuintil Dua	.980	.959	.159	1.022	.307
	Berat Lahir dan Kuintil Dua	-.361	.316	-.189	-1.140	.254
	Berat Lahir dan Sumber Air Minum	-.357	.295	-.211	-1.210	.226
	Berat Lahir, Kuintil Dua, dan Sumber Air Minum	-.018	.110	-.008	-.163	.871

a. Dependent Variable: Tinggi Badan Menurut Umur