

A. ANALISIS UNIVARIAT

1. Variabel Cara Menyikat Gigi Setiap Pertanyaan

Memakai pasta gigi fluor

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid ya	30	100.0	100.0	100.0

Ukuran pasta setengah sikat gigi

	Frequency	Percent	Valid Percent	Cumulative Percent
tidak	9	30.0	30.0	30.0
Valid ya	21	70.0	70.0	100.0
Total	30	100.0	100.0	

Berkumur sebelum sikat gigi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid ya	30	100.0	100.0	100.0

Menyikat Permukaan Gigi Gerakan Maju Mundur

	Frequency	Percent	Valid Percent	Cumulative Percent
tidak	7	23.3	23.3	23.3
Valid ya	23	76.7	76.7	100.0
Total	30	100.0	100.0	

Menyikat 8 kali

	Frequency	Percent	Valid Percent	Cumulative Percent
tidak	18	60.0	60.0	60.0
Valid ya	12	40.0	40.0	100.0
Total	30	100.0	100.0	

Menyikat pertemuan gusi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	13	43.3	43.3	43.3
Valid ya	17	56.7	56.7	100.0
Total	30	100.0	100.0	

Menyikat gigi gerahan,atas bawah

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid ya	30	100.0	100.0	100.0

Menyikat permukaan dalam gigi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	16	53.3	53.3	53.3
Valid ya	14	46.7	46.7	100.0
Total	30	100.0	100.0	

Menyikat permukaan kunyah

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	10	33.3	33.3	33.3
Valid ya	20	66.7	66.7	100.0
Total	30	100.0	100.0	

Menyikat lidah

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	17	56.7	56.7	56.7
Valid ya	13	43.3	43.3	100.0
Total	30	100.0	100.0	

Menyikat dengan tekanan tidak keras

	Frequency	Percent	Valid Percent	Cumulative Percent
tidak	9	30.0	30.0	30.0
Valid ya	21	70.0	70.0	100.0
Total	30	100.0	100.0	

Berkumur setelah sikat gigi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid ya	30	100.0	100.0	100.0

3. Variabel Kebiasaan Menyikat Gigi Setiap Pertanyaan**Menyikat gigi setiap hari**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Ya	30	100.0	100.0	100.0

Menyikat gigi 2x sehari

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak	9	30.0	30.0	30.0
Valid Ya	21	70.0	70.0	100.0
Total	30	100.0	100.0	

Menyikat gigi setelah sarapan

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak	8	26.7	26.7	26.7
Valid Ya	22	73.3	73.3	100.0
Total	30	100.0	100.0	

Menyikat gigi sebelum tidur

	Frequency	Percent	Valid Percent	Cumulative Percent
--	-----------	---------	---------------	--------------------

	Tidak	17	56.7	56.7	56.7
Valid	Ya	13	43.3	43.3	100.0
	Total	30	100.0	100.0	

4. Perilaku Konsumsi Jajanan Kariogenik Setiap Pertanyaan

Perilaku Konsumsi Permen

	Frequency	Percent	Valid Percent	Cumulative Percent	
	Sangat sering	7	23.3	23.7	23.3
	Sering	9	30.0	30.0	53.3
Valid	Hampir tidak pernah	9	30.0	30.0	83.7
	Tidak Pernah	5	16.7	16.7	100.0
	Total	30	100.0	100.0	

Perilaku Konsumsi Kue

	Frequency	Percent	Valid Percent	Cumulative Percent	
	Sangat sering	9	30.0	30.0	30.0
	Sering	11	36.7	36.7	66.7
Valid	Hampir tidak pernah	9	30.0	30.0	96.7
	Tidak Pernah	1	3.3	3.3	100.0
	Total	30	100.0	100.0	

Perilaku Konsumsi Coklat Batang

	Frequency	Percent	Valid Percent	Cumulative Percent	
	Sangat sering	12	40.0	40.0	40.0
	Sering	9	30.0	30.0	70.0
Valid	Hampir tidak pernah	6	20.0	20.0	90.0
	Tidak Pernah	3	10.0	10.0	100.0
	Total	30	100.0	100.0	

Perilaku Konsumsi Roti

	Frequency	Percent	Valid Percent	Cumulative Percent	
	Sangat sering	9	30.0	30.0	30.0
Valid	Sering	9	30.0	30.0	60.0
	Hampir tidak pernah	9	30.0	30.0	90.0

Tidak Pernah	3	10.0	10.0	100.0
Total	30	100.0	100.0	

Perilaku Konsumsi Wafer

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Sangat sering	13	43.3	43.3	43.3
Sering	11	36.7	36.7	80.0
Hampir tidak pernah	6	20.0	20.0	100.0
Total	30	100.0	100.0	

Perilaku Konsumsi Puding

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Sangat sering	3	10.0	10.0	10.0
Sering	7	23.3	23.3	33.3
Hampir tidak pernah	12	40.0	40.0	73.3
Tidak Pernah	8	26.7	26.7	100.0
Total	30	100.0	100.0	

A. ANALISIS UNIVARIAT

1. Variabel Karies gigi (DMF-T)

Kategori_Karies

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Karies	26	86.7	86.7	86.7
Tidak Karies	4	13.3	13.3	100.0
Total	30	100.0	100.0	

2. Variabel Cara Menyikat Gigi

Cara Sikat Gigi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Buruk	20	66.7	66.7	66.7
Baik	10	33.3	33.3	100.0

Total	30	100.0	100.0
-------	----	-------	-------

3. Variabel Kebiasaan Menyikat Gigi

Kebiasaan Sikat Gigi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Buruk	18	60.0	60.0	60.0
Baik	12	40.0	40.0	100.0
Total	30	100.0	100.0	

4. Variabel Perilaku Konsumsi Makanan Kariogenik

Kategori Perilaku Konsumsi Kariogenik

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Perilaku Buruk	30	100.0	100.0	100.0

B. ANALISIS BIVARIAT

1. Cara Menyikat Gigi dengan Status Karies Gigi

Cara Sikat Gigi * Kategori_Karies Crosstabulation

		Kategori_Karies		Total	
		Karies	Tidak Karies		
Cara Sikat Gigi	Buruk	Count	18	2	20
		Expected Count	17.3	2.7	20.0
		% within Cara Sikat Gigi	90.0%	10.0%	100.0%
	Baik	Count	8	2	10
		Expected Count	8.7	1.3	10.0
		% within Cara Sikat Gigi	80.0%	20.0%	100.0%
Total		Count	26	4	30
		Expected Count	26.0	4.0	30.0
		% within Cara Sikat Gigi	86.7%	13.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.577 ^a	1	.448	.584	.407
Continuity Correction ^b	.036	1	.849		
Likelihood Ratio	.549	1	.459		
Fisher's Exact Test					
Linear-by-Linear Association	.558	1	.455		
N of Valid Cases	30				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.33.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Cara Sikat Gigi (Buruk / Baik)	2.250	.267	18.925
For cohort Kategori_Karies = Karies	1.125	.799	1.585
For cohort Kategori_Karies = Tidak Karies	.500	.082	3.046
N of Valid Cases	30		

B. Kebiasaan Menyikat Gigi dengan Status Karies Gigi

Kebiasaan Sikat Gigi * Kategori_Karies Crosstabulation

		Kategori_Karies		Total
		Karies	Tidak Karies	
Kebiasaan Sikat Gigi	Count	16	2	18
	Buruk Expected Count	15.6	2.4	18.0
	% within Kebiasaan Sikat Gigi	88.9%	11.1%	100.0%
	Count	10	2	12
	Baik Expected Count	10.4	1.6	12.0
	% within Kebiasaan Sikat Gigi	83.3%	16.7%	100.0%
Total	Count	26	4	30
	Expected Count	26.0	4.0	30.0
	% within Kebiasaan Sikat Gigi	86.7%	13.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.192 ^a	1	.661	1.000	.531
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.189	1	.664		
Fisher's Exact Test					
Linear-by-Linear Association	.186	1	.666		
N of Valid Cases	30				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.60.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kebiasaan Sikat Gigi (Buruk / Baik)	1.600	.193	13.240
For cohort Kategori_Karies = Karies	1.067	.789	1.442
For cohort Kategori_Karies = Tidak Karies	.667	.108	4.110
N of Valid Cases	30		