

LAMPIRAN HASIL SPSS

Warning # 849 in column 23. Text: in_ID
The LOCALE subcommand of the SET command has an invalid parameter.
It could
not be mapped to a valid backend locale.

Your temporary usage period for IBM SPSS Statistics will expire in
6014 days.

GET

```
FILE='C:\Users\darma saputra\Documents\LAPORAN SPSS\Data
Penelitian SPSS\Analisa Data Kuesioner 110719.sav'.
DATASET NAME DataSet1 WINDOW=FRONT.
COMPUTE Total_Pengetahuan=Pengetahuan1 + Pengetahuan2 +
Pengetahuan3 + Pengetahuan4 + Pengetahuan5
+ Pengetahuan6 + Pengetahuan7 + Pengetahuan8 + Pengetahuan9 +
Pengetahuan10 + Pengetahuan11 +
Pengetahuan12 + Pengetahuan13 + Pengetahuan14 + Pengetahuan15
+ Pengetahuan16 + Pengetahuan17 +
Pengetahuan18 + Pengetahuan19 + Pengetahuan20 + Pengetahuan21
+ Pengetahuan22 + Pengetahuan23 +
Pengetahuan24 + Pengetahuan25 + Pengetahuan26 + Pengetahuan27
+ Pengetahuan28 + Pengetahuan29 +
Pengetahuan30 + Pengetahuan31 + Pengetahuan32 + Pengetahuan33
+ Pengetahuan34 + Pengetahuan35 +
Pengetahuan36 + Pengetahuan37 + Pengetahuan38 + Pengetahuan39
+ Pengetahuan40 + Pengetahuan41 +
Pengetahuan42 + Pengetahuan43 + Pengetahuan44 + Pengetahuan45.
EXECUTE.
```

```
COMPUTE Total_Sikap=Sikap1 + Sikap2 + Sikap3 + Sikap4 + Sikap5 +
Sikap6 + Sikap7 + Sikap8 + Sikap9
+ Sikap10 + Sikap11 + Sikap12 + Sikap13 + Sikap14 + Sikap15 +
Sikap16 + Sikap17 + Sikap18 + Sikap19
+ Sikap20.
EXECUTE.
```

```
COMPUTE Total_Perilaku=Perilaku1 + Perilaku2 + Perilaku3 +
Perilaku4 + Perilaku5 + Perilaku6 +
Perilaku7 + Perilaku8 + Perilaku9 + Perilaku10 + Perilaku11 +
Perilaku12 + Perilaku13 + Perilaku14
+ Perilaku15 + Perilaku16 + Perilaku17 + Perilaku18 +
Perilaku19 + Perilaku20.
EXECUTE.
```

```
RECODE Total_Pengetahuan (Lowest thru 40=0) (41 thru Highest=1)
INTO Variabel_Pengetahuan.
```

```
VARIABLE LABELS Variabel_Pengetahuan 'Variabel Pengetahuan'.
EXECUTE.
```

```
RECODE Total_Sikap (Lowest thru 65=0) (66 thru Highest=1) INTO
Variabel_Sikap.
```

```
VARIABLE LABELS Variabel_Sikap 'Variabel Sikap'.
EXECUTE.
```

```
RECODE Total_Perilaku (Lowest thru 67=0) (68 thru Highest=1) INTO
Variabel_Perilaku.
```

```
VARIABLE LABELS Variabel_Perilaku 'Variabel Perilaku'.
EXECUTE.
```

```
EXAMINE VARIABLES=Total_Pengetahuan
/PLOT BOXPLOT STEMLEAF NPLOT
```

/COMPARE GROUPS
 /STATISTICS DESCRIPTIVES
 /CINTERVAL 95
 /MISSING LISTWISE
 /NOTOTAL.

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Total pengetahuan	169	100,0%	0	0,0%	169	100,0%

Descriptives

		Statistic	Std. Error	
Total pengetahuan	Mean	41,24	,096	
	95% Confidence Interval for Mean	Lower Bound	41,05	
		Upper Bound	41,43	
	5% Trimmed Mean	41,32		
	Median	41,00		
	Variance	1,542		
	Std. Deviation	1,242		
	Minimum	35		
	Maximum	44		
	Range	9		
	Interquartile Range	1		
	Skewness	-1,302	,187	
	Kurtosis	4,736	,371	

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Total pengetahuan	,304	169	,000	,826	169	,000

a. Lilliefors Significance Correction

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Total Sikap	169	100,0%	0	0,0%	169	100,0%

Descriptives

		Statistic	Std. Error	
Total Sikap	Mean	65,60	,159	
	95% Confidence Interval for Lower Bound	65,29		
	Mean	Upper Bound	66,92	
	5% Trimmed Mean	65,60		
	Median	66,00		
	Variance	4,253		
	Std. Deviation	2,062		
	Minimum	60		
	Maximum	72		
	Range	12		
	Interquartile Range	3		
	Skewness	,120	,187	
	Kurtosis	,251	,371	

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Total Sikap	,122	169	,000	,974	169	,003

a. Lilliefors Significance Correction

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Total Perilaku	169	100,0%	0	0,0%	169	100,0%

Descriptives

		Statistic	Std. Error	
Total Perilaku	Mean	67,73	,188	
	95% Confidence Interval for Mean	Lower Bound	67,36	
		Upper Bound	68,11	
	5% Trimmed Mean	67,86		
	Median	68,00		
	Variance	5,982		
	Std. Deviation	2,446		
	Minimum	58		
	Maximum	74		
	Range	16		
	Interquartile Range	2		
	Skewness	-1,075	,187	
	Kurtosis	1,921	,371	

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Total Perilaku	,242	169	,000	,904	169	,000

a. Lilliefors Significance Correction

Statistics

Variabel Pengetahuan		
N	Valid	169
	Missing	0
Mean		,88
Median		1,00
Std. Deviation		,324
Minimum		0
Maximum		1
Percentiles	25	1,00
	50	1,00
	75	1,00

Variabel Pengetahuan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Buruk	20	11,8	11,8	11,8
	Baik	149	88,2	88,2	100,0
Total		169	100,0	100,0	

Statistics

Variabel Sikap

N	Valid	169
	Missing	0
Mean	,50	
Median	,00	
Std. Deviation	,501	
Minimum	0	
Maximum	1	
Percentiles	25	,00
	50	,00
	75	1,00

Variabel Sikap

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Buruk	85	50,3	50,3	50,3
	Baik	84	49,7	49,7	100,0
Total		169	100,0	100,0	

Statistics

Variabel Perilaku

N	Valid	169
	Missing	0
Mean	,70	
Median	1,00	
Std. Deviation	,460	
Minimum	0	
Maximum	1	
Percentiles	25	,00
	50	1,00
	75	1,00

Variabel Perilaku

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Buruk	51	30,2	30,2	30,2
	Baik	118	69,8	69,8	100,0
Total		169	100,0	100,0	

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Variabel Pengetahuan *	169	100,0%	0	0,0%	169	100,0%
Variabel Kecelakaan						

Variabel Pengetahuan * Variabel Kecelakaan Crosstabulation

		Variabel Kecelakaan		Total
		Pernah Kecelakaan	Tidak Pernah Kecelakaan	
Variabel Pengetahuan	Buruk	Count 12	Count 8	Count 20
		% within Variabel Pengetahuan 60,0%	% within Variabel Pengetahuan 40,0%	% within Variabel Pengetahuan 100,0%
Baik	Count 36	Count 113	Count 149	
	% within Variabel Pengetahuan 24,2%	% within Variabel Pengetahuan 75,8%	% within Variabel Pengetahuan 100,0%	
Total	Count 48	Count 121	Count 169	
	% within Variabel Pengetahuan 28,4%	% within Variabel Pengetahuan 71,6%	% within Variabel Pengetahuan 100,0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	11,137 ^a	1	,001		
Continuity Correction ^b	9,445	1	,002		
Likelihood Ratio	9,996	1	,002		
Fisher's Exact Test				,002	,002
Linear-by-Linear Association	11,072	1	,001		
N of Valid Cases	169				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 5,68.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Variabel Pengetahuan (Buruk / Baik)	4,708	1,785	12,421
For cohort Variabel Kecelakaan = Pernah Kecelakaan	2,483	1,572	3,923
For cohort Variabel Kecelakaan = Tidak Pernah Kecelakaan	,527	,306	,909
N of Valid Cases	169		

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
	Variabel Sikap * Variabel Kecelakaan	169	100,0%	0	0,0%	169

Variabel Sikap * Variabel Kecelakaan Crosstabulation

		Variabel Kecelakaan			
		Pernah Kecelakaan	Tidak Pernah Kecelakaan	Total	
Variabel Sikap	Buruk	Count	45	40	85
		% within Variabel Sikap	52,9%	47,1%	100,0%
	Baik	Count	3	81	84
		% within Variabel Sikap	3,6%	96,4%	100,0%
Total		Count	48	121	169
		% within Variabel Sikap	28,4%	71,6%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	50,638 ^a	1	,000		
Continuity Correction ^b	48,240	1	,000		
Likelihood Ratio	58,264	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	50,339	1	,000		
N of Valid Cases	169				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 23,86.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Variabel Sikap (Buruk / Baik)	30,375	8,891	103,768
For cohort Variabel Kecelakaan = Pernah Kecelakaan	14,824	4,793	45,848
For cohort Variabel Kecelakaan = Tidak Pernah Kecelakaan	,488	,388	,614
N of Valid Cases	169		

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Variabel Perilaku * Variabel Kecelakaan	169	100,0%	0	0,0%	169	100,0%

Variabel Perilaku * Variabel Kecelakaan Crosstabulation

		Variabel Kecelakaan		Total	
		Pernah Kecelakaan	Tidak Pernah Kecelakaan		
Variabel Perilaku	Buruk	Count	44	7	51
		% within Variabel Perilaku	86,3%	13,7%	100,0%
	Baik	Count	4	114	118
		% within Variabel Perilaku	3,4%	96,6%	100,0%
Total		Count	48	121	169
		% within Variabel Perilaku	28,4%	71,6%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	120,299 ^a	1	,000		
Continuity Correction ^b	116,257	1	,000		
Likelihood Ratio	125,956	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	119,587	1	,000		
N of Valid Cases	169				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 14,49.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Variabel Perilaku (Buruk / Baik)	179,143	49,969	642,236
For cohort Variabel Kecelakaan = Pernah Kecelakaan	25,451	9,654	67,100
For cohort Variabel Kecelakaan = Tidak Pernah Kecelakaan	,142	,071	,283
N of Valid Cases	169		

Statistics

Variabel Kecelakaan

N	Valid	169
	Missing	0
Mean		,72
Median		1,00
Std. Deviation		,452
Minimum		0
Maximum		1
Percentiles	25	,00
	50	1,00
	75	1,00

Variabel Kecelakaan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Pernah Kecelakaan	48	28,4	28,4	28,4
	Tidak Pernah Kecelakaan	121	71,6	71,6	100,0
Total		169	100,0	100,0	