

## OUTOUT SPSS

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Hasil CTPS	103	100.0%	0	0.0%	103	100.0%

### Descriptives

		Statistic	Std. Error	
Hasil CTPS	Mean	2.52	.148	
	95% Confidence Interval for Mean	Lower Bound	2.23	
		Upper Bound	2.82	
	5% Trimmed Mean	2.47		
	Median	3.00		
	Variance	2.252		
	Std. Deviation	1.501		
	Minimum	0		
	Maximum	7		
	Range	7		
	Interquartile Range	2		
	Skewness	.290	.238	
	Kurtosis	.359	.472	

### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Hasil CTPS	.158	103	.000	.936	103	.000

a. Lilliefors Significance Correction

**Statistics**

ctps dikategorikan

N	Valid	103
	Missing	0
Mean		1.53
Median		2.00
Mode		2
Std. Deviation		.501
Minimum		1
Maximum		2

**ctps dikategorikan**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid kurang baik	48	46.6	46.6	46.6
baik	55	53.4	53.4	100.0
Total	103	100.0	100.0	

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
hasil jajan	103	100.0%	0	0.0%	103	100.0%

**Descriptives**

		Statistic	Std. Error
hasil jajan	Mean	3.04	.163
	95% Confidence Interval for Mean	Lower Bound	2.72
		Upper Bound	3.36
	5% Trimmed Mean	3.02	
	Median	3.00	
	Variance	2.724	
	Std. Deviation	1.650	
	Minimum	0	

Maximum	7	
Range	7	
Interquartile Range	2	
Skewness	.164	.238
Kurtosis	-.820	.472

### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
hasil jajan	.153	103	.000	.949	103	.001

a. Lilliefors Significance Correction

### Statistics

jajan dikategorikan

N	Valid	103
	Missing	0
Mean		1.40
Median		1.00
Mode		1
Std. Deviation		.492
Minimum		1
Maximum		2

### jajan dikategorikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid kurang baik	62	60.2	60.2	60.2
baik	41	39.8	39.8	100.0
Total	103	100.0	100.0	

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
hasil jamban	103	100.0%	0	0.0%	103	100.0%

### Descriptives

		Statistic	Std. Error
hasil jamban	Mean	2.12	.184
	95% Confidence Interval for Mean	Lower Bound Upper Bound	1.75 2.48
	5% Trimmed Mean	1.97	
	Median	2.00	
	Variance	3.476	
	Std. Deviation	1.865	
	Minimum	0	
	Maximum	8	
	Range	8	
	Interquartile Range	3	
	Skewness	.753	.238
	Kurtosis	.423	.472

### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
hasil jamban	.153	103	.000	.893	103	.000

a. Lilliefors Significance Correction

**Statistics**  
jamban dikategorikan

N	Valid	103
	Missing	0
Mean		1.41
Median		1.00
Mode		1
Std. Deviation		.494
Minimum		1
Maximum		2

**jamban dikategorikan**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kurang	61	59.2	59.2	59.2
	baik	42	40.8	40.8	100.0
	Total	103	100.0	100.0	

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
hasil sampah	103	100.0%	0	0.0%	103	100.0%

**Descriptives**

		Statistic	Std. Error
hasil sampah	Mean	3.32	.226
	95% Confidence Interval for Mean	Lower Bound 2.87 Upper Bound 3.77	
	5% Trimmed Mean	3.15	
	Median	3.00	
	Variance	5.279	
	Std. Deviation	2.298	

Minimum	0	
Maximum	13	
Range	13	
Interquartile Range	3	
Skewness	1.151	.238
Kurtosis	2.708	.472

### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
hasil sampah	.157	103	.000	.914	103	.000

a. Lilliefors Significance Correction

### Statistics

sampah dikategorikan

N	Valid	103
	Missing	0
Mean		1.40
Median		1.00
Mode		1
Std. Deviation		.492
Minimum		1
Maximum		2

### sampah dikategorikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kurang baik	62	60.2	60.2	60.2
	baik	41	39.8	39.8	100.0
	Total	103	100.0	100.0	

## Crosstabs

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
ctps dikategorikan * Hasil diare	103	100.0%	0	0.0%	103	100.0%

### ctps dikategorikan \* Hasil diare Crosstabulation

		Hasil diare		Total
		IYA	TIDAK	
ctps dikategorikan	kurang baik	Count 28	Count 20	Count 48
		% within ctps dikategorikan 58.3%	% within ctps dikategorikan 41.7%	% within ctps dikategorikan 100.0%
	baik	Count 11	Count 44	Count 55
		% within ctps dikategorikan 20.0%	% within ctps dikategorikan 80.0%	% within ctps dikategorikan 100.0%
Total		Count 38	Count 64	Count 103
		% within ctps dikategorikan 30.1%	% within ctps dikategorikan 69.9%	% within ctps dikategorikan 100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.719 <sup>a</sup>	1	.017		
Continuity Correction <sup>b</sup>	4.736	1	.030		
Likelihood Ratio	5.760	1	.016	.019	.015
Fisher's Exact Test					
Linear-by-Linear Association	5.664	1	.017		
N of Valid Cases	103				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.45.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for ctps dikategorikan (kurang baik / baik)	.350	.146	.840
For cohort Hasil diare = IYA	.729	.555	.958
For cohort Hasil diare = TIDAK	2.083	1.114	3.895
N of Valid Cases	103		

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
jajan dikategorikan * Hasil diare	103	100.0%	0	0.0%	103	100.0%

### jajan dikategorikan \* Hasil diare Crosstabulation

			Hasil diare		Total
			IYA	TIDAK	
jajan dikategorikan	kurang baik	Count	37	25	62
		% within jajan dikategorikan	59.7%	40.3%	100.0%
	baik	Count	6	35	41
		% within jajan dikategorikan	14.6%	85.4%	100.0%
Total		Count	43	60	103
		% within jajan dikategorikan	30.1%	69.9%	100.0%



### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7.741 <sup>a</sup>	1	.005	.008	.004
Continuity Correction <sup>b</sup>	6.568	1	.010		
Likelihood Ratio	8.257	1	.004		
Fisher's Exact Test					
Linear-by-Linear Association	7.666	1	.006		
N of Valid Cases	103				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.34.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for jajan dikategorikan (kurang baik / baik)	.254	.093	.692
For cohort Hasil diare = IYA	.699	.550	.889
For cohort Hasil diare = TIDAK	2.755	1.239	6.125
N of Valid Cases	103		

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
jamban dikategorikan * Hasil diare	103	100.0%	0	0.0%	103	100.0%

**jamban dikategorikan \* Hasil diare Crosstabulation**

			Hasil diare		Total
			IYA	TIDAK	
jamban dikategorikan	kurang baik	Count	41	20	61
		% within jamban dikategorikan	67.2%	32.8%	100.0%
	baik	Count	31	11	42
		% within jamban dikategorikan	73.8%	26.2%	100.0%
Total		Count	72	31	103
		% within jamban dikategorikan	69.9%	30.1%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.514 <sup>a</sup>	1	.473	.518	.311
Continuity Correction <sup>b</sup>	.249	1	.618		
Likelihood Ratio	.519	1	.471		
Fisher's Exact Test					
Linear-by-Linear Association	.509	1	.475		
N of Valid Cases	103				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.64.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for jamban dikategorikan (kurang baik / baik)	.727	.304	1.738
For cohort Hasil diare = IYA	.911	.708	1.171
For cohort Hasil diare = TIDAK	1.252	.672	2.332
N of Valid Cases	103		

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
sampah dikategorikan * Hasil diare	103	100.0%	0	0.0%	103	100.0%

### sampah dikategorikan \* Hasil diare Crosstabulation

			Hasil diare		Total
			IYA	TIDAK	
sampah dikategorikan	kurang baik	Count	41	21	62
		% within sampah dikategorikan	66.1%	33.9%	100.0%
	baik	Count	31	10	41
		% within sampah dikategorikan	75.6%	24.4%	100.0%
Total		Count	72	31	103
		% within sampah dikategorikan	69.9%	30.1%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.054 <sup>a</sup>	1	.304	.382	.210
Continuity Correction <sup>b</sup>	.652	1	.419		
Likelihood Ratio	1.071	1	.301		
Fisher's Exact Test					
Linear-by-Linear Association	1.044	1	.307		
N of Valid Cases	103				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.34.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for sampah dikategorikan (kurang baik / baik)	.630	.260	1.527
For cohort Hasil diare = IYA	.875	.682	1.122
For cohort Hasil diare = TIDAK	1.389	.731	2.637
N of Valid Cases	103		