

DAFTAR PUSTAKA

- Arifianto, A. Sarosa, M. Setyawati, O, (2014) Klasifikasi Stroke Berdasarkan Kelainan Patologis dengan *Learning Vector Quantization*, *Jurnal EECCIS* Vol.8, No.2. (accessed 20 Juli 2019)
- Caplan L. (2009). Stroke a clinical approach. 4 th edition. USA: Saunders Elsevier.
- Chan, P., Tou, J, Tse, M., Ng, SSM. (2017). The Realibility and Validity of the Timed Up and Go Test For People with Chronic stroke, *Journal Physical Medicine and Rehabilitation*.
- De Freitas G. Christoph, D, Bogousslavsky J. (2009). Topographic classification of ischemic stroke, in Fisher M. (ed). Handbook of Clinical Neurology, Vol. 93 (3rd series). Elsevier BV.
- Dohrn, I.M, (2015). Thesis : Physical Activity and Health-Related Quality of Life in Older Adults with Osteoporosis, The Department of Neurobiology, Sciences and Society, Division Physiotherapy Karolinska Institutet, Stockholm, Sweden.
- Downs,S., Marquez, J. and Chiarelli, P. (2013). The Berg Balance Scale has high intra- and inter-rater reliability but absolute reliability varies across the scale: a systematic review. *Journal of Physiotherapy* Vol. 59 , Australian Physiotherapy Association.
- Downs, S. (2014).The Berg Balance Scale. *Journal of Physiotherapy*. Available at: www.elsevier.com/locate/jphys.
- Ellis, H. (2006) Clinical Anatomy: Applied Anatomy for Student & Junior Doctors. 11th edition. USA: Blackwell Publishing.
- Eng,J. and Tang, P.Gait training strategies to optimize walking ability in people with stroke: A synthesis of the evidence, available in PMC 2011.
- Ghani, L., Mihardja, L., dan Delima. (2015). Faktor Risiko Dominan Penderita Stroke di Indonesia. *Buletin Penelitian Kesehatan*, Vol. 44, No. 1, Maret 2016 : 49-58
- Hendryadi., 2012. Menentukan Ukuran Sampel Sederhana, Diakses Tanggal 2 April 2019 ; <http://teorionline.net/menentukan-ukuran-sampel-menurut-para-ahli>.

- Herman, T., Giladi, N., and Hausdorff, J.,(2011). Properties of the ‘Timed Up and Go’ Test: More than Meets the Eye. *Movement Disorders Unit, Department of Neurology, Tel-Aviv. Gerontology* 2011;57:203–210.
- Howe TE, Rochester L, Neil F, Ballinger C, Skelton DA (2011). Exercise for improving balance in older people. *Cochrane Database Syst Rev.*(11)
- Irfan, M. (2010). *Fisioterapi Bagi Insan Stroke*. Yogyakarta: Graha Ilmu
- Jalalin (2000). Thesis. Latihan keseimbangan berdiri pada penghuni Panti Wredha Pucang Gading. Program Pendidikan Pasca sarjana Universitas Diponegoro.
- Kao, P., Dingwell, J.,Hingginson, J.,Macleod, S.(2014). Dynamic instability during post-stroke hemiparetic walking. Available at www.elsevier.com/locate/gaitpost.
- Kisner, C. dan Colby, L.(2013). *Terapi Latihan Dasar dan Teknik*. Jakarta : EGC.
- Kristiyawati, S.P.,(2008). Thesis. Analisis faktor risiko yang berhubungan dengan kejadian Stroke di Rumah Sakit Panti Wilasa Citarum Semarang, Program Pascasarjana Fakultas Ilmu Keperawatan, Universitas Indonesia.
- Lacquaniti, F., Ivanenko, Y., and Zago, M. (2012). Patterned control of human locomotion. *The Journal of Physiology Neuroscience, J Physiol* 590.10 (2012) pp 2189–2199
- Martini, F., Nath, J., Bartholomew, E., (2014). *Fundamentals of Anatomy and Physiology*, tenth Edition. England. Pearson education Limited.
- Masood DE, Roach EC, Beauregard KG, et al. (2010). Impact of sex hormone metabolism on the vascular effects of menopausal hormone therapy in cardiovascular disease. *Current Drug Metabolism [Curr Drug Metab]*
- Mihardja. (2006). *Patofisiologi pada insan stroke*. Jakarta :Erlangga.
- Muhlisin, A. (2014). Mediskus.com/Penyakit/Stroke-Faktor-Resiko-Stroke.html
- Obembe, A., Olaogun, M., and Adedoyin, R. (2014). Gait and balance performance of stroke survivors in South-Western Nigeria - A cross-sectional study . available at :<http://www.panafrican-med-journal.com>.
- Powers, W., et al (2018). Guidelines for the Early Management of Patients With Acute Ischemic Stroke. American Heart Association. available at <http://stroke.ahajournals.org>. (diakses pada tanggal 20 Januari 2019)

- Prasetyo,A.,Indardi, N. (2014), Peningkatan Keseimbangan Postural menggunakan pengukuran Berg Balance Scale (BBS) pada Lansia di Sasana Panti Mulyo Sragen, *Journal of Sport Sciences and Fitness* 3 (4)
- Pudjiastuti, Surini, S., Utomo, B.(2003). Fisioterapi pada lansia. Jakarta : EGC.
- Riset Kesehatan Dasar. (2013), Laporan Hasil Riset Kesehatan Dasar (Riskesdas)
- Sarwono, J. (2015). Rumus-rumus Populer dalam SPSS 22 untuk Riset Skripsi. Yogyakarta: Andi Offset.
- Sisay, B., Andualem, M., Teshome, G., 2012. Prevalence of Hypertension and Its Association with Substance Use among Adults Living in Jimma Town, South West Ethiopia, 2012. *J of Med & Med Si.* 6-8.
- Stevenson, T.(2001), Detecting change in patients with stroke using the Berg Balance Scale, *Australian Journal of Physiotherapy* Vol. 47
- Sudro, P., (2014). Thesis : Gait analysis of Normal and Differently abled Subject for Rehabilitation. Department of Biotechnology and Medical Engineering, National Institute of Technology Rourkela, India.
- Suhartono. (2005).Thesis: Pengaruh Kelelahan Otot Anggota Gerak Bawah Terhadap Keseimbangan Postural Subyek Sehat. Semarang : Prodi Rehabilitasi Medik, Fakultas Kedokteran Universitas Diponegoro.
- Sugiyono.,(2006), Metodologi Penelitian, Bandung : Alfabeta
- Vistamehr, A. Kautz, S, Bowden, M., Neptune, R. (2016), Correlations between measures of dynamic balance in individuals with post-stroke hemiparesis, *Journal of Biomechanics* 49 (2016) 396–400. Available at ScienceDirect journal homepage: www.elsevier.com/locate/jbiomech www.JBiomech.com *Journal of Biomechanics.*
- Whittle, M. (2007). *Gait Analysis an introduction*, Fourth Edition. Philadelphia : Butterworth Heinemann Elsevier
- World Health Organization. (2001). *International classification of functioning, disability and health : ICF*. WHO Library Cataloguing-in-Publication Data.