


Hasil Univariat


Frequencies

Statistics


		pretest	postes	usia responden	jenis kelamin responden	lama pasien dirawat	jenis antibiotik
N	Valid	36	36	36	36	36	36
	Missing	0	0	0	0	0	0

Histogram






Mean =2.03
Std. Dev. =0.736
N =36




Mean =3.31
Std. Dev. =0.668
N =36

jenis kelamin responden




Mean =1,5
Std. Dev. =0,507
N =36

lama pasien dirawat



Mean =1
Std. Dev. =0
N =36



Frequency Table

Pretest

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Nyeri sedang (4-6)	13	36.1	36.1	36.1
	Nyeri berat (7-10)	23	63.9	63.9	100.0
	Total	36	100.0	100.0	

Postes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0 = Tidak nyeri	1	2.8	2.8	2.8
	Nyeri ringan (1-3)	6	16.7	16.7	19.4
	Nyeri sedang (4-6)	20	55.6	55.6	75.0
	Nyeri berat (7-10)	9	25.0	25.0	100.0
	Total	36	100.0	100.0	

usia responden

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 4 tahun	4	11.1	11.1	11.1
5 tahun	17	47.2	47.2	58.3
6 tahun	15	41.7	41.7	100.0
Total	36	100.0	100.0	

jenis kelamin responden

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid perempuan	18	50.0	50.0	50.0
laki-laki	18	50.0	50.0	100.0
Total	36	100.0	100.0	

lama pasien dirawat

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1-3 hari	36	100.0	100.0	100.0

jenis antibiotik

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid ceftriaxon	20	55.6	55.6	55.6
cefotaxime	16	44.4	44.4	100.0
Total	36	100.0	100.0	

Hasil Bivariat

NPar Tests

Descriptive Statistics

	N	Mean	Std. Deviation	Minimum	Maximum
pretest	36	2.64	.487	2	3
postes	36	2.03	.736	0	3

Wilcoxon Signed Ranks Test

Ranks

		N	Mean Rank	Sum of Ranks
postes - pretest	Negative Ranks	22 ^a	13.20	290.50
	Positive Ranks	3 ^b	11.50	34.50
	Ties	11 ^c		
	Total	36		

a. postes < pretest

b. postes > pretest

c. postes = pretest

Test Statistics^b

	postes - pretest
Z	-3.759 ^a
Asymp. Sig. (2-tailed)	.000

a. Based on positive ranks.

b. Wilcoxon Signed Ranks Test

Uji Normalitas

Explore

Descriptives

		Statistic	Std. Error	
pretest	Mean	2.64	.081	
	95% Confidence Interval for Mean	Lower Bound	2.47	
		Upper Bound	2.80	
	5% Trimmed Mean	2.65		
	Median	3.00		
	Variance	.237		
	Std. Deviation	.487		
	Minimum	2		
	Maximum	3		
	Range	1		
	Interquartile Range	1		
	Skewness	-.604	.393	
	Kurtosis	-1.735	.768	
postes	Mean	2.03	.123	
	95% Confidence Interval for Mean	Lower Bound	1.78	
		Upper Bound	2.28	
	5% Trimmed Mean	2.06		
	Median	2.00		
	Variance	.542		
	Std. Deviation	.736		
	Minimum	0		
	Maximum	3		
	Range	3		
	Interquartile Range	1		
	Skewness	-.499	.393	
	Kurtosis	.377	.768	

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
pretest	.410	36	.000	.609	36	.000
postes	.291	36	.000	.824	36	.000

a. Lilliefors Significance Correction

postes


postes Stem-and-Leaf Plot

```


Frequency      Stem & Leaf
      7.00 Extremes      (= <1.00)
     20.00      20 .  00000000000000000000
      .00      21 .
      .00      22 .
      .00      23 .
      .00      24 .
      .00      25 .
      .00      26 .
      .00      27 .
      .00      28 .
      .00      29 .
      9.00      30 .  000000000
  
```


Stem width: 0
 Each leaf: 1 case(s)

Normal Q-Q Plot of postes



Detrended Normal Q-Q Plot of postes






pretest

pretest Stem-and-Leaf Plot

Frequency	Stem &	Leaf
13.00	20 .	00000000000000
.00	21 .	
.00	22 .	
.00	23 .	
.00	24 .	
.00	25 .	
.00	26 .	
.00	27 .	
.00	28 .	
.00	29 .	
23.00	30 .	000000000000000000000000

Stem width: 0
 Each leaf: 1 case(s)

Normal Q-Q Plot of pretest



Detrended Normal Q-Q Plot of pretest

