

Lampiran 6

BIVARIAT

1. Hubungan Sikap dengan Perilaku Pemilihan Jajanan

Kategori_Sikap * Kategori_Perilaku Crosstabulation

		Kategori_Perilaku		Total	
		Perilaku Buruk	Perilaku Baik		
Kategori_Sikap	Sikap Negatif	Count	32	6	38
		Expected Count	21,4	16,6	38,0
		% within Kategori_Sikap	84,2%	15,8%	100,0%
	Sikap Positif	Count	4	22	26
		Expected Count	14,6	11,4	26,0
		% within Kategori_Sikap	15,4%	84,6%	100,0%
Total		Count	36	28	64
		Expected Count	36,0	28,0	64,0
		% within Kategori_Sikap	56,3%	43,8%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	29,715 ^a	1	,000		
Continuity Correction ^b	26,984	1	,000		
Likelihood Ratio	32,247	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	29,251	1	,000		
N of Valid Cases	64				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 11,38.

b. Computed only for a 2x2 table

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori_Sikap (Sikap Negatif / Sikap Positif)	29,333	7,404	116,211
For cohort Kategori_Perilaku = Perilaku Buruk	5,474	2,199	13,624
For cohort Kategori_Perilaku = Perilaku Baik	,187	,088	,396
N of Valid Cases	64		

2. Hubungan Uang Jajan dengan Perilaku Pemilihan Jajanan

Kategori_UangJajan * Kategori_Perilaku Crosstabulation

		Kategori_Perilaku		Total	
		Perilaku Buruk	Perilaku Baik		
Kategori_UangJajan	Uang Jajan Sedikit	Count	33	25	58
		Expected Count	32,6	25,4	58,0
		% within	56,9%	43,1%	100,0%
		Kategori_UangJajan			
Uang Jajan Banyak	Uang Jajan	Count	3	3	6
		Expected Count	3,4	2,6	6,0
		% within	50,0%	50,0%	100,0%
		Kategori_UangJajan			
Total		Count	36	28	64
		Expected Count	36,0	28,0	64,0
		% within	56,3%	43,8%	100,0%
		Kategori_UangJajan			

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,105 ^a	1	,746		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,104	1	,747		
Fisher's Exact Test				1,000	,536
Linear-by-Linear Association	,103	1	,748		
N of Valid Cases	64				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 2,63.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori_UangJajan (Uang Jajan Sedikit / Uang Jajan Banyak)	1,320	,245	7,101
For cohort Kategori_Perilaku = Perilaku Buruk	1,138	,496	2,612
For cohort Kategori_Perilaku = Perilaku Baik	,862	,367	2,023
N of Valid Cases	64		

3. Hubungan Kebiasaan Membawa Bekal dengan Perilaku Pemilihan Jajanan

Kategori_KebiasaanMembawaBekal * Kategori_Perilaku Crosstabulation

		Kategori_Perilaku		Total
		Perilaku Buruk	Perilaku Baik	
Kategori_KBM	Count	19	15	34
	Expected Count	19,1	14,9	34,0
	% within	55,9%	44,1%	100,0%
	Count	17	13	30
	Expected Count	16,9	13,1	30,0
	% within	56,7%	43,3%	100,0%
Total	Count	36	28	64
	Expected Count	36,0	28,0	64,0
	% within	56,3%	43,8%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,004 ^a	1	,950		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,004	1	,950		
Fisher's Exact Test				1,000	,575
Linear-by-Linear Association	,004	1	,950		
N of Valid Cases	64				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 13,13.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori_KBM (Tidak Biasa Membawa Bekal / Biasa Membawa Bekal)	,969	,360	2,606
For cohort Kategori_Perilaku = Perilaku Buruk	,986	,640	1,520
For cohort Kategori_Perilaku = Perilaku Baik	1,018	,583	1,778
N of Valid Cases	64		

4. Hubungan Pengaruh Teman Sebaya dengan Perilaku Pemilihan Jajanan

Kategori_PengaruhTemanSebaya * Kategori_Perilaku Crosstabulation

		Kategori_Perilaku		Total	
		Perilaku Buruk	Perilaku Baik		
Kategori_PTS	Pengaruh Buruk	Count	28	14	42
		Expected Count	23,6	18,4	42,0
		% within Kategori_PTS	66,7%	33,3%	100,0%
	Pengaruh Baik	Count	8	14	22
		Expected Count	12,4	9,6	22,0
		% within Kategori_PTS	36,4%	63,6%	100,0%
Total		Count	36	28	64
		Expected Count	36,0	28,0	64,0
		% within Kategori_PTS	56,3%	43,8%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5,387 ^a	1	,020		
Continuity Correction ^b	4,226	1	,040		
Likelihood Ratio	5,412	1	,020		
Fisher's Exact Test				,033	,020
Linear-by-Linear Association	5,303	1	,021		
N of Valid Cases	64				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 9,63.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori_PTS (Pengaruh Buruk / Pengaruh Baik)	3,500	1,189	10,305
For cohort Kategori_Perilaku = Perilaku Buruk	1,833	1,014	3,316
For cohort Kategori_Perilaku = Perilaku Baik	,524	,308	,891
N of Valid Cases	64		