

UNIVARIAT

Kejadian TB

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	37	33.3	33.3	33.3
	Tidak	74	66.7	66.7	100.0
	Total	111	100.0	100.0	

Dikategorikan Usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Produktif	95	85.6	85.6	85.6
	Non Produktif	16	14.4	14.4	100.0
	Total	111	100.0	100.0	

Dikategorikan Pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Rendah	43	38.7	38.7	38.7
	Tinggi	68	61.3	61.3	100.0
	Total	111	100.0	100.0	

Riwayat Kontak dengan Penderita

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada Riwayat	25	22.5	22.5	22.5
	Tidak Ada Riwayat	86	77.5	77.5	100.0
	Total	111	100.0	100.0	

Kepadatan Hunian

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Padat	80	72.1	72.1	72.1
	Tidak Padat	31	27.9	27.9	100.0
Total		111	100.0	100.0	

Dikategorikan Ventilasi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Memenuhi Syarat	65	58.6	58.6	58.6
	Memenuhi Syarat	46	41.4	41.4	100.0
Total		111	100.0	100.0	

BIVARIAT

Dikategorikan Usia * Kejadian TB Crosstabulation

			Kejadian TB		Total
			Ya	Tidak	
Dikategorikan Usia	Produktif	Count	25	70	95
		Expected Count	31.7	63.3	95.0
		% within Kejadian TB	67.6%	94.6%	85.6%
	Non Produktif	Count	12	4	16
		Expected Count	5.3	10.7	16.0
		% within Kejadian TB	32.4%	5.4%	14.4%
Total	Count	37	74	111	
	Expected Count	37.0	74.0	111.0	
	% within Kejadian TB	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	14.605 ^a	1	.000	.000	.000
Continuity Correction ^b	12.497	1	.000		
Likelihood Ratio	13.808	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	14.474	1	.000		
N of Valid Cases ^b	111				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5,33.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Dikategorikan Usia (Produktif / Non Produktif)	.119	.035	.403
For cohort Kejadian TB = Ya	.351	.226	.545
For cohort Kejadian TB = Tidak	2.947	1.251	6.945
N of Valid Cases	111		

Dikategorikan Pendidikan * Kejadian TB Crosstabulation

			Kejadian TB		Total
			Ya	Tidak	
Dikategorikan Pendidikan	Rendah	Count	21	22	43
		Expected Count	14.3	28.7	43.0
		% within Kejadian TB	56.8%	29.7%	38.7%
	Tinggi	Count	16	52	68
		Expected Count	22.7	45.3	68.0
		% within Kejadian TB	43.2%	70.3%	61.3%
Total	Count	37	74	111	
	Expected Count	37.0	74.0	111.0	
	% within Kejadian TB	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7.592 ^a	1	.006		
Continuity Correction ^b	6.496	1	.011		
Likelihood Ratio	7.518	1	.006		
Fisher's Exact Test				.007	.006
Linear-by-Linear Association	7.524	1	.006		
N of Valid Cases ^b	111				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14,33.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Dikategorikan Pendidikan (Rendah / Tinggi)	3.102	1.367	7.040
For cohort Kejadian TB = Ya	2.076	1.226	3.514
For cohort Kejadian TB = Tidak	.669	.486	.922
N of Valid Cases	111		

Riwayat Kontak dengan Penderita * Kejadian TB Crosstabulation

			Kejadian TB		Total
			Ya	Tidak	
Riwayat Kontak dengan Penderita	Ada Riwayat	Count	14	11	25
		Expected Count	8.3	16.7	25.0
		% within Kejadian TB	37.8%	14.9%	22.5%
	Tidak Ada Riwayat	Count	23	63	86
		Expected Count	28.7	57.3	86.0
		% within Kejadian TB	62.2%	85.1%	77.5%
Total	Count	37	74	111	
	Expected Count	37.0	74.0	111.0	
	% within Kejadian TB	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7.460 ^a	1	.006		
Continuity Correction ^b	6.202	1	.013		
Likelihood Ratio	7.130	1	.008		
Fisher's Exact Test				.009	.007
Linear-by-Linear Association	7.393	1	.007		
N of Valid Cases ^b	111				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 8,33.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Riwayat Kontak dengan Penderita (Ada Riwayat / Tidak Ada Riwayat)	3.486	1.385	8.773
For cohort Kejadian TB = Ya	2.094	1.279	3.428
For cohort Kejadian TB = Tidak	.601	.379	.952
N of Valid Cases	111		

Kepadatan Hunian * Kejadian TB Crosstabulation

			Kejadian TB		Total
			Ya	Tidak	
Kepadatan Hunian	Padat	Count	20	60	80
		Expected Count	26.7	53.3	80.0
		% within Kejadian TB	54.1%	81.1%	72.1%
	Tidak Padat	Count	17	14	31
		Expected Count	10.3	20.7	31.0
		% within Kejadian TB	45.9%	18.9%	27.9%
Total	Count	37	74	111	
	Expected Count	37.0	74.0	111.0	
	% within Kejadian TB	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.952 ^a	1	.003	.004	.003
Continuity Correction ^b	7.659	1	.006		
Likelihood Ratio	8.648	1	.003		
Fisher's Exact Test					
Linear-by-Linear Association	8.871	1	.003		
N of Valid Cases ^b	111				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 10,33.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kepadatan Hunian (Padat / Tidak Padat)	.275	.115	.655
For cohort Kejadian TB = Ya	.456	.278	.749
For cohort Kejadian TB = Tidak	1.661	1.104	2.497
N of Valid Cases	111		

Dikategorikan Ventilasi * Kejadian TB Crosstabulation

			Kejadian TB		Total
			Ya	Tidak	
Dikategorikan Ventilasi	Tidak Memenuhi Syarat	Count	27	38	65
		Expected Count	21.7	43.3	65.0
		% within Kejadian TB	73.0%	51.4%	58.6%
	Memenuhi Syarat	Count	10	36	46
		Expected Count	15.3	30.7	46.0
		% within Kejadian TB	27.0%	48.6%	41.4%
Total	Count	37	74	111	
	Expected Count	37.0	74.0	111.0	
	% within Kejadian TB	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.752 ^a	1	.029	.041	.023
Continuity Correction ^b	3.903	1	.048		
Likelihood Ratio	4.898	1	.027		
Fisher's Exact Test					
Linear-by-Linear Association	4.709	1	.030		
N of Valid Cases ^b	111				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15,33.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Dikategorikan Ventilasi (Tidak Memenuhi Syarat / Memenuhi Syarat)	2.558	1.086	6.026
For cohort Kejadian TB = Ya	1.911	1.028	3.550
For cohort Kejadian TB = Tidak	.747	.579	.964
N of Valid Cases	111		